There are two categories of literature offered through this service: Special Orders, and Articles Available on the Literature Order Form.

Special Orders

- The following publications are either too long or too expensive for us to provide free copies, but prices and ordering instructions are given here and following the individual listings in the New Nursery Literature Section.
- SO. Okholm, D.1997. Pacific Northwest Nursery Directory and Report. Publication No. R6-CP-TP-97. Portland, OR: USDA Forest Service, State and Private Forestry. 62 p.

This softbound report consists of a directory of forest and conservation nurseries in Oregon and Washington and surrounding states, as well as tabular and graphical seedling production information for the current year. Although it doesn't list which plant species that a nursery grows, it does list stock groupings such as commercial conifers, wildlife habitat, and windbreak species.

COST: Free ORDER FROM: Write "A" on the Literature Order Form

SO. Landis, T.D.; Thompson, J.R., tech. coords. National Proceedings, Forest and Conservation Nursery Associations -1997. Gen. Tech. Rep. PNW-GTR-419. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 163 p.

This softbound publication is the combined proceedings from the two regional forest and conservation nursery meetings in 1997. The Northeastern Forest Nursery Association conference was held in Bemidji, MN on August 11-14, and the Western Forest and Conservation Nursery Association meeting was held in Boise, ID on August 19-21. The 27 papers cover subjects ranging from seed collection and processing; through bareroot and container cultural practices; to harvesting, storage and outplanting.

COST: Free ORDER FROM: Write "B" on the Literature Order Form

SO. Longman, K.A. 1995. **Preparing to Plant Tropical Trees.** London: Commonwealth Secretariat Publications. 238 p.

This spiralbound book is the second in Tropical Trees: Propagation and Planting Manuals series which will eventually contain five volumes. The chapters in this book include: Introduction, General Principles of Tree Survival, Types of Planting site, and Which Tree species, For What Purpose? Deciding on the Growing System, and Preparing the Ground. The target audience is small, private landowners in tropical climates and text is written in an easy-to-understand style that addresses common questions.

| COST: £30.00 | ORDER FROM: | Commonwealth Secretariat Publications |
|--------------|-------------|---------------------------------------|
| | | S&H= 15% of order |
| | | c/o Vale Packaging Ltd |
| | | 420 Vale Road |
| | | Tonbridge, Kent |
| | | TN91TD |
| | | Great Britain |
| | | Tel: (44)1732359387 |
| | | Fax: (44)1732770620 |

SO. Haase, D.L.; Rose, R. 1997. Symposium Proceedings: Forest Seedling Nutrition from the Nursery to the Field. Oct. 28-29, 197, Corvallis, OR. Corvallis, OR: Oregon State University, College of Forestry. 161 p.

The spiral-bound publication contains 18 papers on principals of seedling nutrition, fertilizer technology, monitoring seedling nutrition, and current research and practices in both nursery and field applications. A limited number of copies are available.

COST: \$20.00ORDER FROM:Diane Haase, Nursery Technology Cooperative
OSU Department of Forest Science,
FSL-020 Corvallis, OR97331-7501
USA
TEL: 5411737-6576
FAX: 541 /737-5814
E-MAIL: haased@fsl.orst.edu
WWW: www.fsl.orst.edu/coops/ntc/ntc.htm

SO. Proceedings: 1997 Annual International Research Conference on Methyl Bromide Alternatives and Emissions Reductions. Nov. 3-5, 1997. San Diego, CA. Fresno, CA: Methyl Bromide Alternative Outreach.

This softbound publication contains over 120 articles from presentations and posters by scientists from all over the world. Although those dealing with forest and conservation nurseries are relatively few, growers can learn much from the work that is being done with other crops. Single copies are available from the address below, and a mailing charge may be required for foreign shipments.

| COST: Free | ORDER FROM: | Methyl Bromide Alternatives Outreach 144 West Peace River Drive Fresno, CA 93711-6953 |
|------------|-------------|---|
| | | Tel: 209/477-2127 |
| | | Fax: 209/436-0692 |
| | | E-mail: gobenauf@concentric.net |
| | | |

SO. Kolotelo, D.1997. **Anatomy & Morphology of Conifer Tree Seed.** Forest Nursery Technical Series 1.1. Surrey, BC: British Columbia Ministry of Forests, Nursery and Seed Operations Branch. 60 p.

This spiral-bound manual contains sections on Tree Seed Components, Cutting Tests, Seed Dormancy, Seed Germination, Genera Profiles of commercial northwest tree species. It is written in an easy-to-read style and contains numerous color illustrations and photographs that add to its usefulness.

COST: FreeORDER FROM:DavidKolotelo
BC Ministry of Forests
Tree Seed Center
18793 32nd Ave.
Surrey, BC V4P 1 MS
CANADA
Tel: 604/541-1683
Fax: 604/541-1685
E-mail: dkolotel@mforOl.for.gov.bc.ca

SO. James, R.L.1997. Proceedings of the Third Meeting of IUFRO Working Party S7.03-04: Diseases & Insects in Forest Nurseries. Report 97-4. May 19-24, 1996; Orlando-Gainesville, FL. Missoula, MT: USDA Forest Service, Forest Health Protection. 156 p.

This softbound publication contains 25 articles by nursery pest specialists from all over the world. Subjects include general insects and diseases, Fusarium diseases, Alternative to methyl bromide and other chemical soil fumigation, and miscellaneous papers. A limited number of copies are available.



Articles on the Literature Order Form

Copies of the following journal articles or publications are free and can be ordered using the Literature Order form on the last page. Subscribers should write the appropriate number or letter in the space provided and return it to us. Note that there are two restrictions.

1. Limit in the Number of Free Articles: In an effort to reduce mailing costs we are limiting the number of free articles that can be ordered through our Forest Nursery Notes (FNN) literature service. From now on, all FNN subscribers will be restricted to 25 free articles per issue. If you still want additional articles, then you will have to order them on a fee basis from the librarian who maintains the FNN database. Fill in the numbers on the second half of the Form and return it to us.

2. **Copyrighted material**. Items with [©] are copyrighted and require a fee for each copy, so only the title page and abstract will be provided through this service. If subscribers desire the entire article, they can order a copy from a library service (see above address).

Bareroot Production

- 1. Seedling survival: fabric protects germinating plants from frost. Morgan, D. Nursery Management and Production 13(10):37-39.1997.
- 2. Top pruning bareroot hardwoods: a review of the literature. South, D. B. Tree Planters' Notes 47(1):340.1996.

Business Management

- Adapting JIT principles to nursery production. South, D. B. Tree Planters' Notes 47(1):1-2.1996. Suggests a "Just-Before-Sowing" pricing system to encourage customers to order early.
- Automatic label printers. McLean, J. Greenhouse Management and Production 17(7):66.1997.
- Cooperative shipping. Cuny, H. Nursery Management and Production 13 (12):20-23. 1997.

- *Ergonomics in agriculture: workplace priority setting in the nursery industry.* Meyers, J. M.; Miles, J. A.; Faucett, J.; Janowitz, L; Tejeda, D. G.; Kabashima, J. N. American Industrial Hygiene Association Journal 58(2):121-126.1997. Screening for ergonomic risk factors.
- 7. *Finding business tools on the World Wide Web.* Cuny, H. Greenhouse Management and Production 17(9):55-57.1997.
- The Internet and how it applies to the nursery industry. O' Meara, B. International Plant Propagators' Society, Combined Proceedings 1996,46:678-691.1997.
- The Internet: What's out there for you? Rice, C.; Bruce, V. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 125-131. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419.1997.
- Optimizing nursery operation schedules with multiperiod linear programming. van Rensburg, R. J.; Bredenkamp, B. V. Southern African Forestry Journal 179:7-11.1997.
- **11.** *Taming the inventory dragon.* Bates, A. American Nurseryman 186(1):52-54, 56-61.1997. Bar code technology for tracking plant stock. Container Production
- 12. Changes in root length and diameter in plants grown in copper-treated containers. Stafford, M.; Geneve, R. L.; McNiel, R. E. International Plant Propagators' Society, Combined Proceedings 1996,46:608-610.1997.
- 13. [©]Coating nursery containers with copper carbonate improves root morphology of five native Australian tree species used in agroforestry systems. Dunn, G. M.; Huth, J. R.; Lewty, M. J. Agroforestry Systems 37(2):143-155. 1997.
- 14. Controlling root systems with slit containers. Watanabe, S. International Plant Propagators' Society, Combined Proceedings 1996, 46:719-720. 1997.

- 15. IRRRB growth chamber: tree seedlings produced for mineland reclamation. Jordan, D. R. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 12. T.D. Landis and J.R. Thompson, tech. words. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419. 1997.
- 16. ***Sodium carbonate inhibits emergence and** growth of greenhouse-grown white spruce. Maynard, D. G.; Mallett, K. L; Myrholm, C. L. Canadian Journal of Soil Science 77:99-105.1997.
- **17.** *Tree seedling production.* Smith, S. International Plant Propagators' Society, Combined Proceedings 1996,46:654-656. 1997.
- Trials on raising teak (<u>Tectonia grandis</u>) planting stock in root trainers. Khedkar, M. H.; Subramanian, K. Indian Forester 123 (2):95-99. I 997.
- 19. Update on copper root control. Crawford, M. A. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 120-124. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419. 1997. Spin Out Root Growth Regulator is the first EPA registered product for controlling plant root growth in containers.

Diverse Species

- 20. Application of genetic analyses to native plant populations. Carroll, B. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 93-97. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419.1997. Activities of National Forest Genetic Electrophoresis Laboratory.
- Catching the microwave. Kitto, S. American Nurseryman 186(7):34-36, 38-43.1997. Protocols for micropropagation of native plants.
- Considerations for conditioning seeds of native plants. Karrfalt, R. P. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 53-56. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419. 1997.

- 23. Effect of seed moisture on Wyoming big sagebrush seed quality. Bai, Y.; Booth, D. T.; Roos, E. E. Journal of Range Management 50(4):419-422.1997.
- 24. Effects of perturbations and stimulants on red raspberry (<u>Rubus idaeus L.</u>) seed germination. Lautenschlager, R. A. Forestry Chronicle 73(4):453-457.1997.
- 25. The expanding potential for native grass seed production in western North America. Jones. T. A. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 89-92. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419.1997.
- 26. Germination and seedling development in pawpaw <u>Asimina triloba</u>. Finneseth, C. L. H.; Layne, D. R.; Geneve, R. L. International Plant Propagators' Society, Combined Proceedings 1996,46:605-607.1997.
- Influence of cultural treatments on seed germination and seedling growth of <u>Robinia</u> <u>neomexicana</u>. Lin, Y.; Wagner, M. R.; Seweyestewa, C. H.; Honahni, A.; DeGomez, M.; McMillin, J. D. Forest, Farm, and Community Tree ResearchReports 1:112-1 16. Winrock International in collaboration with the Taiwan Forestry Research Institute. 1996.
- 28. Natural Resources Conservation Service (NRCS) native plants for the Pacific Northwest. Lambert, S. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 68-70. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419.1997.
- Physical and chemical changes during growth, maturation, and ripening of saskatoon (<u>Amelanchier alnifolia</u>,)fruit. Rogiers, S. Y.; Knowles, N. R. Canadian Journal of Botany 75(8):1215-1225.1997.
- Pollination, capsule damage, and the production of seeds in <u>Salix setehelliana</u> (Salicaceae), an Alaskan glacial river gravel bar willow. Douglas, D. A. Canadian Journal of Botany75(7):1182-1187.1997.

- 31. Propagating <u>Sassafras albidum f</u>rom root shoots. Mezitt, R. W. International Plant Propagators' Society, Combined Proceedings 1996,46:630. I 997.
- 32. Propagating woody riparian plants in nurseries. Dumroese, R. K.; Hutton, K. M.; Wenny, D. L. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 71-76. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419.1997.
- 33. Propagation of native plants for restoration projects in the southwestern U.S. --preliminary investigations. Dreesen, D. R.; Harrington, J. T. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 77-88. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419.1997.
- 34. Restoration of disturbances in Yellowstone and Glacier National Parks. Majerus. M. Journal of Soil and Water Conservation 52(4):232-236. 1997.
- 35. Restoring the ecological integrity of public lands. Van Haveren, B. P.; Williams, J. E.; Pattison, M. L.; Haugh, J. R. Journal of Soil and Water Conservation 52(4):226-231.1997.
- *36.* Seed weight variability of antelope bitterbrush (*Purshia tridentata: Rosaceae*). Krannitz, P. G. American Midland Naturalist 138(2):306-321. 1997.
- 37. Seeded versus containerized big sagebrush plants for seed-increase gardens. Welch, B. L. Journal of Range Management 50(6):611-614. 1997.
- 38. The tetrazolium estimated viability test for seeds of native plants. Vankus, V. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 57-62. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419.1997.

- 39. You want us to do what!? Diversifying plant products at the J. Herbert Stone Nursery. Steinfeld, D. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 63-67. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419. 1997. Planting native grass for seed. Fertilization and Nutrition
- Changes in root NH+ 4 and NO3 absorption rates of loblolly and ponderosa pine in response to CO2 enrichment. BassiriRad, H.; Griffin, K. L.; Reynolds, J. F.; Strain, B. R. Plant and Soil I 90(1):1-9.1997.
- 41. Comparative evaluation of nitrogen release patterns from controlled-release fertilizers by nitrogen leaching analysis. Cabrera, R. I. HortScience 32(4):669-673.1997.
- *Effects of elevated C02 and N fertilization on fine root dynamics and fungal growth in seedling <u>Pinus</u> <u>ponderosa</u>. Tingey, D. T.; Phillips, D. L.; Johnson, M. G.; Storm, M. J.; Ball, J. T. Environmental and Experimental Botany 37(2-3):73-83.1997.
- Evaluating rhizon soil solution samplers as a method for extracting nutrient solution and analyzing media for container-grown crops. Argo, W. R.; Weesies, B. J.; Bergman, E. M.; Marshal, M.; Biernbaum, J. A. HortTechnology 7(4):404-408.1997.
- *Fall nitrogen fertilization and the biology of <u>Pinus</u> <u>taeda</u> seedling development. Sung, S. S.; Black, C. C.; Kormanik, T. L.; Zarnoch, S. J.; Kormanik, P. P.; Counce, P. A. Canadian Journal ofForestResearch 27(9):1406-1412.1997.
- 45. *"Foliar nutrients in relation to growth, allocation and leaf traits in seedlings of a wide range of woody plant species and types.* Cornelissen, J. H. C.; Werger, M. J. A.; CastroDiez, P.; van Rheenen, J. W. A.; Rowland, A. P. Oecologia 111(4):460-469.1997. Covers 81 woody species.
- ***Formulation of sprays to improve the efficacy** of foliar fertilisers. Stevens, P. J. G. New Zealand Journal of Forestry Science 24(1):27-34. 1994.

- **47.** Greenhouse fertilization and the environment: can they go hand in hand? Lang, H. J.; Reed, D. W. Greenhouse Management and Production 17(9):58-61.1997.
- Growth and nitrogen utilization in seedlings of mountain birch (<u>Betula pubescens</u>ssp. tortuosa as related to plant nitrogen status and temperature: a two-year-study. Weih, M.; Karlsson, P. S. Ecoscience4(3):365-373. 1997.
- Influences of different nitrate to ammonium ratios on chlorosis, cation concentrations and the binding forms of Mg and Ca in needles of Mg-deficient Norway spruce. Mehne-Jakobs, B.; Gulpen, M. Plant andSoil 188(2):267-277. 1997.
- Solution of the second s
- Nutrient survey of nursery stock in Ireland and U.K. including nutrient reserve analysis in controlled-release fertilizer and leaf analysis. Prasad, M. International Plant Propagators' Society, Combined Proceedings 1996, 46:183-189. 1997.
- 52. *Nutrient uptake by woody root systems. Comerford, N. B.; Smethurst, P. J.; Escamilla, J. A. New Zealand Journal of Forestry Science 24(2/3):195-212.1994.
- 53. *Response of <u>Eucalyptus nitens</u> and <u>Eucalyptus</u> <u>regnans</u> seedlings to application of various fertilizers at planting or soon after planting. Neilsen, W. A. New Zealand Journal of Forestry Science 26(3):355-369.1996.*
- 54. **•***A shift of paradigm is needed in plant science.* Ingestad, T. Physiologia Plantarum 1 01(2):446-450. 1997. An opinion paper (with comments solicited) that suggests that the driving variable commonly used for uptake, external concentral, should be abandoned since its form makes it incompatible with the uptake rate. SO.

 Symposium proceedings: Forest seedling nutrition from the nursery to the field. Haase, D. L.; Rose, R. Oregon State University, College of Forestry. 161 p. Held October 28-29, I 997, Corvallis, OR. 1997. ORDER FROM: Diane Haase, Nursery Technology Cooperative, OSU Department of Forest Science, Corvallis, OR 97331. Phone: (541) 737-6576. Fax (541) 737-5814. E-mail: haased@fsl.orst.edu. Price: \$20.00.

General and Miscellaneous

- 55. Beltrami County natural resource management. Reed, M. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 5-7. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419.1997.
- 56. Changes to Ontario's forest tree seedling production: 1992 to 1997. McDonough, T. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 8-1 I. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419.1997.
- 57. Forest and conservation nursery trends in the United States. Landis, T. D.; Lantz, C. W.; Overton, R. P.; Burch, F. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 13-16. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419. 1997.
- 58. Improving Minnesota's white pine. Stine, R. A. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 34-37. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419. 1997.
- The influence of the form of tenure on reforestation in British Columbia. Zhang, D.; Pearse, P. H. Forest Ecology and Management 98(3):239-250.1997.
- *60. Oaks to know and grow: the promise and problems of the genus.* Sternberg, G. International Plant Propagators' Society, Combined Proceedings 1996, 46:464-468. 1997.

- Overview of state land forest management in Minnesota. Pajala, B.IN:1997National proceedings, Forest and Conservation Nursery Associations, p. 3-4. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419.1997.
- 62. The role of the nursery in developing a sustainable forest regeneration program for the Rio Condor Project in Tierra del Fuego, Chile.
 Phillipps, R.; Moreno, R.; Ovalle, P. IN: 1997
 National proceedings, Forest and Conservation
 Nursery Associations, p. 136-139. T.D. Landis and
 J.R. Thompson, tech. coords. USDA Forest Service,
 Pacific Northwest Research Station, General Technical ReportPNW-419.1997.
- *63. The status of forest regeneration in Canada.* Haddon, B. Forestry Chronicle 73(5):586-589.1997.
- 64. Timber management on the Chippewa National Forest Brittain, B. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. I -2. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419.1997.
- SO. National proceedings, Forest and Conservation Nursery Associations, 1997. Landis, T. D.; Thompson, J. R., eds USDA Forest Service, Pacific Northwest Research Station, General Technical ReportPNW-GTR-419.163 p.1997. Each paper in index individually in this issue of Forest Nursery Notes. ORDER FROM: USDA Forest Service, Pacific Northwest Research Station, P.O. Box 3890,Portland,OR97208. Free. (Or circleB on the Literature Order Form).
- SO. Pacific Northwest nursery directory and report 1997. Okholm, D. USDA Forest Service, Pacific Northwest Region, State and Private Forestry. 62 p. 1997. ORDER FROM: USDA Forest Service, Pacific Northwest Region, P. 0. Box 3623, Portland, OR 97208-3623. Phone (503) 808-2353. Fax (503) 808-2339. Free. (or circle A on the literature order form).
- SO. Tree planting in the United States 1996.
 Moulton, R. J.; Snellgrove, J. D. USDA Forest Service, Cooperative Forestry. 17 p. 1997.
 ORDER FROM: USDA Forest Service, P.O. Box 96090,Washington,D.C.20090-6090. Free.

Genetics and Tree Improvement

- 65. Breeding and nursery propagation of cottonwood and hybrid poplars for use in intensively cultured plantations. Riemenschneider, D. E. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 38-42. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419.1997.
- 66. Characterization of Sitka x interior spruce hybrids: a biotechnological approach to seedlot determination. Grossnickle, S. C.; Sutton, B. C. S.; Fan, S.; King, J. Forestry Chronicle 73(3):357-362.1997.
- 67. "Effects of megagametophyte removal on DNA yield and early seedling growth in coastal Douglas-fir. Krutovskii, K. V.; Vollmer, S. S.; Sorensen, F. C.; Adams, W. T.; Strauss, S. H. Canadian Journal of Forest Research 27 (6):964-968.1997.
- 68. "Effects of sib mating and wind pollination on nursery seedling size, growth components, and phenology of Douglas-fir seed-orchard progenies. Sorensen, F. C. Canadian Journal of Forest Research 27(4):557-566.1997.
- 69. [•]Genetic variation in red pine (<u>Pinus resinosa</u>) revealed by RAPD and RAPD-RFLP analysis. DeVerno, L. L.; Mosseler, A. Canadian Journal of Forest Research 27 (8):1316-1320.1997.
- New applications in clonal forestry. Libby, W. J. International Plant Propagators' Society, Combined Proceedings 1996, 46:350-354.1997. Mycorrhizae and Beneficial Microorganisms
- Coinoculation efficacy of ectomycorrhizal fungi on <u>Pinus.patuhi</u> seedlings in a nursery. Reddy, M. S.; Natarajan, K. Mycorrhiza 7(3):133-138.1997.
- 72. [©]Growth stimulation of young oak plantations inoculated with the ectomycorrhizal fungus <u>Paxillus involutus</u> with special reference to summer drought. Garbaye, J.; Churin, J. L. Forest Ecology and Management 98(3):221-228. 1997.
- *Jasmonic acid affects mycorrhization of spruce seedlings with <u>Laccaria laccata</u>. Regvar, M.; Gogala, N.; Znidarsic, N. Trees: Structure and Function 11(8):511-514.1997.

- 74. Mycorrhizal associations and plant propagation. Marx, D. H. International Plant Propagators' Society, Combined Proceedings 1996,46:517-521.1997.
- 75. Significance of mycorrhizal management in the production of trees and shrubs. Marx, D. H. International Plant Propagators' Society, Combined Proceedings 1996,46:538-542. 1997.
- 76. *Storage of ectomycorrhizal fungi by freezing.* Corbery, Y.; Le Tacon, F. Annales des Sciences Forestieres 54(2):211-217.1997.

Nursery Structures and Equipment

- 77. Chippin' away at heating costs. Hopkins, M. Greenhouse Grower 15(14):48, `1-52.1997. Using wood as fuel for greenhouses.
- **78.** Cooling down boiler problems. Stein, M. Greenhouse Grower 15(14):53-54, 56.1997. A boiler electrolysis problem stumped this grower until help from a corrosion expert arrived.
- **79. The equipment encyclopedia.** Davis, T. Greenhouse Management and Production 17(9):51-54.1997. What growers need to know before buying leasing, maintaining or selling equipment.
- Infrared heating systems. McLean, J. Greenhouse Management and Production 17(8):53.1997.
- *81. Keep greenhouses cool, reduce plant stress with fog.* Bartok, J. W., Jr. Greenhouse Management and Production 17(7):64-65.1997.
- 82. Landfill gas: an economical, alternative energy source. Kerr, T. Greenhouse Management and Production 17(8):50-52.1997.
- *83. Lower your heating bill.* Davis, T. Greenhouse Management and Production 17(8):47-48.1997. Growers can save by not buying directly from their local natural gas utilities.
- 84. Nursery soil fumigation. Karsky, D. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 98-108. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419.1997. Development of steam treatment machine for nursery soils.

- **85.** Pallets can ease your material handling. Bartok, J. W., Jr. Greenhouse Management and Production 17(12):41. 1997. Discusses pallet handling options: pallet trucks, lift trucks and forklifts.
- *86. Post frame buildings: a low-cost alternative.* Bartok, J. W., Jr. Greenhouse Management and Production 17(8):63-64.1997.
- **87.** *Reduce air pollution from your heating system.* Bartok, J. W., Jr. Greenhouse Management and Production 17(10):43-44.1997.
- The right frame of mind. Greenhouse Grower 15(6):52-54.1997. Greenhouse engineering research at Jaderloon tests for strength, slip, and corrosion.
- *89.* Seven steps to longer life for shade cloth. Cuny, H. Nursery Management and Production 13(6):37-38.1997.
- 90. Shut houses to save energy. Bartok, J. W., Jr. Greenhouse Management and Production 17(11):46.1997.
- *91. Soil mixers.* McLean, J. Greenhouse Management and Production 17(11:47-48.1997.
- **92.** *Taking control.* Hopkins, M. Greenhouse Grower 15(13):48, 50-51.1997. Tips for getting the most out of your environmental control system.
- Various collapsible frames of solar warmercum-nursery plant protector. Sohani, S. K.; Joshi, V.; Negi, G. C. S.; Rawat, J. K. Indian Forester 123 (1):26-31.1997.
- *94. Venting heater frustration.* Duncan, G. A. Greenhouse Grower 15(14):58-60.1997. When using unvented heaters in the greenhouse, there are several traps to avoid.

Outplanting Performance

95. Conifer establishment in South Island high country: influence of mycorrhizal inoculation, competition removal, fertilizer application, and animal exclusion during seedling establishment. Davis, M. R.; Grace, L. J.; Howell, R. F. New Zealand Journal of Forestry Science 26(3):380-394.1996.

- 96. Container seedling planting with manual microsite preparation for species restoration. Salonius, P.; Beaton, K.; Roze, B. Tree Planters' Notes47(2):58-61.1996.
- **97.** Effect of initial root collar diameter on survival and growth of yellow poplar seedlings over 17years. Dierauf, T. A.; Garner, J. W. Tree Planters' Notes 47 (1):30-33.1996.
- 98. The effects of seedling quality and forest site weather on field survival of ponderosa pine. McTague, J. P.; Tinus, R. W. Tree Planters' Notes 47(1):16-23.1996.
- *99.* Establishment in treeshelters 1: shelters reduce growth, water use, and hardiness, but not drought avoidance. Kjelgren, R.; Rupp, L. A. HortScience 32(7):1281-1283.1997.
- 100. Establishment in treeshelters 11: Effect of shelter color on gas exchange and hardiness. Kjelgren, R.; Montague, D. T.; Rupp, L. A. HortScience 32(7):1284-1287.1997.
- 101. Fifth-year results from a test of longleaf pine seed sources on the Francis Marion National Forest and in central Georgia. Sluder, E. R. Tree Planters' Notes 47(l):6-10.1996.
- 102. *Morphological indicators of stock quality and field performance of red oak (Quercus <u>rubra L.)</u> seedlings underplanted in a central Ontario shelterwood. Dey, D. C.; Parker, W. C. New Forests 14(2):145-156.1997.*
- *Root volume and growth of ponderosa pine and Douglas-fir seedlings: a summary of eight growing seasons. Rose, R.; Haase, D. L.; Kroiher, F.; Sabin, T. Western Journal of Applied Forestry 12(3):69-73.1997.
- 104. *Soil changes and tree seedling response associated with site preparation in northern Idaho.
 Page-Dumroese, D. S.; Jurgensen, M. F.; Harvey, A.
 E.; Graham, R. T.; Tonn, J. R. Western Journal of Applied Forestry 12(3):81-88. 1997.
- 105. *Ten-year survival and growth of planted Douglas fir and western redcedar after seven site preparation treatments. Stein, W. I. Western Journal of Applied Forestry 12(3):74-80. 1997.

106. "Transpiration rate of Prunus avium L. seedlings inside an unventilated treeshelters. Bergez, J. E.; Dupraz, C. Forest Ecology and Management 97(3):255-264.1997.

Pest Management

- **107.** Antibiotics in sphagnum moss. Hess, C. E. International Plant Propagators' Society, Combined Proceedings 1996,46:347-349.1997. Substances have been extracted from sphagnum moss which inhibit the growth of fungi associated with damping off.
- Application of antagonistic microorganisms to seeds to control fungal plant pathogens. Jensen, B.; Knudsen, I. M. B.; Jensen, D. F.; Hockenhull, J. International Plant Propagators' Society, Combined Proceedings 1996, 46:256-262. 1997.
- Biocontrol of damping off of <u>Eucalyptus</u> <u>tereticornis</u> sm. using ectomycorrhizae. Bhat, M. N.; Jeyarajan, R.; Ramaraj, B. Indian Forester 123(4):307-312.1997.
- 110. Biological control and natural products as alternatives to synthetic pesticides. Hill, R. International Plant Propagators' Society, Combined Proceedings 1996,46:456-458.1997.
- 111. Commercial options for disease and pest control in plant propagation. Stevenson, M. International Plant Propagators' Society, Combined Proceedings 1996, 46:428-439.1997.
- *Developments in the biological control of soil-borne plant pathogens. Whipps, J. M. Advances in Botanical Research 26:1-134. 1997.
- *****The effect of solar heating of soil on natural and inoculated agrobacteria. Raio, A.; Zoina, A.; Moore, L. W. Plant Pathology 46(3):320-328. 1997.
- 114. * Estimates and measurements of pine weevil feeding on conifer seedlings: their relationships and application. Eidmann, H. H.; Lindelow, A. Canadian Journal of Forest Research 27(7): I 068-1073.1997.
- 115. "Evaluation of soil solar heating for control of damping-off fungi in two forest nurseries in France. Le Bihan, B.; Soulas, M. L.; Camporota, P.; Salerno, M. L; Perrin, R. Biology and Fertility of Soils 25(2):189-195.1997.

- 116. *Frequencies and patterns of browsing by large herbivores on conifer seedlings. Bergstrom, R.; Bergqvist, G. Scandinavian Journal ofForestResearch 12(3):288-294. 1997.
- 117. Fumigant alternatives to methyl bromide for polyethylene-mulched tomato. Locascio, S. J.; Gilreath, J. P.; Dickson, D. W.; Kucharek, T. A.; Jones, J. P.; Noling, J. W. HortScience 32(7):1208-1211.1997.
- 118. *Making compost to suppress plant disease.* Hoitink, H. A. J.; Zhang, W.; Han, D. Y.; Dick, W. A. Biocycle 38(4):40-42.1997.
- 119. <u>Melampsora larici populina</u> on poplars in India and its control in nursery. Pandey, P. C.; Singly A.; Karnatak, D. C.; Bhartari, B. K. Indian Forester 122(11):1062-1067.1996.
- 120. [®]The mode of infection of a pathogenic uninucleate <u>Rhizoctonia</u> sp. in conifer seedling roots. Hietala, A. M. Canadian Journal of Forest Research 27(4):471-480.1997.
- 121. Mycoflora and pathogenicity of fungi present on stored seeds from provenances of <u>Eucalyptus</u> <u>pellita</u>. Yuan, Z. Q.; Old, K. M.; Midgley, S. J.; Solomon, D. Australian Plant Pathology 26(3):195-202.1997.
- **122.** Natural suppression. Hoitink, H. A. J.; Han, D. Y.; Stone, A. G.; Krause, M. S.; Zhang, W.; Dick, W. A. American Nurseryman 186(7):90-97.1997. Ways to keep compost low in pathogens and high in beneficial microorganisms.
- 123. Preliminary evaluation of fungicides for control of damping-off disease in container grown red pine seedlings. Pokorny, J. D.; Rykhu, J. K. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 31-33. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419.1997.
- 124. "Resistance to the green spruce aphid (Elatobium <u>abietinus</u> Walker) in progenies of Sitka spruce (<u>Picea sitchensis</u> (Bong) Carr.). Jensen, J. S.; Harding, S.; Roulund, H. Forest Ecology and Management 97(3):207-214. 1997.

- 125. Sanitation and disease control in the propagation area. Blackwell, R. International Plant Propagators' Society, Combined Proceedings 1996,46:651-653.1997.
- 126. [®]Sensitivity of <u>Botrytis cinerea from Connecticut</u> greenhouses to benzimidazole and dicarboximide fungicides. LaMondia, J. A.; Douglas, S. M. Plant Disease 81(7):729-732. 1997.
- 127. Sodium hypochlorite: effect of solution pH on rice seed disinfestation and its direct effect on seedling growth. Chun, S. C.; Schneider, R. W.; Cohn. M. A. P1antDisease 81(7):821-824.1997.
- 128. Soil tillage practices and root disease management. Juzwik, J.; Allmaras, R. R.; Gust, K. M. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 23-28. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419.1997.
- *129. Spatial distribution of polyphagous predators in nursery fields.* Holopainen, J. K. IN: Arthropod natural enemies in arable land. I. Density, spatial heterogeneity and dispersal, p. 213-220. S. Tolt and W. Riedel, eds. 1995.
- 130. Sugi (<u>CWtomeria japonica</u> D. Don) bark, a potential growth substrate for soilless culture with bioactivity against some soilborne diseases. Yu, J. Q.; Komada, H.; Yokoyama, H.; Yamamoto, M.; Terada, T.; Matsui, Y. Journal of Horticultural Science 72(6):989-996.1997.
- 131. Susceptibility to brown-spot needle blight and fusiform rust in selected longleaf pine and hybrids. Lott, L. H.; Schmidtling, R. C.; Snow, G. A. Tree Planters' Notes 47 (1):11-15.1996.
- **132.** The trojan horse of the nursery industry. Cowles, R. S.; Gilrein, D. O.; Alm, S. R. American Nurseryman 186(3):51-57. 1997. Cultural and management practices to minimize losses from black vine weevil.

- SO. Diseases and insects in forest nurseries. James, R. L. USDA Forest Service, Northern Region, Forest Health Protection Report 97-4.
 Proceedings of the 3rd meeting of IUFRO Working Party S7.03.04. 156 p. 1997. ORDER FROM: R.L. James, USDA Forest Service, Forest Health Protection, 3815 Schreiber Way, Coeur d'Alene, ID 83814-8363. Phone: (208) 765-7421. Fax: (208) 765-7307.
 E-mail: rj ames @ su 1 so.ipn£r 1 fs=fed.us/par. Free. Pesticides
- *Agriculture, methyl bromide, and the ozone hole: can we fill the gaps? Ristaino, J. B.; Thomas, W. Plant Disease 81(9):964-977. 1997.
- How pH affects pesticide effectiveness. Tatum, D. H. International Plant Propagators' Society, Combined Proceedings 1996, 46:657-659.1997.
- 135. "Rationale and perspectives on the development of fungicides. Knight, S. C.; Anthony, V. M.; Brady, A. M.; Greenland, A. J.; Heaney, S. P.; Murray, D. C.; Powell, K. A.; Schulz, M. A.; Spinks, C. A.; Worthington, P. A.; Youle, D. Annual Review of Phytopathology 35:349-372.1997.
- **136.** Try low- and high-volume pesticide application. Powell, C. C. Nursery Management and Production 13(10):69-71.1997.

Seedling Harvesting and Storage

- 137. Cold hardiness testing to time lifting and packing of container stock: a case history. Tinus, R. W. Tree Planters' Notes 47(2):62-67. 1996.
- 138. "Jellyrolling" may reduce media use and transportation costs of polybag-grown seedlings. Mexal, J. G.; Phillips, R.; Landis, T. D. Tree Planters' Notes 47(3):105-109.1996.

Seedling Physiology and Morphology

139. Cell wall composition and elasticity of dormant and growing white spruce (Picea lauca seedlings. Renault, S.; Zwiazek, J. J. PhysiologiaPlantarum 101(2):323-327.1997.

- 140. Climatic adaptation of bud set and frost hardiness in Scots pine <u>Onus sylvestris</u>). Hurme, P.; Repo, T.; Savolainen, O.; Paakkonen, T. Canadian Journal of Forest Research 27(5):716-723.1997.
- 141. Cold hardiness measurement to time fall lifting. Tinus, R. W.; Burr, K. E. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 17-22. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419. 1997.
- 142. Dehardening and second-year growth of white spruce provenances in response to duration of long-night treatments. Coursolle.
 C.; Bigras, F. J.; Margolis, H. A.; Hebert, C.
 Canadian Journal of Forest Research 27 (8): 1
 168-1175.1997.
- 143. Deterioration of fine tree roots during cold storage in two contrasting winters. McKay, H. M. Forestry Commission (Great Britain), Technical Paper 2. 9 p. 1993.
- 144. *Effect of CCC on the morphology and growth potential of containerized silver birch seedlings. Aphalo, P. J.; Rikala, R.; Sanchez, R. A. New Forests 14(3):167-177.1997.
- 145. *Effects of CO₂ enrichment, elevated temperature, and nitrogen availability on the growth and gas exchange of different families of jack pine seedlings. Canon, D.; Tremblay, M. F.; Lechowicz, M. J.; Potvin, C. Canadian Journal of Forest Research 27 (4):510-520.1997.
- 146. "Effects of exposure to air on planting stress in red oak seedlings. Guard, S.; Clement, A.; Boulet-Gercourt, B.; Guehl, J. M. Annales des Sciences Forestieres 54(4):395-401.1997.
- 147. *Fluorescein diacetate as a viability stain for tree roots and seeds.* Noland, T. L.; Mohammed, G. H. New Forests 14(3):221-232.1997.
- ***Freezing exposure releases bud dormancy in** <u>Betula pubescens and B. pendula</u>. Rinne, P.; Hanninen, H.; Kaikuranta, P.; Jalonen, J. E.; Repo, T. Plant, Cell and Environment 20(9):11991204.1997.
- 149. *Frost damage and recovery of Scots pine seedlings at the end of the growing season.
 Ryyppo, A.; Sutinen, S.; Maenpaa, M.; Vapaavuori, E.; Repo, T. Canadian Journal of Forest Research 27(9):1376-1382.1997.

- 150. [•]Gas exchange and water relations responses to drought of fast- and slow-growing black spruce families. Tan, W.; Blake, T. J. Canadian Journal of Botany 75 (10):1700-1706.1997.
- 151. [•]Interactive effects of waterlogging and irradiance on the photosynthetic performance of seedlings from three oak species displaying different sensitivities (<u>Quercus robur, Q. petraea</u> and Q. rubra). Wagner, P. A.; Dreyer, E. Annales des Sciences Forestieres 54(5):409429.1997.
- **152.** *Intracellular resistance correlates with initial stage of frost hardening in willow (Salix viminalis).* Repo, T.; Hiekkala, P.; Hietala, T.; Tahvanainen, L. Physiologic Plantarum 101(3):627-634.1997.
- ***Morphological and physiological differences in** Scots pine seedlings of six seed origins. Perks, M. P.; McKay, H. M. Forestry 70(3):223232,.1997.
- 154. Quantification of endodormancy in seeds of woody plants. Seeley, S. D. HortScience 32(4):615-617.1997.
- 155. Quantifying bud dormancy: physiological approaches. Fuchigami, L. H.; Wisniewski, M. HortScience 32(4):618-623.1997.
- 156. Stock quality assessment: still an important component of operational reforestation programs. Folk, R. S.; Grossnickle, S. C. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 109-119. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419. 1997.
- **157.** Use of growth regulators in production. Ackerman, R.; Hamernik, H. International Plant Propagators' Society, Combined Proceedings 1996,46:574-576.1997.
- 158. The value of seedling quality testing. Tinus, R. W. Tree Planters' Notes 47(2):45-46. 1996.
- SO. Anatomy and morphology of conifer tree seed. Kolotelo, D. British Columbia Ministry of Forests, Nursery and Seed Operations Branch, Forest Nursery Technical Series 1.1. 62 p. 1997. ORDERFROM: BCMOFTree Seed Centre, 18793 32nd Ave., Surrey, BC V4P 1 M5 Canada. Phone: (604) 541-1683. Fax (604) 541-1685. E-mail: <u>dkolotel@mforOl.for.gov.bc.ca</u>. Free.

Seeds

- 159. "Applying the IDS method to remove empty seeds in <u>Platanus</u> x acerifolia. Falleri, E.; Pacella, R. Canadian Journal of Forest Research 27(8):1311-1315.1997.
- The biology and management of coniferous forest seeds: genetic perspectives. Edwards, D. G. W.; El-Kassaby, Y. A. Forestry Chronicle 72(5):481-484. I 996.
- 161. Breaking of tree seed dormancy at controlled moisture content. Jensen, M. International Plant Propagators' Society, Combined Proceedings 1996,46:296-304.1997.
- 162. ^eChanges in dormancy and vigor of <u>Picea</u> <u>abies</u> seeds during overwintering and dry storage. Leinonen, K. Canadian Journal of Forest Research 27(9):1357-1366.1997.
- *163. Controlled moisture content during release of dormancy in tree seeds -- large scale handling.* Knudsen, H. G. International Plant Propagators' Society, Combined Proceedings 1996, 46:305-306.1997.
- 164. Do plants derived from seeds that readily germinate differ from plants derived from seeds that require forcing to germinate? A case study of the desert mustard Lesquerella fendleri. Cabin, R. J.; Evans, A. S.; Mitchell, R. J. American Midland Naturalist 138(1):121-133. 1997.
- 165. Dormancy -- unlocking seed secrets. Leadem, C. L. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 43-52. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419.1997.
- 166. Effect of water bath temperature and stratification on germination of pecan seed. Smith, M. W.; Cheary, B. S.; Carroll, B. L. HortScience 32(7):1272-1273.1997.
- 167. "Endo-b-mannanase activity during dormancy alleviation and germination of white spruce (Picea glauca) seeds. Downie, B.; Hilhorst, H. W. M.; Bewley, J. D. Physiologic Plantarum 101 (2):405-415.1997.

- 168. Germination and priming. Hansen, H. D. International Plant Propagators' Society, Combined Proceedings 1996, 46:289-291. 1997.
- 169. "How seed orchard culture affects seed quality: experience with the southern pines. Barnett. J. P. Forestry Chronicle 73 (5):469-473. I 996.
- 170. The mechanics of coating seeds in a small rotating drum. Scott, J. M.; Blair, G. J.; Andrews, A. C. Seed Science and Technology 25(2):281-292.1997.
- 171. Quantifying the effect of plug-flat color on medium-surface temperatures. Faust, J. E.; Reins, R. D.; Shimizu, H. HortTechnology 7(4):387-389.1997.
- **172.** Seed collection and cleaning revisited. Lee, D. International Plant Propagators' Society, Combined Proceedings 1996,46:383-386.1997.
- **173.** Seed hydration using the drum priming system. Warren, J. E.; Bennett, M. A. HortScience 32(7):1220-1221.1997.
- **174.** Seed priming and pelleting: tools for stand establishment. Brandt, C. International Plant Propagators' Society, Combined Proceedings 1996,46:391-394.1997.
- **175.** Seed testing and seed dormancy. Meyr, A. International Plant Propagators' Society, Combined Proceedings 1996, 46:387-390.1997.
- ***Smoke as a germination cue: a review.** Brown, N. A. C.; van Staden, J. Plant Growth Regulation 22:115-124.1997.
- 177. *Storage of non-dormant seeds of <u>Fraxinus</u> <u>angushfolia</u> Vah. Piotto, B. New Forests 14(2):157-166.1997.
- **178.** Storage of orthodox seeds. Eriksen, E. N. International Plant Propagators' Society, Combined Proceedings 1996, 46:292-295.1997. Soil Management and Growing Media
- *Agrochemical and microbiological properties of soil within a forest nursery in the south of Krasnoyarsk region. Grodnitskaya, I. D.; Yakimenko, E. E. Eurasian Soil Science 29(10):1162-1168.1996.
- 180. An alternative to methyl bromide: electrically produced steam. Bunker, J. R. International

Plant Propagators' Society, Combined Proceedings 1996,46:93-98.1997.

- 181. Chloropicrin as a soil fumigant in forest nurseries. South, D. B.; Carey, W. A.; Enebak, S. A. Forestry Chronicle 73(4):489-494.1997.
- 182. Compost and rubber tire chips as peat substitutes in nursery container media: growth effects. Calkins, J. B.; Jarvis, B. R.; Swanson, B. T. Journal of Environmental Horticulture 15(2):88-94.1997.
- 183. Filling the voids. Pill, W. G. American Nurseryman 185(12):30-32, 34, 36-37.1997. Ideas on amendments to alter media.
- 184. Incorporation of surface-applied materials by tillage implements. Stenlund, D. L.; Jazwik, J.; Allmaras, R. R.; Copeland, S. M. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 29-30. T.D. Landis and J.R. Thompson, tech. coords. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419. I 997. Compares uniformity and depth of incorporation with rotary tillers, a spading machine, and a disc cultivator.
- 185. Measurement of soil water content in a peat -vermiculite medium using time domain reflectometry (TDR): a laboratory and field evaluation. Lambany, G.; Robidas, L.; Ballester, P. Tree Planters' Notes 47(3):88-93.1996.
- 186. Methyl bromide alternatives for field-grown nursery stock. McKenry, M. V. International Plant Propagators' Society, Combined Proceedings 1996,46:378-381.1997.
- 187. "Restoration techniques for Sphagnumdominated peatlands. Ferland, C.; Rochefort, L. Canadian Journal of Botany 75 (7):1110-1118. 1997.
- *188. Soil form follows function.* Amador, J. A. American Nurseryman 186(6):64-67.1997.
- 189. Steam -- the hottest alternative to methyl bromide. Quarles, W. American Nurseryman 186(4):37-38, 40-43.1997.
- ***Volatilization and distribution of methyl iodide** and methyl bromide after subsoil application.
 Gan, J.; Yates, S. R.; Ohr, H. D.; Sims, J. J.
 Journal of Environmental Quality 26:1107-1115.1997.

- SO. Annual international research conference on methyl bromide alternatives and emissions reductions, 1997. U.S. Environmental Protection Agency and Department of Agriculture. Held Nov. 3-5,1997, San Diego, CA. 1997. ORDER FROM: Methyl Bromide Alternatives Outreach, 144 West Peace River Drive, Fresno, CA 93711-6953. Phone: (209)477-2127. Fax: (209)436-0692. E-mail: gobenauf@concentric.net.
- SO. Methyl bromide alternatives, 10 case studies -volume 3. U.S. Environmental Protection Agency, EPA-430-R-97-030.1997. Includes the following soil use alternatives: Compost; Flooding; Grafting; Hydroponics; Metam sodium; Steam; Telone chloropicrin - tillam. ORDER FROM: Methyl Bromide Program, U.S. EPA - 6205J, 401 M Street SW, Washington, DC 20460.Phone(202)233-9179.Fax(202)233-9637. E-mail thomas.bill@epamail.epa.gov. Free.

Tropical Forestry and Agroforestry

- 191. Chemical control of <u>Dalbergia sissoo</u> seedling rot caused by <u>Fusarium</u> sp. Kumar, A. Forest, Farm, and Community Tree Research Reports 1:66-68. Winrock International in collaboration with the Taiwan Forestry Research Institute. 1996.
- 192. Collection and handling of mahogany (Swietenia macrophylla) seeds for optimum viability. Marzalina, M.; Normah, M. N.; Krishnapillay, B. Journal of Tropical Forest Science 9(3):398-410.1997.
- 193. *Effect of desiccation, temperature, and moisture content on seed storage of three tropical tree species. Gonzalez J., E.; Fisher, R. F. Forest Science 43(4):595-601.1997.
- 194. "Effect of endomycorrhizae (VAM) on bamboo seedling growth and biomass productivity. Ravikumar, R.; Ananthakrishnan, G.; Appasamy, T.; Ganapathi, A. Forest Ecology and Management 98(3):205-208.1997.
- 195. Effect of moisture content on the viability and storability of <u>Azadirachta indica</u> A. Juss (neem) seeds. Singh, B. G.; Mahadevan, N. P.; Shanthi, K.; Manimuthu, L.; Geetha, S. Indian Forester 123(7):631-636.1997.

- 196. The effect of nodal position and genetic factors on rooting of <u>Acacia mangium</u> cuttings from coppice regrowth. Lyon, P. J.; Kimuin, L. C. F. Journal of Tropical Forest Science 9(4):554-557. 1997.
- 197. *Effect of position, size of cuttings and environmental factors on adventitious rooting in neem (<u>Azadirachta indica</u> A. Juss). Palanisamy, K.; Kumar, P. Forest Ecology and Management98(3):277-280.1997.
- 198. Effect of <u>Rhizobium</u> biofertilizer on growth of seedlings and germination of seeds of <u>Dalbergia</u> <u>sissoo</u>. Totey, N. G.; Khatri, P. K.; Shadangi, D. K.; Badage, M.; Pathak, H. D. Indian Journal of Forestry 20(1):54-56.1997.
- 199. *Farmer participation in reforestation incentive programs in Costa Rica. Thacher, T.; Lee, D. R.; Schelhas, J. W. Agroforestry Systems 35(3):269-289.1997.
- 200. Potting media effects on <u>Albizia procera</u> seedling growth. Hossain, M. K.; Kamaluddin, M. Forest, Farm, and Community Tree Research Reports 1:51-54. WinrockInternationalin collaboration with the Taiwan Forestry Research Institute. 1996.
- 201. *The requirement of iron for modulation and growth of <u>Acacia mangium</u>. Lesueur, D.; Diem, H. G. Canadian Journal of Forest Research 27(5):686-692.1997.
- 202. Seed treatment for <u>Albizia</u> species. Roshetko, J. M. IN: International Workshop on Albizia and Paraserianthes species, p. 37-43. N.Q. Zabala, ed. Winrock International. Forest, Farm, and Community Tree Research Reports, Special Issue, 1997.1997.
- 203. Storage container and protectant effects of viability and microflora of <u>Leucaena leucocephala</u> seeds. Kumar, A.; Rao, G. R.; Dutta, A. Forest, Farm, and Community Tree Research Reports 1:93-96. Winrock International in collaboration with the Taiwan Forestry Research Institute. 1996.
- 204. A trial on improved polybag seedling production system. Gera, M.; Sharma, S.; Bhandari, A. S.; Srivastava, R. L. Indian Forester 122(11):992-998.1996.

- 205. Vegetative propagation of <u>Acacia auriculiformis</u> by stem cuttings. Chaturvedi, O. P.; Jha, A. N.; Das, D. K. Forest, Farm, and Community Tree Research Reports 1:41-44. Winrock International in collaboration with the Taiwan Forestry Research Institute. 1996.
- SO. Preparing to plant tropical trees. Longman, K. A. Commonwealth Science Council. 238 p. 1995. CONTENTS: Introduction; General principles of tree survival; Types of planting site; Which tree species, for what purpose?; Deciding on the growing system; Preparing the ground; Sources of further information. ORDER FROM: Commonwealth Secretariat Publications, Marlborough House, Pall Mall, London S W 1 Y 5HX, U.K. Price L30.00.

Vegetative Propagation and Tissue Culture

- 206. Adventitious rooting of stem cuttings of loblolly pine as influenced by carbohydrate and mineral nutrient content of hedged stock plants. Rowe, D. B.; Blazich, F. A.; Wise, F. C. International Plant Propagators' Society, Combined Proceedings 1996, 46:682-688.1997.
- 207. @Adventitious shoot formation and plant regeneration from <u>Pinus;pinaster</u> Sol. ex Aiton. Calixto, F.; Pais, M. S. In Vitro Cellular and Developmental Biology -Plant33(2):119-124. 1997.
- 208. Cheap substitutes of auxin for the clonal propagation of <u>Casuarina eguisehf blia</u>. Pal, M.; Mishra, M.; Bakshi, M.; Bhandari, H. C. S. Indian Forester 122(11):999-1003.1996.
- 209. Configuration and development of root systems of cuttings and seedlings of <u>Eucalyptus globulus</u>. Sasse, J.; Sands, R. New Forests 14(2):85-105.1997.
- 210. Effects of crown position and plant age on rooting of jack pine long shot cuttings. Browne, R. D.; Davidson, C. G.; Gobin, S. M. Tree Planters' Notes 47(3):100-104.1996.
- 211. [®]Effects of shade and root confinement on the expression of plagiotropic growth in juvenileorigin Douglas-fir rooted cuttings. Ritchie, G. A.; Keeley, J. W.; Ward, P. A. Canadian Journal of Forest Research 27(7):1142-1145.1997.

- 212. Embryogenic callus induction in Fraser fir. Rajbhandari, N.; Stomp, A. M. HortScience 32(4):737-738. I 997.
- 213. [®]Genetic control of rooting ability of lodgepole pine cuttings. Fries, A.; Kaya, Z. Forest Science 43(4):582-588.1997.
- 214. [©]Growth and wood qualify of Sitka spruce clones and seedlings and levels of spruce weevil attack. van den Driessche, R. Canadian Journal of Forest Research 27(9):1434-1441.1997.
- 215. Importance of cutting diameter and method of production on early growth of hybrid poplar. Robison, D. J.; Raffa, K. F. Tree Planters' Notes 47(2):76-80.1996.
- 216. <u>Larix laricina (tamarack): somatic</u> embryogenesis and genetic transformation. Klimaszewska, K.; Devantier, Y.; Lachance, D.; Lelu, M. A.; Charest, P. J. Canadian Journal of Forest Research 27 (4):538-550.1997.
- 217. Mass propagation of Rocky Mountain juniper from shoot tip cuttings. Edson, J. L.; Wenny, D. L.; Dumroese, R. K.; Leege-Brusven, A. Tree Planters' Notes47(3):94-99.1996.
- 218. Polyethylene glycol promoted development of somatic embryos in loblolly pine (Pinus taeda L.). Li, X. Y.; Huang, F. H.; Gbur, E. E., Jr. In Vitro Cellular and Developmental Biology - Plant 33:184-189.1997.
- 219. Preliminary progress on the asexual propagation of oaks. Griffin, J.; Bassuk, N. International Plant Propagators' Society, Combined Proceedings 1996, 46:487-494.1997.
- 220. Preparation and maintenance of stock beds. Johnson, K. International Plant Propagators' Society, Combined Proceedings 1996, 46:425-427. 1997.
- 221. Somatic embryogenesis from tissues of mature sweetgum trees. Merkle, S. A.; Bailey, R. L.; Pauley, B. A.; Neu, K. A.; Kim, M. K.; Rugh, C. L.; Montello, P. M. Canadian Journal of Forest Research 27(6):959-964.1997.
- 222. Somatic embryogenesis tissue culture for the propagation of conifer seedlings: a technology comes of age. Grossnickle, S. C.; Cyr, D.; Polonenko, D. R. Tree Planters' Notes 47(2):4857.1996.

 A straight line approach to minimizing water stress in the propagation environment. Christie, C.
 B. International Plant Propagators' Society, Combined Proceedings I 996, 46:405-414.1997.

Water Management and Irrigation

- 224. A constructed wetland system for water quality improvement of nursery irrigation wastewater. Hoag, J. C. IN: 1997 National proceedings, Forest and Conservation Nursery Associations, p. 132135. T.D. Landis and J.R. Thompson, tech. words. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-419.1997.
- 225. Current research into water disinfestation for the nursery and cut flower industries. Mebalds, M.; Beardsell, D.; van der Linden, A.; Bankier, M. International Plant Propagators' Society, Combined Proceedings 1996,46:89-92. 1997.
- 226. Impacts of copper leaching from copper hydroxide-treated containers on water recycling, nursery runoff, and growth of baldcypress and corn. Arnold, M. A.; Wilkerson, D. C.; Lesikar, B. J.; Welsh, D. F. Journal of the American Society for Horticultural Science 122(4):574-581.1997.
- **227.** *In-house water analysis.* Reed, D. W. Greenhouse Grower 15(8):26, 28, 30, 32, 35.1997.
- A new closed-loop system. Gill, S.; Balge, R.; Ross, D. American Nurseryman 186(7):68-70, 74, 76, 78-79.1997. Cellugro inground production system.
- 229. Shedding light on disease free water. Hopkins, M. Greenhouse Grower 15 (10):94.1997. Priva' s Vialux HD-UV (high density ultraviolet) water disinfection system.
- 230. Soft water stories. Van Dellen, J. American Nurseryman 186(3):28-29.1997. Magnetically treated water may be an environmentally sound alternative to salt-based water softeners.
- Water use and crop coefficients of woody ornamentals in containers. Schuch, U. K.; Burger, D. W. Journal of the American Society for Horticultural Science 122(5):727-734.1997.

SO. Bibliography of water use, fertilizer, and pesticide impacts relative to woody environmental plants. Yeager, T.H. Horticultural Research Institute. 145 p.1991. ORDER FROM: Horticultural Research Institute, 1250 1 Street NW, Suite 500, Washington, D.C. 20005. Phone (202) 789-2900. Price: \$15.00 + \$5.75 S&H.

Weed Control

- 232. Absorption and translocation of glyphosate in tolerant and susceptible biotypes of field bindweed (Convolvulus arvensis). Westwood, J. H.; Yerkes, C. N.; DeGennaro, F. P.; Weller, S. C. Weed Science45(5):658-663.1997.
- 233. Common purslane (<u>Portulaca oleracea</u>). Mitich, L. W. Weed Technology 11(2):394-397. 1997.
- 234. Dose response of weeds to methyl iodide and methyl bromide. Zhang, W. M.; McGiffen, M. E., Jr.; Becker, J. O.; Ohr, H. D.; Sims, J. J.; Kallenbach, R. L. Weed Research 37(3):181-189. 1997.
- *235. "Fomesafen: a herbicide for pine seedbeds.* South, D. B. Southern Journal of Applied Forestry 21(3):143-145.1997.
- 236. Influence of application variables on efficacy of glyphosate. Jordan, D. L.; York, A. C.; Griffin, J. L.; Clay, P. A.; Vidrine, P. R.; Reynolds, D. B. Weed Technology 11(2):354-362.1997.
- 237. Response of purple (Cynerus rotundus) and yellow nutsedges (C. esculentus) to selective placement of sulfentrazone. Wehtje, G. R.; Walker, R. H.; Hancock, H. G. Weed Science 45(3):382-387.1997.
- 238. Survival and dormancy of purple nutsedge (Cynerus rotundus) tubers. Newer, C.; Aguero, R.; Swanton, C. J. Weed Science 45(6):784-790. 1997.