

Copies of the following journal articles or publications are free and can be ordered using the Literature Order For on the last page. Just write in the appropriate number or letter on the form and return it to us. Note that there are two restrictions:

1. Limit in the Number of Free Articles: In an effort to reduce mailing costs, we are limiting, the number of free articles per issue. If you still want additional articles, then you will have to order them on a fee basis from Donna Loucks, the librarian who maintains the FNN database. Just fill in the number of the fee

articles on the bottom half of the order form, return it to us, and we will forward it to Donna.

2. Copyrighted Material. Items with [©] are copyrighted and require a fee for each copy, so only the title page and abstract will be provided through this service. If you want the entire article, then you can order a copy from a library service or from Donna.

Bareroot Production

- 1. **Determining optimal lifting time of nursery stock for cold storage.** Bronnum, P. International Plant Propagators' Society, combined proceedings 1998, 48:289-293.1999.
- 2. Freeze and frost protection with aqueous foam -field experiments. Choi, C. Y.; Giacomelli, G. HortTechnology 9(4):662-667. 1999.
- 3. Freeze and frost protection with aqueous foam -foam development. Choi, C. Y.; Zimmt, W.; Giacomelli G. HortTechnology 9(4):654-661. 1999.

Container Production

- 4. An assessment of ponderosa pine seedlings grown in copper-coated polybags. Dumroese, R. K.; Wenny, D. L. Tree Planters' Notes 48(3/4):60-64. 1997.
- Control of growing medium water content and its effect on small seedlings grown in large containers. Lambany, G.; Renaud, M.; Beauchesne, M. Tree Planters' Notes 48(3/4):48-54. 1997.
- Effect of container type on growth of Douglas-fir, lodgepole pine and hybrid spruce seedlings.
 Flanagan, A.; Jones, M. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 52-57. 1999.

- Ethylene pollution can kill your plants. Gibson, J. L.; Whipker, B. E.; Blankenship, S.; Boyette, M.; Creswell, T.; Miles, J.; Peet, M. Greenhouse Management and Production 19(11):55, 57-63. 1999.
- 8. **Fiber pots for the ornamental plant industry.** Beattie, D. J.; Berghage, R. International Plant Propagators' Society, combined proceedings 1998, 48:284-288. 1999.
- 9. **Growth regulation and cold hardening of silver birch seedlings with short-day treatment.** Luoranen, J. Rikala, R. Tree Planters' Notes 48(3/4):65-71. 1997.
- Heat tolerance of selected provenances of Atlantic white cedar. Jull, L. G.; Ranney, T. G.; BLazich, F. A. Journal of the American Society of Horticultural Science 124(5):492-497. 1999.
- 11. **Multiple uses of Spin Out in the nursery and landscape.** Crawford, M. A. International Plant Propagators' Society, combined proceedings 1998, 48:627-631. 1999. Spin Out is the first EPA registered product for controlling plant root growth in containers. The active ingredient is copper hydroxide.
- 12. **Optimum seed use.** Kitchen, J. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 32-33. 1999.
- Plant height control by photo selective filters: current status and future prospects. Rajapakse, N. C.; Young, R. E.; McMahon, M. J.; Oi, R. HortTechnology 9(4):618-624. 1999.

- Polypit: an improved technique for raising nursery plants. Vyas, P.; Bisht, M. S.; Bhuchar, S.; Sharma, S.; Palni, L. M. S. Journal of Sustainable Forestry 8(1):43-59. 1999. A polypit, a "poor man's growth chamber protected seedlings in the Himalayan region.
- 15. **Pot-in-pot container culture**. Mathers, H. The Digger 43(11): 42, 43, 45. 1999. In PIP production a planted container is placed in a holder pot that has been permanently placed in the ground.
- 16. **Seed use panel.** Morton, B. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 28-29. 1999. Can the sowing factor be reduced without economic loss when sowing with a Vancouver Biomachines seeder
- 17. Seed use the bottom line (or, how much seed are you using to produce a seedling?). Thorpe, S. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 30-31. 1999.
- Seedling growth of Atlantic white-cedar as influenced by photoperiod and day/night temperature. Jull, L. G.; Blazich, F. A.; Hinesley, L. E. Journal of Environmental Horticulture 17(3):107-1113. 1999.
- 19. Seedling propagation in bottomless bands. McCorkle, R. International Plant Propagators' Society, combined proceedings 1998, 48:571-577. 1999. Describes use of Anderson bottomless bands by S&S Nurseries.

20. Use of cold water for irrigation reduces stem elongation of plug-grown tomato and cabbage seedlings. Chen, J. J.; Sun, Y. W.; Sheen, T. F. HortScience 34(5):852-854. 1999.

Diverse Species

- Asexual plant propagation: special techniques and considerations for successful high altitude revegetation. Scianna, J. D.; Winslow, S. R.; Majerus, M. E.; Gruber, L. M.; Reid, S. A. IN: High altitude revegetation workshop no. 13, proceedings, p. 105-117. W.R. Keammerer and E.F. Redente, eds. Colorado State University, Colorado Water Resources Research Institute, Information Series 89. 1998.
- Asexual propagation of Anemonella, Dodecatheon, and Trilliu. Blanchette, L. International Plant Propagators' Society, combined proceedings 1998, 48:327-329. 1999.
- 23. **Collection and production of indigenous plant material for National Park restoration**. Majerus, M. IN: Revegetation with native species: proceedings, 1997, p. 17-21. Society of Ecological Restoration annual meeting. USDA Forest Service, Rocky

Mountain Research Station, Proceedings RMRS-P-8. 1999.

- 24. **Commercial propagation of Trilliu**. Solt, S. International Plant Propagators' Society, combined proceedings 1998, 48:329-333. 1999.
- 25. **Common difficulties encountered in collecting native seed.** Dunne, R. IN: Revegetation with native species: proceedings, 1997, p. 28-29. Society of Ecological Restoration annual meeting. USDA Forest Service, Rocky Mountain Research Station, Proceedings RMRS-P-8.1999.
- Dormancy-breaking and germination requirements in seeds of the summer annual *Palafoxia callosa* (Asteraceae) from central Texas. Baskin, C. C.; Baskin, J. M.; Van Auken, O. W. Southwestern Naturalist 44(3):272-277. 1999.
- ©Ecological genetics and the restoration of plant communities: mix or match? Lesica, P.; Allendorf, F. W. Restoration Ecology 7(1): 42-50.1999.
- 28. ©The effect of cold stratification and light on the seed germination of temperate sedges (Carex) from various habitats and implications for regenerative strategies. Schutz, W.; Rave, G. Plant Ecology 144:215230. 1999.
- 29. ©The effect of light and number of diurnal temperature fluctuations on germination of *Phragmites australis.* Ekstam, B.; Johannesson, R.; Milberg, P. Seed Science Research 9:165-170. 1999.
- [®]Effects of moisture, temperature, and time on seed germination of five wetland *Carices:* implications for restoration. Budelsky, R. A.; Galatowitsch, S. M. Restoration Ecology 7(1):86-97. 1999.
- Forests planted for ecosystem restoration or conservation. Harrington, C. A. New Forests 17(1-3):175-190. 1999.
- 32. The galloping forester's guide to sexual propagation, or so many seeds, so little time. Spaulding, S. J. IN: High altitude revegetation workshop no. 13, proceedings, p. 198-206. W.R. Keammerer and E.F. Redente, eds. Colorado State University, Colorado Water Resources Research Institute, Information Series 89.1998.
- Growing mycorrhizal native plant species. Lu, S. International Plant Propagators' Society, combined proceedings 1998, 48:665-668. 1999.
- 34. A growing reputation. Cullina, B. American Nurseryman 190(6): 32-34, 36, 38-41. 1999. Man woodland wildflower species have a reputation for being difficult to propagate by seed, but successful growing can be achieved by using the right propagation method.

- 35. Imbibition temperature affects on seedling vigor: in crops and shrubs. Booth, D. T.; Bai, Y. Journal of Range Management 52(5): 534-538. 1999.
- 36. ©The importance of transplant size and gap width in the botanical enrichment of species-poor grasslands in Britain. Davies, A.; Dunnett, N. P.; Kendle, T Restoration Ecology 7(3): 271-280. 1999.
- Important biological factors for utilizing native plant species. Weisner, L. E. IN: Revegetation with native species: proceedings, 1997, p. 39-43. Society of Ecological Restoration annual meeting. USDA Forest Service, Rocky Mountain Research Station, Proceedings RMRS-P-8.1999.
- [®]Low- and high-temperature storage effects on viability and germinability of seeds of three Australian Asteraceae. Peishi, Z.; Plummer, J. A.; Turner, D. W.; Choengasaaat, D.; Bell, D. T. Australian Journal of Botany 47:265-275. 1999.
- [®]Micropropagation systems for the Mexican redbud *Cercis canadensis* var. *Mexicana* L.) and other woody plants of the Chihuahuan desert. Mackay, W. A. In Vitro Cellular and Developmental Biology - Plant 35(3):283-284. 1999.
- Native plant restoration on the Going-to-the-Sun Road, Glacier National Park. Lange, D. E.; Lapp, J. IN: Revegetation with native species: proceedings, 1997, p. 22-27. Society of Ecological Restoration annual meeting. USDA Forest Service, Rocky Mountain Research Station, Proceedings RMRS-P-8. 1999.
- 41. **Propagating in the desert southwest: what we do and why we do it.** Davison, E. International Plant Propagators' Society, combined proceedings 1998, 48:675-677. 1999.
- 42. **Propagating native cool season grasses for conservation use.** Kujawski, J. L. International Plant Propagators' Society, combined proceedings 1998, 48:471-472. 1999.
- 43. **Propagating palms from seeds.** Hodel, D. R. International Plant Propagators' Society, combined proceedings 1998, 48:690-695. 1999.
- 44. **Propagation of four American carnivorous plant** genera: *Pinguicula, Drosera, Dionaea*, and *Sarracenia.* Booman, J. L. International Plant Propagators' Society, combined proceedings 1998, 48:689-690. 1999.
- 45. **Propagation of indigenous and endemic ornamental Hawaiian plants.** Criley, R. A. International Plant Propagators' Society, combined proceedings 1998, 48:669-674. 1999.
- 46. **Propagation of** *Phlox paniculata* from root cuttings. Leiss, J. International Plant Propagators'

Society, combined proceedings 1998, 48: 326-327. 1999.

- 47. ©Seed dormancy and germination in *Rehxia* mariana var. interior (Melastomataceae) and ecoevolutionary implications. Baskin, C. C.; Baskin, J. M.; Chester, E. W. Canadian Journal of Botany 77(4): 488-493. 1999.
- Selecting plant species for ecological restoration: a perspective for land managers. Brown, R. W.; Amacher, M. C. IN: Revegetation with native species: proceedings, 1997, p. 1-16. Society of Ecological Restoration annual meeting. USDA Forest Service, Rock Mountain Research Station, Proceedings RMRS-P-8. 1999.
- 49. ©Sexual reproduction and early plant growth of the Wollemi pine (*Wollemia nobilis*), a rare and threatened Australian conifer. Offord, C. A.; Porter, C. L.; Meagher, P. F.; Errington, G. Annals of Botany 84:1-9. 1999.
- 50. ©Smoke affects the germination of native grasses of New South Wales. Read, T. R.; Bellairs, S. M. Australian Journal of Botany 47:563-576. 1999.
- 51. **©Woolgrass: a plant profile.** Larson, J. L. Ecological Restoration 17(4):210-215. 1999.

Fertilization and Nutrition

- 52. **Common toxicities: preventing damage to woody ornamentals.** Mathers, H. Nursery Management and Production 15(6): 39-41, 43-44. 1999.
- 53. The effects of nitrogen, phosphorus and mycorrhizal infection on root and shoot growth of two contrasting genotypes of Betula pendula Roth. Mackie-Dawson, L. A.; Lavender, E. A.; Atkinson, D. IN: Root demographics and their efficiencies in sustainable agriculture, grasslands and forest ecosystems, p. 165-175. J.E. Box, Jr., ed. Kluwer Academic Publishers. 1998.
- 54. **Evaluating nursery plant performance in biosolids amended soils.** Johnson, J. R. International Plant Propagators' Society, combined proceedings 1998, 48:467-470. 1999.
- 55. ©Fertilizer use efficiency by containerized nursery plants 3. Effect of heavy leaching and damaged fertilizer prills on plant growth, nutrient uptake, and nutrient loss. Huett, D. O.; Morris, S. C. Australian Journal of Agricultural Research 50:217-222. 1999.
- 56. **N-fertilization of nursery crops in the field a review, part III.** Alt, D. Gartenbauwissenschaft 63(6):278-282. 1998.

- 57. ©Nitrogen competition using 15N between early successional plants and planted white spruce seedlings. Staples, T. E.; Van Rees, K. C. J.; van Kellsl, C. Canadian Journal of Forest Research 29(8):1282-1289. 1999.
- 58. **Nitrogen leaching from container-grown plants.** Hansen, C. W.; Petersen, K. K. International Plant Propagators' Society, combined proceedings 1998, 48:280-283.1999.
- 59. Nutrient use patterns in woody perennials: implications for increasing fertilizer efficiency in field-grown and landscape ornamentals. Rose, M. A. HortTechnology 9(4):613-617. 1999.
- 60. **Preplant lime and micronutrient amendments to pine bark affect growth of seedlings of nine container-grown tree species.** Wright, A. N.; Niemiera, A. X.; Harris, J. R.; Wright, R. D. HortScience 34(4):669-673. 1999.
- 61. Using nutrient uptake patterns to develop efficient nitrogen management strategies for vegetables. Sanchez, C. A.; Doerge, T. A. HortTechnology 9(4):601-606. 1999.

General and Miscellaneous

- 62. Are nonsignificant differences really not significant? Marini, R. P. HortScience 34(5):761-762. 1999.
- 63. **Experiences with recycling in Germany.** Terhechte, U. International Plant Propagators' Society, combined proceedings 1998, 48:212-214. 1999.
- 64. **The financial and economic profit-ability of field afforestation in Finland.** Niskanen, A. Silva Fennica 33(2):145-157. 1999.
- 65. **How to conduct your own product testing.** Powell, C. C. Nursery Management and Production 15(11):51, 55. 1999.
- 66. **Past, present and future artificial regeneration in Atlantic Canada**. Lanteigne, L. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 59-60.1999.
- Site-specific farming: a perspective on information needs, benefits and limitations. Atherton, B. C.; Morgan, M. T.; Shearer, S. A.; Stombaugh, T. S.; Ward, A. D. Journal of Soil and Water Conservation 54(2):455-461. 1999.
- 68. **Wetland destinations.** Davis, T. Nursery Management and Production 15(9):28-32. 1999.

Pierson Nurseries in Biddeford, Main, grows wetland plants on 6 acres of swales and ponds.

Forest Nursery Association of British Columbia,

Proceedings, 19th annual meeting. Held Sept. 27-30, 1999, Vancouver, B.C. 1999. ORDER FROM: A limited number of copies are available from Nursery Extension Services, Ministry of Forests, V3V 7Z2, CANADA. TEL: 604.582.6910; FAX: 604.775.1288; E-mail: <u>Dave.Trotter@gems4.gov.bc.ca</u>

Genetics and Tree Improvement

- 69. ©Effects of reforestation methods on genetic diversity of lodgepole pine: an assessment using microsatellite and randomly amplified polymorphic DNA markers. Thomas, B. R.; Macdonald, S. E.; Hicks, M.; Adams, D. L.; Hodgetts, R. B. Theoretical and Applied Genetics 98:793-801. 1999.
- 70. **©Forest-tree biotechnology: genetic transformation and its application to future forests.** Tzfira, T.; Zuker, A.; Altman, A. Trends in Biotechnology 16:439-446. 1999. Discusses targets for forest tree engineering: modifying lignin content and composition, altering tree form, quality and performance, herbicide resistance, insect resistance, and improving abiotic stress tolerance.
- 71. ©Spring and fall cold hardiness in wild and selected seed sources of coastal Douglas-fir. Stevenson, J. F.; Hawkins, B. J.; Woods, J. H. Silvae Genetica 48(1):29-34. 1999.

Mycorrhizae and Beneficial Microorganisms

- 72. **The benefits of** *Trichoderm* and mycorrhizas in growing media. Brooke, M. S. I. International Plant Propagators' Society, combined proceedings 1998, 48:151-153. 1999.
- 73. Commercial mycorrhizal inoculants: value-added conifers for site rehabilitation or just another way to spend money? Berch, S.; Xiao, G.; Bulmer, C. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 34-38. 1999.
- 74. ©Ectomycorrhizal fungi associated with *Arctostaphylos* contribute to *Pseudotsuga menziesii* establishment. Horton, T. R.; Bruns, T. D.; Parker, V. T. Canadian Journal of Botany 77(1):93-102. 1999.
- 75. **Establishment of vegetation on mined sites by management of mycorrhizae.** Marx, D.; Marrs, L. F.; Cordell, E. Land and Water 42(5):13-16. 1998.

- 76. Screening commercial peat and peat-based products for the presence of Ericoid mycorrhizae. Gorman, N. R.; Heleba, D. A.; Starrett, M. C. International Plant Propagators' Society, combined proceedings 1998, 48: 458-459. 1999.
- 77. ©Short-term phosphorus uptake rates in mycorrhizal and non mycorrhizal roots of intact Pinus sylvestris seedlings. Colpaert, J. V.; Van Tichelen, K. K.; Van Assche, J. A.; Van Laere, A. New Phytologist 143(3): 589-597. 1999.
- 78. ©Spruce growth response specificity after treatment with plant growth-promoting Pseudomonads. Shishido, M.; Chanway, C. P. Canadian Journal of Botany 77(1):22-31. 1999.
- 79. Use of beneficial microorganisms for improvement in sustainable monoculture of plants. Hunt, J. S.; Gale, D.S.J. International Plant Propagators' Society, combined proceedings 1998, 48:75-79. 1999.

Nursery Structures and Equipment

- 80. **A breath of fresh air.** Baze, G. American Nurseryman 190(7): 48-50, 52, 54.1999.
- Building from scratch. Horning, G. The Digger 43(6): 44-45. 1999. The KCK Farms in Dayton, OR developed a greenhouse watering boom and a self-made potting machine.
- 82. **Clicking with digital cameras.** Thomas, P. A. Greenhouse Grower 17(12):50, 52-54. 1999. Digital cameras are fast becoming an essential tool for greenhouse managers.
- 83. Flow diagrams help growers' mechanization decisions. Bartok, J. W., Jr. Greenhouse Management and Production 19(11):72-73. 1999.
- 84. Get the most control from your greenhouse thermostats. Bartok, J. W., Jr. Greenhouse Management and Production 19(8):68-69. 1999.
- Heat-retentive films for increasing soil temperatures during solarization in a humid, cloudy environment. Chase, C. A.; Sinclair, T. R.; Chellemi, D. O.; Olson, S. M.; Gilreath, J. P.; Locascio, S. J. HortScience 34(6):1085-1089. 1999.
- Identify jobs to mechanize. Bartok, J. W., Jr. Greenhouse Management and Production 19(9):79-80. 1999.
- 87. **IR film offers payback.** Bartok, J. W., Jr. Greenhouse Management and Production 19(10):65-66. 1999.

- 88. **Maintaining bare-root coolers.** Davis, T. Nursery Management and Production 15(12): 45-48. 1999.
- New trends in natural ventilation. Baze, G. International Plant Propagators' Society, combined proceedings 1998, 48: 699-702. 1999.
- 90. NGMA: good choices are available in shading. Morgan, D. Nursery Management and Production 15(8): 63-64. 1999.
- 91. **Nursery solves efficiency issues.** Horning, G. Farwest Magazine 43(8): 112-113. 1999. A grinder is used to recycle cull trees; a forklift with 4 forks hauls container or B&B stock.
- 92. **On the right track.** Gainer, B. L. American Nurseryman 190(1): 26-28, 30. 1999. A line of unique, multi-purpose tractors has been helping nursery professionals streamline their tasks.
- Self-steering systems for tractors and other cultivation machinery. Kohler, L. International Plant Propagators' Society, combined proceedings 1998, 48:231-237. 1999. Reviews use of ultrasound, infrared light, and laser light in automatic steering systems, with potential uses for weed cultivation and planting.
- 94. Understanding geographic information systems and global positioning systems in horticultural applications. Heiniger, R. W. HortTechnology 9(4):539547. 1999.

Outplanting Performance

- 95. Early field effects of tree improvement and nursery culture on height growth of western hemlock. Cartwright, C. C. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 84-86. 1999.
- 96. The effect of desiccation and rough-handling on the survival and early growth of ash, beech, birch and oak seedlings. McKay, H. M.; Jinks, R. L.; McEvoy, C. Annals of Forest Science 56:391-402. 1999.
- 97. The effect of pre-planting desiccation stress and root pruning on the physiological condition and subsequent field performance of one year old *Prunus avium* and P. *cerasifera* seedlings. Symeonidou, M. V.; Buckley, G. P. Journal of Horticultural Science and Biotechnology 74(3):386-394. 1999.
- 98. ©Effect of reforestation methods on pine weevil (Hylobius abietis) damage and seedling survival. Orlander, G.; Nilsson, U. Scandinavian Journal of Forest Research 14(4):341-354. 1999.

- 99. ©Effects of planting on concentrations of terpenes, resin acids and total phenolics in *Pinus* sylvestris seedlings. Sallas, L.; Vuorinen, M.; Kainulainen, P.; Holopainen, J. K. Scandinavian Journal of Forest Research 14(3):218-226. 1999.
- 100. ©Effects of root wrenching on the growth and water relations of *Prunus avium* and *Castanea sativa* seedlings in nursery beds and after outplanting. Hipps, N. A.; Higgs, K. H.; Collard, L. G. Canadian Journal of Forest Research 29(6):696-704. 1999.
- 101. The efficacy of stem guards in protecting *Pinus patula* seedlings in KwaZulu-Natal Midlands, South Africa. Taylor, S.; Perrin, M. R. Southern African Forestry Journal 185:35-37. 1999.
- 102. Greenhouse and field growth of northern red oak seedlings inside different types of treeshelters. Sharpe, W. E.; Swistock, B. R.; Mecum, K. A.; Demchik, M. C. Journal of Arboriculture 25(5):249-257. 1999.
- 103. ©Growth of planted tree seedlings in response to ambient light levels in northwestern interior cedarhemlock forests of British Columbia. Coates, K. D.; Burton, P. J. Canadian Journal of Forest Research 29(9):1374-1382. 1999.
- 104. **Growth of root-pruned seedlings in a thermally impacted area of South Carolina.** Brantley, E. F.; Conner, W. H. Tree Planters' Notes 48(3/4):76-80. 1997.
- 105. Improved tree-planting tools. Trent, A. USDA Forest Service, Technology and Development Program Timber Tech Tips 9924-2316-MTDC. 6 p. 1999. Field tests were performed on 4 tools: A hollow dibble, a slide hammer with soil extractor, the Tanaka gas-powered hand drill with auger, and a battery-powered hand drill with auger.
- 106. Interior spruce stock type trial twenty year results. McClamon, J. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 72-76.1999.
- Microsite selection trial results from northern British Columbia. Bedford, L.; McClarnon, J. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 65-71. 1999.
- 108. The morphological characteristics, root growth potential and flushing response of rooted cuttings compared with transplants of Sitka spruce. O'Reilly, C.; Harper, C. Annals of Forest Science 56(3):201-210. 1999.
- 109. ©Nursery stock and field fertilizer application affect early performance of *Pinus radiata* on a phosphorus-deficient site in Northland. South, D.

B.; Skinner, M. F. New Zealand Journal of Forestry Science 28(3):361-372. 1998.

- 110. **©Performance of birch seedlings replanted in** heavily polluted industrial barrens of the Kola Peninsula, northwest Russia. Kozlov, M. V.; Haukioja, E. Restoration Ecology 7(2):145-154. 1999.
- 111. The physiological status of Douglas fir seedlings and the field performance of freshly lifted and cold stored stock. O'Reilly, C.; McCarthy, N.; Keane, M.; Harper, C. P.; Gardiner, J. J. Annals of Forest Science 56:297-306. 1999.
- Planting frozen conifer seedlings. Kooistra, C. M.; Bakker, J. D. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 87-89. 1999.
- 113. ©Regenerating white spruce, paper birch, and willow in south-central Alaska. Cole, E. C.; Newton, M.; Youngblood, A. Canadian Journal of Forest Research 29(7):993-1001. 1999.
- 114. ©Stem sinuosity, tree size, and pest injury of machine-planted loblolly pine with bent versus straight taproots. Harrington, T. B.; Gatch, J. A.; Price, T. S. Southern Journal of Applied Forestry 23(4):197-202. 1999.
- 115. **Stock type selection and forest practices.** Forsythe, P. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 61-64. 1999.
- 116. **©Treeshelters: a judicious choice for improving** red ash growth. Delisle, C. Forestry Chronicle 75(5):845-849. 1999.
- 117. ©Water uptake by planted *Picea abies* in relation to competing field vegetation and seedling rooting depth on two grass-dominated sites in southern **Sweden.** Nilsson, U.; Orlander, G. Scandinavian Journal of Forest Research 14(4):312-319. 1999.

Pest Management

- 118. **©Bacterial diseases of conifer seedlings in forest nurseries of central Siberia.** Grodnitskaya, I. D.; Gukasyan, A. B. Microbiology 68(2):189-193. 1999.
- 119. **The basics of an IPM program.** Powell, C. C. Nursery Management and Production 15(9):73-75. 1999.
- Benzaldehyde as a soil fumigant, and an apparatus for rapid fumigant evaluation. Wilson, C. L.; Solar, J. M.; Ghaouth, A. E.; Fravel, D. R. HortScience 34(4):681-685. 1999.

- 121. Biological suppression of seedborne *Fusarium* spp. during cold stratification of Douglas fir seeds. Hoefnagels, M. H.; Linderman, R. G. Plant Disease 83(9):845-852. 1999.
- 122. ©Characterization of antifungal metabolites produced by *Penicillium* species isolated from seeds of *Picea glehuii*. Yamaji, K.; Fukushi, Y.; Hashidoko, Y.; Yoshida, T.; Tahara, S. Journal of Chemical Ecolog 25(7):1643-1653.1999.
- 123. **©Differences in aggressiveness of** *Sphaeropsis sapinea* RAPD marker group isolates on several conifers. Blodgett, J. T.; Stanosz, G. R. Plant Disease 83(9):853-856. 1999.
- 124. Effects of winter storage temperature and age of *Pinus sylvestris* seedlings on the occurrence of disease induced by *Gremmeniella abietina*. Petaisto, R. L.; Laine, A. Scandinavian Journal of Forest Research 14(3):227-233. 1999.
- 125. **©Evaluation of physical barriers to protect ponderosa pine seedlings from pocket gophers.** Pipas, M. J.; Witmer, G. W. Western Journal of Applied Forestry 14(3):164-168. 1999.
- 126. **Fungus gnats: the phantom menace beneath the soil.** Cloyd, R. Greenhouse Management and Production 19(11):69-71. 1999.
- Inhibition of *Pythium ultimum* and *Rhizoctonia* solani by shredded leaves of *Brassica* species. Charron, C. S.; Sams, C. E. Journal of the American Society of Horticultural Science 124(5):462-467. 1999.
- 128. ©Large herbivore browsing on conifer seedlings related to seedling morphology. Bergstrom, R.; Bergqvist, G. Scandinavian Journal of Forest Research 14(4):361-367. 1999.
- 129. **Making friends with enemies.** Cloyd, R. A. Greenhouse Grower 17(8):140, 142, 144. 1999.
- [®]Methyl jasmonate protects Norway spruce [Picea abies (L.) Karst.] seedlings against Pythium ultimum Trow. Kozlowski, G.; Buchala, A.; Metraux, J. P. Physiological and Molecular Plant Pathology 55:53-58. 1999.
- 131. **pH abilities: can water pH affect chemical controls?** Ruter, J. M. Nursery Management and Production 15(7):63-64, 66, 69. 1999.
- 132. Rootin' roots. Ribeiro, O. K. American Nurseryman 190(10):48-52. 1999. Root rot can wreak havoc in a nursery, but through accurate diagnosis and proper cultural, biological and chemical controls, nursery professionals can limit the damage and stop this disease.

- 133. [©]Side-effects of formulations of Permethrin and Fenvalerate insecticides on frost resistance and field performance of *Picea abies* seedlings. Kohmann, K. Scandinavian Journal of Forest Research 14(4):355-360. 1999.
- 134. Soil organic matter quality and induced resistance of plants to root rots and foliar diseases. Hoitink, H. A. J.; Krause, M. S.; Han, D. Y.; De Ceuster, T. J. J. International Plant Propagators' Society, combined proceedings 1998,48:361-367.1999.
- 135. Stimulating natural plant defenses for disease control. Reglinski, T. International Plant Propagators' Society, combined proceedings 1998, 48:43-51. 1999. An overview of different methods shown to induce plant resistance, such as microbial elicitors, fungal extracts, microbial metabolites, composts, plant growth promoting rhizobacteria, plant extracts, and chemical inducers.
- 136. **Take a team approach to plant disease control.** Nameth, S. T. Greenhouse Management and Production 19(10):62-64. 1999. Avoid pathogen resistance by using more than one chemical family in your control strategy.
- 137. ©Treatment of bare root spruce seedlings with Permethrin against pine weevil before lifting. Torstensson, L.; Borjesson, E.; Arvidsson, B. Scandinavian Journal of Forest Research 14(5):408-415. 1999.
- 138. **The use of Jet 5 in propagation.** Hingley, P.; Pearce, M. A. International Plant Propagators' Society, combined proceedings 1998, 48:183-187. 1999.
- **©Using compost to control plant diseases.** De Ceuster, T. J. J.; Hoitink, H. A. J. BioCycle, June 1999, p. 61-64. 1999. Evaluates prospects for composts and biocontrol agents to replace methyl bromide.
- 140. Why aren't more growers using IPM practices? Powell, C. C. Nursery Management and Production 15(7):82-83. 1999.

Pesticides

- 141. **Pesticide tank mix incompatibility.** Smith, L. J. Nursery Management and Production 15(11):44-46. 1999. What it is, how to recognize it, why it happens and how to avoid it.
- 142. Seeking approval. Frank, J. R. American Nurseryman 190(3):62-65. 1999. A government-supported program helps foster pesticide label registration and expansion for the nursery industry.

143. Use of biobeds in Sweden to minimize environmental spillages from agricultural spraying equipment. Torstensson, L.; de Pilar Castillo, M. Pesticide Outlook, June 1997, p. 24-27. 1997. A biobed is an excavated hole in the ground filled with a mixture of top soil, peat and straw, and is intended to retain spill of pesticides and to decompose the substances as rapidly as possible.

Recognition and management of pesticide poisonings. Reigart, J. R.; Roberts, J. R. U.S. Environmental Protection Agency. 5th ed. 236 p. 1999. ORDER FROM: U.S. EPA, Phone: 703-305-7666; Fax: 703-308-2962; E-mail: group.pesticide-safety@epa.gov or download from http://www.epa.gov/oppfead1/safety/healthcare/handbook/hand book.htm.

Seedling Harvesting and Storage

- 144. **Charting the extremes of shipping.** Horning, G. The Digger, Jan. 1998, p. 23-24. 1998. Temperature recorders can be cheap "insurance" for perishable nursery stock that is affected by high and low temperatures during transportation.
- 145. **Container stock handling.** Kiiskila, S. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 77-81. 1999.
- 146. ©Effects of storage temperature on physiological characteristics of fall-lifted white spruce (*Picea* glauca) bareroot seedlings. Wang, Y.; Zwiazek, J. J. Canadian Journal of Forest Research 29(6):679-686. 1999.

Seedling Physiology and Morphology

- 147. ©Acclimation of loblolly pine (Pinus taeda) seedlings to high temperatures. Teskey, R. O.; Will, R. E. Tree Physiology 19(8):519-525. 1999.
- 148. ©Amino acid, carbohydrate, glutathione, mineral nutrient and water potential changes in non-waterstressed Picea mariana seedlings after transplanting. Kim, Y. T.; Colombo, S. J.; Hickie, D. F.; Noland, T. L. Scandinavian Journal of Forest Research 14(5):416-424. 1999.
- 149. ©Assessment of foliar frost damage: a comparison of in vivo chlorophyll fluorescence with other viability tests. Neuner, G.; Buchner, O. Journal of Applied Botany 73:50-54. 1999.
- 150. ©Clonal variation in gas exchange and freezing tolerance development of interior spruce (Picea glauca (Moench) Voss x P. *engelmannii* Parry ex Engelm.) during autumn acclimation. Fan, S.;

Grossnickle, S. C. Scandinavian Journal of Forest Research 14(3):240-250. 1999.

- 151. ©Diurnal changes in water conduction in loblolly pine (*Pinus taeda*) and Virginia pine (*P. virginiana*) during soil dehydration. Wakamiya-Noborio, L; Heilman, J. L.; Newton, R. J.; Messina, M. G. Tree Physiology 19(9):575-581. 1999.
- 152. ©Does Canadian forestry need physiology research? Colombo, S. J.; Parker, W. C. Forestr Chronicle 75(4):667-674. 1999.
- 153. The effect of elevated atmospheric CO₂ concentration and nutrient supply on gas exchange, carbohydrates and foliar phenolic concentration in live oak (*Quercus virginiana* Mill.) seedlings. Tognetti, R.; Johnson, J. D. Annals of Forest Science 56:379-389. 1999.
- 154. ©Effects of early spring photosynthesis on carbohydrate content, bud flushing and root and shoot growth of Picea glauca bareroot seedlings. Wang, Y.; Zwiazek, J. J. Scandinavian Journal of Forest Research 14(4):295-302. 1999.
- 155. ©Effects of excess nitrogen on frost hardiness and freezing injury of above-ground tissue in young oaks (Quercus petraea and Q. robur). Thomas, F. M.; Ahlers, U. New Phytologist 144(1):73-83. 1999.
- 156. ©Fall frost resistance in willows used for biomass production. I. Characterization of seasonal and genetic variation. Ogren, E. Tree Physiology 19(11):749-754. 1999.
- 157. ©Fall frost resistance in willows used for biomass production. II. Predictive relationships with sugar concentration and dry matter content. Ogren, E. Tree Physiology 19(11):755-760. 1999.
- 158. ©Genetic variation in response to drought of interior spruce (*Picea glauca* (Moench) Voss x P. *engelmannii* Parry ex Engelm.). Grossnickle, S. C.; Fan, S. Scandinavian Journal of Forest Research 14(3):251-261. 1999.
- 159. The influence of calcium supplementation on the freezing tolerance of woody plants. Percival, G. C.; Boyle, C.; Baird, L. Journal of Arboriculture 25(6):285-291. 1999.
- 160. Influence of CO₂ enrichment and nitrogen fertilization on tissue chemistry and carbon allocation in longleaf pine seedlings. Entry, J. A.; Runion, G. B.; Prior, S. A.; Mitchell, R. J.; Rogers, H. H. IN: Root demographics and their efficiencies in sustainable agriculture, grasslands and forest ecosystems, p. 3-18. J.E. Box, Jr., ed. Kluwer Academic Publishers. 1998.

- ©Periodic chilling exposure during nursery culture. Roberts, J. J.; Zwiazek, J. J. New Forests 18(3):301-314. 1999.
- 162. Root growth in Siberian larch (Larix sibirica Ledeb.) seedlings: seasonal variations and effects of various growing regimes, prolonged cold storage and soil temperatures. Mattsson, A.; Lasheikki, M. IN: Root demographics and their efficiencies in sustainable agriculture, grasslands and forest ecosystems, p. 77-88. J.E. Box, Jr., ed. Kluwer Academic Publishers. 1998.
- 163. ©Seed lot, nursery, and bud dormancy effects on root electrolyte leakage of Douglas-fir (*Pseudotsuga menziesii*) seedlings. Folk, R. S.; Grossnickle, S. C.; Axelrod, P.; Trotter, D. Canadian Journal of Forest Research 29(8):1269-1281. 1999.

Seeds

- 164. Effect of ethephon on dormancy and germination of loblolly pine (*Pinus taeda*) seeds. Vanangamudi, K.; Zope, J. S.; Elam, W. W. Journal of Tropical Forestry 11(2):503-506. 1999.
- 165. Effects of distillery wash derivatives and stratification on germination of Italian alder and Douglas-fir seeds. De Monte, G.; Mezzalana, L.; Pierandrei, F.; Piotto, B.; Rea, E. Tree Planters' Notes 48(3/4):55-59. 1999.
- 166. ©Germination of four species of native western Australian plants using plant-derived smoke. Tieu, A.; Dixon, K. A.; Sivasithamparam, K.; Plummer, J. A.; Sieler, I. M. Australian Journal of Botany 47:207-219. 1999.
- Management of seed dormancy in Fagus sylvatica, Fraxinus excelsior, and Prunus avium. Nowag, A. International Plant Propagators' Society, combined proceedings 1998,48:192-199.1999.
- Operational scale seed upgrading processes Ministry of Forests - Skimikin Nursery. Lockhart, S. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 20-21. 1999.
- 169. ©Physiological dormancy and germination requirements of seeds of several North American *Rhus* species (Anacardiaceae). Li, X.; Baskin, J. M.; Baskin, C. C. Seed Science Research 9(3):237-245. 1999.
- 170. **©The process of germination in Australian species.** Bell, D. T. Australian Journal of Botany 47:475-517. 1999.
- 171. ©The promotive effect of combustion products from plant vegetation on the release of seeds from

dormancy. Thornton, M. A.; Thomas, T. H.; Peters, N. C. B. Plant Growth Regulation 28:129-132. 1999.

- 172. ©Seed mass versus seedling performance in Scots pine: a maternally dependent trait. Castro, J. New Phytologist 144(1):153-161. 1999.
- ^(C)Seed morphology and physical dormancy of several North American *Rhus* species (Anacardiaceae). Li, X.; Baskin, J. M.; Baskin, C. C. Seed Science Research 9(3):247-258. 1999.
- 174. Seed stratification and upgrading at Pacific Regeneration Technologist (PRT). Levesque, F. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 22. 1999.
- 175. **Seed use: an industry perspective.** Lacourcier, A. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 24. 1999.
- 176. **Seed use panel.** Reid, D. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 25-26. 1999. Describes use of genetically improved seed in British Columbia.
- 177. Seed viability: procedures used by professional seed analysts. Hildebrandt, V. International Plant Propagators' Society, combined proceedings 1998, 48:357-360. 1999.
- 178. **Soaking in cold water replaces the stratification requirements of true cedar seeds.** Brand, D.; Riov, J. HortScience 34(5):935. 1999.
- 179. Upgrading seed quality of conifer seed lots: the how and glimpses of the why. Downie, B. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 6-19. 1999. Describes methods to remove unproductive seeds and to enhance the percentage, speed and uniformity of germination.

Soil Management and Growing Media

- 180. ©Addition of hydrogels to soil for prolonging the survival of *Pinus halepensis* seedlings subjected to drought. Huttermann, A.; Zommorodi, M.; Reise, K. Soil and Tillage Research 50:295-304. 1999.
- 181. Cellulose acetate as a soilless medium for the production of vegetable transplants. Vavrina, C. S. Acta Horticulturae 481:173-177. 1999.
- 182. **Composted products for soilless mixes and their impact on root diseases.** Lanthier, M. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 39-41. 1999.

- 183. **Do you need a wetting agent?** Greenhouse Management and Production 19(7):84, 89. 1999.
- 184. Evaluating soil compaction with a portable electronic cone penetrometer. Crozier, C. R.; Heiniger, R. W.; Bishop, M. HortTechnology 9(3):440-443. 1999.
- The evolution of growing mix components. Hulme, F.; Vulgamott, R.; Vetanovetz, R. Greenhouse Management and Production 19(9):65, 67-69, 71. 1999.
- 186. **Get a handle on your growing media.** Evans, M. R.; Fonteno, W. C. Greenhouse Management and Production 19(9):61-64. 1999. Even the best medium can perform poorly if mixed or handled improperly.
- 187. ©Nutritional values of some biowastes as soil amendments. Hue, N. V.; Sobieszczyk, B. A. Compost Science and Utilization 7(1):34-41. 1999.
- 188. A review of factors influencing organic matter decomposition and nitrogen immobilization in container media. Thomas, M. B.; Spurway, M. I.; Stewart, D. P. C. International Plant Propagators' Society, combined proceedings 1998, 48:66-71. 1999.
- 189. Soilless substrates for container production -components and properties and effect of grower practices on these properties. Bussieres, P. IN: Forest Nursery Association of British Columbia, proceedings, 19th annual meeting, p. 42-48. 1999.
- 190. **Two industrial water-derived wastes as potential potting amendments.** Chong, C. Acta Horticulturae 481:165-172. 1999. Grey mud wet cake and polyvinyl chloride wet cake were evaluated as amendments for container growing substrates.
- Use of green waste composts in media for hardy nursery stock. Beltz, H. International Plant Propagators' Society, combined proceedings 1998, 48:219-222. 1999.

Tropical Forestry and Agroforestry

- 192. ©Aeroponic production of Acacia mangium saplings inoculated with AM fungi for reforestation in the tropics. Martin-Laurent, F.; Lee, S. K.; Tham, F. Y.; Jie, H.; Diem, H. G. Forest Ecology and Management 122(3):199-207. 1999.
- 193. Comparative performance of exotic and indigenous forest species for tropical senuevergreen degraded forest land reforestation in Chittagong, Bangladesh. Islam, K. R.; Kamaluddin, M.; Bhuiyan, M. K.; Badruddin, A. Land Degradation and Development 10:241-249. 1999.

- 194. Effect of inoculation with selected Bradyrhizobiu spp. on the survival and growth of Acacia mangium saplings after 20 months in the field. Martin-Laurent, F.; Fremont, M.; Lee, S. K.; Tham, F. Y.; Prin, Y.; Tan, T. K.; Diem, H. G. Journal of Tropical Forestry 11(2):470-483. 1999.
- 195. Effect of shade on the growth of selected tropical forest tree species under nursery conditions. Gopikumar, K.; Bindu, S. Journal of Tropical Forest Science 11(3):651-653. 1999.
- 196. ©Incorporation of slow-release fertilizers into nursery media. A highly effective technique for supplying nutrients during early field establishment of plantation trees in the humid tropics. Reddell, P.; Webb, M. J.; Poa, D.; Aihuna, D. New Forests 18(3):277287. 1999.
- 197. Vegetative propagation of *Triplochiton* scleroxylon in Ghana: effects of cutting origin. Newton, A. C.; Leakey, R. R. B. Journal of Tropical Forest Science 11(2):512-515. 1999. Vegetative Propagation and Tissue Culture
- 198. **©Applications of biotechnology for forest** regeneration. Grossnickle, S. C.; Sutton, B. C. S. Ne Forests 17(1-3):213-226. 1999.
- 199. ©Challenges and issues in scaling commercial production of conifer somatic embryogenesis. Polonenko, D. R. In Vitro Cellular and Developmental Biology - Plant 35(3):299-302. 1999.
- 200. ©Clonal selection, propagation, and maintenance of juvenility of Chinese fir, and afforestation with monoclonal blocks. Zhou, T.; Zhou, J.; Shelbourne, C. J. A. New Zealand Journal of Forestry Science 28(3) :275292. 1998.
- 201. ©Developing clones fro *Eucalyptus globulus* and hybrid seedlings by stem cuttings propagation. Wilson, P. J. New Zealand Journal of Forestry Science 28(3):293-303. 1998.
- 202. Developing clones from field-grown coppice of *Eucalyptus globulus* by stem cuttings propagation. Wilson, P. J. Southern African Forestry Journal 185:4549. 1999.
- 203. **©Development of protocols for the** cryopreservation of zygotic embryos of *Pinus radiata* and subsequent plant regeneration. Hargreaves, C. L.; Foggo, M. N.; Smith, D. R.; Gordon, M. E. New Zealand Journal of Forestry Science 29(1):54-63. 1999.
- 204. ©Eight hundred years of clonal forestry in China: I. traditional afforestation with Chinese fir *(Cunninghamia lanceolata* (Lamb.) Hook.). Minghe, L.; Ritchie, G. A. New Forests 18(2):131-142. 1999.

- 205. ©Eight hundred years of clonal forestry in China: II. mass production of rooted cuttings of Chinese fir (*Cunninghamia lanceolata* (Lamb.) Hook.). Minghe, L.; Ritchie, G. A. New Forests 18(2):143-159. 1999.
- 206. ©Environmental preferences of *Eucalyptus* globulus stem cuttings in one nursery. Wilson, P. J. New Zealand Journal of Forestry Science 28(3):304-315. 1998.
- 207. **Factors affecting rooting of difficult-to-root plants.** Spethmann, W. International Plant Propagators' Society, combined proceedings 1998, 48:200-205. 1999.
- 208. **©The formation of adventitious roots: new concepts, new possibilities.** De Klerk, G. J.; Van Der Krieken, W.; De Jong, J. C. In Vitro Cellular and Developmental Biology - Plant 35(3):189-199. 1999.
- 209. The growth and form of potted mother plants of *Eucalyptus globulus* Labill. ssp. *globulus* in relation to the rooting ability of stem cuttings. Wilson, P. J. Journal of Horticultural Science and Biotechnolog 74(5):645-650. 1999.
- 210. ©Influence of nitrogen, photoperiod, cutting type, and clone on root and shoot development of rooted stem cuttings of sweetgum. Rieckermann, H.; Goldfarb, B.; Cunningham, M. W.; Kellison, R. C. New Forests 18(3):231-244. 1999.
- 211. ©Length of cuttings in establishment and production of short-rotation plantations of *Salix* 'Aquatica'. Rossi, P. New Forests 18(2):161-177. 1999.
- 212. Low irradiance during rooting improves propagation of oak and maple taxa. Zaczek, J. J.; Heuser, C. W.; Steiner, K. C. Journal of Environmental Horticulture 17(3):130-133. 1999.
- 213. Low irradiance levels and the rooting of selected easy- and difficult-to-root tree taxa. Heuser, C. W.; Zaczek, J. J. International Plant Propagators' Society, combined proceedings 1998, 48:270-275. 1999.
- 214. Pruning regimes, container types and stockings for mother plants of *Eucalyptus globulus* Labill. ssp. globulus. Wilson, P. J. Journal of Horticultural Science and Biotechnology 74(5):639-644. 1999.
- 215. **©Somatic embryogenic tissue establishment from** mature *Pinus nigra* Arn. ssp. salzmannii embryos. Radojevic, L.; Alvarez, C.; Fraga, M. F.; Rodriguez, R. In Vitro Cellular and Developmental Biology - Plant 35(3):206-209. 1999.

- 216. **Southern Magnolia propagation and production.** Batson, D. International Plant Propagators' Society, combined proceedings 1998, 48:624-626. 1999.
- 217. **Top ten points of plant propagation.** Whitcomb, C. E. International Plant Propagators' Society, combined proceedings 1998, 48:558-562. 1999.
- 218. Vegetative propagation techniques a potential tool for yield improvement in forestry. Thirunavoukkarasu, M.; Gurumurti, K. Journal of Sustainable Forestry 7(3/4):119-130. 1999.

Water Management

- 219. **Does container drainage hole size affect your** water quality? Fare, D. C. International Plant Propagators' Society, combined proceedings 1998, 48:608-610. 1999.
- 220. ©Improvement of water application efficiency by moisture conservation methods for establishment of planted tree seedlings. Yohannes, F. Communications in Soil Science and Plant Analysis 30(7-8):1119-1125. 1999.
- 221. Is your water supply adequate? Bartok, J. W., Jr. Greenhouse Management and Production 19(7):99-100. 1999.
- 222. **Managing pathogens through slow-flow filters.** Svenson, S. E. Farwest Magazine 43(8):61, 63, 65, 66. 1999.
- 223. **Pathogens in recirculating irrigation systems.** Ricker, K. The Digger 43(2):23-26. 1999.
- 224. **Production of wetland plants in constructed wetland cells designed to treat nursery runoff.** Holt, T.; Maynard, B.; Johnson, W. International Plant Propagators' Society, combined proceedings 1998, 48:493-495. 1999.

Weed Control

- 225. ©Determining the "optimum" slash pine seedling size for use with four levels of vegetation management on a flatwoods site in Georgia, U.S.A. South, D. B.; Mitchell, R. J. Canadian Journal of Forest Research 29(7):1039-1046. 1999.
- 226. Isoxaben and BAS 479 14H retention/loss from peat substrate of nursery plants. Rouchaud, J.; Neus, O.; Van Labeke, M. C.; Cools, K.; Bulcke, R. Weed Science 47(5):602-607. 1999.
- 227. **Weed control in container nurseries.** Mathers, H. The Digger 43(6):36-37. 1999.

- 228. Weeds in hot water: an alternative to chemical herbicides. Kurfess, W.; Kleisinger, S. Resource 6(8):13-14. 1999.
- 229. Yellow nutsedge control and nursery crop tolerance with Manage as affected by adjuvant choice. McDaniel, G. L.; Fare, D. C.; Witte, W. T.; Flanagan, P. C. Journal of Environmental Horticulture 17(3):114-119. 1999.

Weed management in horticultural crops. McGiffen, M. E., Jr. American Society for Horticultural Science and Weed Science Society of America, Joint Workshop, Feb. 6-7, 1997. 1997. Contents: Integrated weed management in horticultural crops; Weed management in tree fruit, nuts, citrus, and vine crops; Weed management in vegetable crops; Weed management in landscape and nursery plantings; Weed management in turf; Herbicide use and mode of action; Herbicide application technology with an emphasis on reduced drift. ORDER FROM: ASHS Press, 600 Cameron Street, Alexandria, VA 22314-2562. Phone: (703) 836-4606. Fax: (703) 836-2024. E-Mail: ashspres@ashs.org.







Literature Order Form

January 2000

Please fill out a separate order form for each person ordering literature. Write in the number or letter of the articles in which you are interested in the spaces at the bottom of this page. Note that we will only provided free copies of the first 25! For items that require a copyright fee, you will receive the title page with abstract and ordering instructions if you want the entire article- Fax or mail this form to:

Tom D. Landis J.H. Stone Nursery 2606 Old Stage Rd. Central Point, OR 97502 TEL: 541.858.6166 FAX: 541.858.6110 E-mail: <u>nurseries@aol.com</u>

Name:	Position:
	Nursery/Company:
Mailing address:	
Street Address:	
City:	State/Province:
Country:	Zip/Postal Code:
	Fax:
E-MAIL:	Website:

In order to keep costs reasonable we will provide free copies of the first 25 articles. Fill in the number or letter each article from the New Nursery Literature section in the following spaces:

Copies of additional articles can be provided for \$15.00 each. Fill in the numbers from the articles from the New Nursery Literature section in the spaces below, and we will forward your order to Donna Loucks for processing.