

References

- Agarwal, V.K. and J.B. Sinclair. 1997. Principles of seed pathology. Vols. 1 & 2. CRC Press, Boca Raton, Fla.
- Altmann, D. and L. Lafleur. 1982. Underground seed cold storage facilities. Proc. IUFRO Internat. Symp. on forest tree seed storage. Petawawa Nation. For. Inst., Chalk River, Ont. pp. 1–5.
- Axelrood, P.E., M.S. Reddy, R. Radley, S.W. Storch, R.C. Peters, and S.E. Campbell. 1993. Commercial development of microbial inoculants for forestry. Sixth Internat. Congr. Plant Pathol. July 28–Aug. 6, 1993. Montreal, Que.
- Axelrood, P.E., M. Neumann, D. Trotter, R. Radley, G. Shrimpton, and J. Dennis. 1995. Seedborne *Fusarium* on Douglas-fir: Pathogenicity and seed stratification method to decrease *Fusarium* contamination. New For. 9: 35–51.
- Banerjee, M. and R. Scagel. 1992. Nursery survey of density separation processed (DSP) spruce seed at British Columbia forest nurseries. BC Min. For. Tree Seed Centre, Surrey, BC.
- Barnett, J.P. 1974. Low temperatures reduce storability of loblolly pine seeds at high moisture contents. Tree Plant. Notes 25:28–29.
- _____. 1976. Sterilizing southern pine seeds with hydrogen peroxide. Tree Plant. Notes 27 (3): 17–19, 24.
- _____. 1981. Imbibition temperatures affect seed moisture uptake, germination, and seedling development. In Proc. 1st Biennial Southern Silv. Res. Conf. US Dep. Agric. For. Serv., South. For. Exp. Stn., New Orleans, La. Gen. Tech. Rep. SO-34. pp. 41–45.
- _____. 1989. Seed, cultural practices, and seedling uniformity. For. Suppl. 62:95–105.
- Barnett, J.P. and T.C. Pesacreta. 1993. Handling longleaf pine seeds for optimal nursery performance. South. J. Appl. For. 17:180–187.
- Barnett, J.P. and J.A. Vozzo. 1985. Viability and vigor of slash and shortleaf pine seeds after 50 years of storage. For. Sci. 31:316–320.
- Barton, L.V. 1954. Effect of subfreezing temperatures on viability of conifer seeds in storage. Cornell Univ., Boyce Thompson Inst. for Plant Res., Ithaca, NY. 18: 21–24.
- Bates, S.L. 1999. Impact of feeding by the western conifer seed bug, *Leptoglossus occidentalis* (Hemiptera: Coreidae) on seed yield, seed storage reserves, and seedling vigour in Douglas-fir. MPM thesis. Simon Fraser Univ., Burnaby, BC.
- Bates, S.L., J.H. Borden, A. Savoie, S.E. Blatt, C.G. Lait, A.R. Kermode, and R.G. Bennett. 2000. Impact of feeding by *Leptoglossus occidentalis* (Hemiptera: Coreidae) on the major storage reserves of mature Douglas-fir (Pinaceae) seeds. Can. Entomol. 132:91–102.
- Belcher, E.W. 1982. Storing stratified seeds for extended periods. Tree Plant. Notes Fall 1982. pp. 23–25.
- Bennett, M.A., N.W. Callan, and V.A. Fritz. 1991. Seed treatments for disease control. HortTechnol. 1:84–87.
- Berger, R.D. 1977. Application of epidemiological principles to achieve plant disease control. Ann. Rev. Phytopathol. 15: 165–183.
- Bergsten, U. 1988. Invigoration and IDS-sedimentation of *Pinus sylvestris* seeds from northern Finland. Silva Fennica 22:323–327.
- _____. 1993. Removal of dead-filled seeds and invigoration of viable seeds – a review of a seed conditioning concept used on conifers in Sweden. In Dormancy and barriers to germination. Proc. Internat. Symp. IUFRO Proj. Group P2.04-00 (Seed Problems). April 23–26, 1991. D.G.W. Edwards. (comp. and ed.). Victoria, BC. pp. 7–16.
- Bewley, J.D. and M. Black. 1994. Seeds – Physiology of development and germination. 2nd ed. Plenum Press, New York, N.Y. and London, U.K.
- Bloomberg, W.J. 1971. Diseases of Douglas-fir seedlings caused by *Fusarium oxysporum*. Phytopathol. 61: 467–470.
- _____. 1981. Diseases caused by *Fusarium* in forest nurseries. In *Fusarium: Diseases, biology, and taxonomy*. P.E. Nelson, T.A. Toussan, and R.J. Cook (editors). Pennsylvania State Univ. Press, University Park, Penn. pp. 178–187.
- Bonner, F.T. 1996. Recent developments in seed technology and obstacles to be overcome. In Nat. Proc. For. & Conserv. Nurse. Assoc. T.D. Landis and D.B. South (tech. coords.). US Dep. Agric. For. Serv., Portland, Oreg. Gen. Tech. Rep. PNW-GTR-89. pp. 161–171.
- Boomhower, C.M. 1995. The effect of aeration on germination and the correlation of seed leachate conductivity with seed quality parameters in five conifer species. Univ. Victoria, Victoria, BC. Co-op work term rep.
- BC Ministry of Forests. 2001. Ministry of Forests sowing guidelines. Tree Improvement Branch, Victoria, BC. Exten. Note Update. Vol. 5, No. 2.
- Buller, A.H.R. 1950. Researches on fungi. Vol. 7. Univ. Toronto Press, Toronto, Ont. pp. 415–428.
- Campbell, S.J. and T.D. Landis. 1990. Managing seedborne diseases in western forest nurseries. Tree Plant. Notes 41:3–7.
- Caron, G.E., B.S.P. Wang, and H.O. Schooley. 1993. Variation in *Picea glauca* seed germination associated with the year of cone collection. Can. J. For. Res. 23:1306–1313.
- Chaisurisri, K., D.G.W. Edwards, and Y.A. El-Kassaby. 1992. Genetic control of seed size and germination in sitka spruce. Silvae Genet. 41:348–355.
- Ching, T.M. 1960. Activation of germination in Douglas-fir seed by hydrogen peroxide. Plant Physiol. 40: 557–563.
- Czabator, F.J. 1962. Germination value: an index combining speed and completeness of pine seed germination. For. Sci. 8:386–396.
- Danielson, H.R. and Y. Tanaka. 1978. Drying and storing stratified Ponderosa pine and Douglas-fir seeds. For. Sci. 24:11–16.
- de Groot, P., J.J. Turgeon, and G.E. Miller. 1994. Status of cone and seed insect pest management in Canadian seed orchards. Forestry Chron. 70(6):745–761.
- De Matos Malavasi, M., S.G. Stafford, and D.P. Lavender. 1985. Stratifying, partially redrying and storing Douglas-fir seeds: effects on growth and physiology during germination. Ann. Sci. For. 42:371–384.
- Downie, B. 1999. Upgrading seed quality of conifer seed lots: the how and glimpses of the why. In Proc. 19th Annu. Meet. For. Nurse. Assoc. BC. D. Gertzen, E. van Steenis, D. Trotter, D. Kolotelo, and D. Summers (tech. coord.). Sept. 27–30, 1999, Vancouver, BC. pp. 6–19.
- Downie, B. and U. Bergsten. 1991. Separating germinable and non-germinable seeds of eastern white pine (*Pinus strobus* L.) and white spruce (*Picea glauca* [Moench] Voss) by the IDS technique. Forestry Chron. 67:393–396.
- Downie, B., U. Bergsten, B.S.P. Wang, and J.D. Bewley. 1993. Conifer seed germination is faster after membrane tube invigoration than after prechilling or osmotic priming. Seed Sci. Res. 3:259–270.
- Downie, B., J. Coleman, G. Scheer, B.S.P. Wang, M. Jensen, and N. Dhir. 1998. Alleviation of seed dormancy in white spruce (*Picea glauca* [Moench]) is dependent on the degree of seed hydration. Seed Sci. & Technol. 26:555–569.
- Downie, B. and S.P. Wang. 1992. Upgrading germinability and vigour of jack pine, lodgepole pine, and white spruce by the IDS technique. Can. J. For. Res. Vol. 22, No. 8. pp. 1124–1131.
- Dumroese, R.K., R.L. James, D.L. Wenny, and C.J. Gilligan. (1988). Douglas-fir seed treatments: Effects on seed germination and seed-borne organisms. Western Proc., Combined Meeting of the Western Forest Nurse. Assoc. US Dep. Agric. For. Serv., Fort Collins, Colo. Gen. Tech. Rep. RM: 167.
- Dunlap, J.R. and J.P. Barnett. 1983. Influence of seed size on germination and early development of loblolly pine (*Pinus taeda* L.) germinants. Can. J. For. Res. 13:40–44.
- Edwards, D.G.W. 1971. The kinetics of water absorption in stratifying and nonstratifying Noble fir (*Abies procera* Rehd.) seeds. Can. J. For. Res. 1:235–240.
- _____. 1979. An improved air seed-sorter for laboratory use. Environ. Can., Can. For. Serv., Pac. For. Res. Cent., Victoria, BC. Info. Rep. BC-X-188.

- _____. 1980. Maturity and quality of tree seeds—a state-of-the-art review. *Seed Sci. & Technol.* 8:625–657.
- _____. 1985. Cone prediction, collection and processing. In Proc. symp. on Conifer Tree Seed in the Inland Mountain West. R.C. Shearer (compiler). Aug. 5–6, 1985, Missoula, Mont. pp. 78–102.
- _____. 1986. Special prechilling techniques for tree seeds. *J. Seed Tech.* 10:151–171.
- _____. 1987. Methods and procedures for testing tree seeds in Canada. *Can. For. Serv., Victoria, BC. Forestry Tech. Rep.* 36.
- _____. 1996. The stratification-redry technique with special reference to true fir seeds. In Nat. Proc. For. & Conserv. Nurse. Assoc. T.D. Landis and D.B. South (tech. coords.). US Dep. Agric. For. Serv., Portland, Oreg. Gen. Tech. Rep. PNW-GTR-389. pp. 172–182.
- Edwards, D.G.W. and M. Banerjee. 1989. Prospects for IDS improvements of seed quality project. For. Can. and BC Min. For., Victoria, BC. FRDA Res. Memo No. 115.
- Edwards, D.G.W. and C.L. Leadem. 2000. How do tree seeds sense temperature. Canadian Tree Improvement Association, Tree Seed Working Group Newsbulletin 32:17–18.
- Edwards, D.G.W. and J.R. Sutherland. 1979. Hydrogen peroxide treatment of *Abies* seed. *Can. For. Serv. Res. Notes* 35:3–4.
- Epners, Z. 1964. A new psychrophilic fungus causing germination failure of conifer seeds. *Can. J. Bot.* 42: 1589–1604.
- Erdey, D.P., D.J. Mycock, and P. Berjak. 1997. The elimination of *Fusarium moniliforme* (Sheldon) infection in maize caryopses by hot water treatments. *Seed Sci. & Technol.* 25: 485–501.
- Eremko, R.D., D.G.W. Edwards, and D. Wallinger. 1989. A guide to collecting cones of British Columbia conifers. *For. Can. and B.C. Min. For.*, Victoria, BC. FRDA Rep. No. 055.
- Finck, K.E., G.M. Shrimpton, and D.W. Summers. 1990. Insect pests in reforestation. In Regenerating British Columbia's forests. D.P. Lavender, R. Parish, C.M. Johnson, G. Montgomery, A. Vyse, R.A. Willis, and D. Winston (eds.) Univ. BC Press, Vancouver, BC. pp. 279–301.
- Fraedrich, S. 1996. Seedborne diseases of southern pines and developing strategies for their control. In Nat. Proc. For. & Conserv. Nurse. Assoc. T.D. Landis and D.B. South (tech. coords.). US Dep. Agric. For. Serv., Portland, Oreg. Gen. Tech. Rep. PNW-GTR-389. pp. 75–81.
- Fraser, J.W. and M.J. Adams. 1980. The effect of pelleting and encapsulation on germination of some conifer seeds native to Ontario. *Can. For. Serv., Sault Ste. Marie, Ont. Rep. No. O-X-319.*
- Funk, A. 1972. *Sirococcus* shoot blight of western hemlock in British Columbia and Alaska. *Plant Dis. Rep.* 56: 645–647.
- Furniss, R.L. and V.M. Carolin. 1980. Western forest insects. US Dep. Agric. For. Serv. Washington, DC. Misc. Publ. No. 1339.
- Gosling, P.G., S.K. Jones, and A.S. Gardiner. 1994. Spin-drying soaked tree seed before prechilling improves seed handling. *Tree Plant. Notes* 45:32–35.
- Gray, D. 1981. Fluid drilling of vegetable seeds. *Hortic. Reviews* 3:1–27.
- Gunia, S. and M. Simak. 1970. Effect of damaging resin vesicles in the seed coat on the germination of silver fir (*Abies alba* Mill.) seeds. Internat. Symp. Seed Phys. of Woody Plants. Inst. of Dendro. and Kornik Arboretum, Polish Academy Sci. Sept. 3–8, 1968. pp. 78–83.
- Hamelin, R.C. 1986. *Sirococcus* shoot blight of forest nursery seedlings: a literature review and report on *Pinus contorta* provenance trial. Simon Fraser Univ., Burnaby, BC. MPM Prof. Pap.
- Hamm, P.B., S.J. Campbell, and E.M. Hansen (eds.). 1990. Growing healthy seedlings: Identification and management of pests in Northwest forest nurseries. For. Res. Lab., Oreg. State Univ., Corvallis, OR. Spec. Publ. 19.
- Hannam, K.D. 1993. The effect of various stratification moisture contents on the germination capacity and peak value of lodgepole pine seed. Univ. Victoria, Dep. Biol., Victoria, BC. Co-op winter work term rep.
- Harrington, J.F. 1963. Practical advice and instructions on seed storage. Proc. Internat. Seed Testing Assoc. 28:989–994.
- Harvey, R.D., Jr. 1980. Mortality from *Caloscypha fulgens* and other fungi on spruce seed in Oregon and Washington. *Plant Disease* 64: 223–224.
- Hedlin A.F., H.O Yates III, D.C. Tovar, B.H. Ebel, T.W. Koerber, and E.P. Merkel. 1980. Cone and seed insects of North American conifers. Can. For. Serv., US Dep. Agric. For. Serv., Secretaría de Agricultura y Recursos Hidráulicos, México. Victoria, BC.
- Hess, C.E. 1996. Antibiotics in sphagnum moss. Comb. Proc. Inter. Plant Propag. Soc. 46:347–349.
- Heydecker, W. and P. Coolbear. 1977. Seed treatments for improved performance—survey and attempted prognosis. *Seed Sci. & Technol.* 5:353–425.
- Hoefnagels, M.H. and R.G. Linderman. 1999. Biological suppression of seedborne *Fusarium* spp. during cold stratification of Douglas-fir seeds. *Plant Disease* 83 (9): 845–852.
- Hoff, R.J. 1987. Dormancy in *Pinus monticola* seed related to stratification time, seed coat, and genetics. *Can. J. For. Res.* 17:294–298.
- Holmes, G.D. and G. Buszewicz. 1958. The storage of seed of temperate forest tree species. *Forestry Abstracts Leading Article Series* No. 26.
- Hosner, J.F., R.E. Disckson, and L. Kahler. 1959. Storing loblolly pine seed in polyethylene bags as a substitute for stratification. *J. For.* 57:495–496.
- Huang, Y-G. 1989. Enhancing tolerance of lodgepole pine and white spruce seeds to thermo-hydro-stresses by osmoconditioning. *Seed Sci. & Technol.* 17: 341–353.
- Illingworth, K. 1973. Variation in the susceptibility of lodgepole pine provenances to *Sirococcus* shoot blight. *Can. J. For. Res.* 3: 585–589.
- Ingold, C.T. 1953. *Dispersal in fungi*. Oxford Univ. Press, London, UK.
- International Seed Testing Association. 1999. International rules for seed testing rules 1999. *Seed Sci. and Technol.* 27 Suppl.
- James, R.L. 1985. Diseases of conifer seedlings caused by seedborne *Fusarium* species. In Proc. Symp. on Conifer Tree Seed in the Inland Mountain West. R.C. Shearer (tech coord.). US Dep. Agric. For. Serv., Missoula, Mont. Gen. Tech. Rep. INT-203: 267–271.
- _____. 1987a. Occurrence of *Fusarium* on conifer tree seed from Northern Rocky Mountain nurseries. In Proc. Combined Western Forest Nursery Council and Intermountain Nursery Assoc. Meeting. T.D. Landis (tech. coord.). US Dep. Agric. For. Serv., Fort Collins, Colo. Gen. Tech. Rep. RM-137: 109–114.
- _____. 1987b. Effects of water rinse treatments on occurrence of fungi on spruce seed from the Fowner Nursery, North Dakota. US Dep. Agric. For. Serv., Missoula, Mont. NRR-87-5.
- James, R.L., R.K. Dumroese, C.J. Gilligan, and D.L. Wenny. 1985. Studies of *Fusarium* associated with containerized seedling disease: 2. Diseases of western larch, Douglas-fir, grand fir, sub-alpine fir and ponderosa pine seedlings at US Dep. Agric. Forest Service Nursery, Coeur-d'Alene, ID. US Dep. Agric. For. Serv., Missoula, Mont. NRR-85-12.
- _____. 1987. Epidemiology of *Fusarium* on containerized Douglas-fir seedlings. 1. Seed and seedling infection, symptom production and disease progression. US Dep. Agric. For. Serv., Missoula, Mont. NRR-87-13.
- _____. 1988. Microwave treatments to eradicate seedborne fungi on Douglas-fir seed. US Dep. Agric. For. Serv., Missoula, Mont. NRR-88-7.
- _____. 1989a. Pathogenicity of *Fusarium* isolates from Douglas-fir seed and container-grown seedlings. Idaho For. Wildl. and Range Exp. Sta., Univ. of Idaho, Moscow, Idaho. Sta. Bull. 52.
- James, R.L. and D. Genz. 1981. Ponderosa pine seed treatments: Effects on seed germination and disease incidence. US Dep. Agric. For. Serv., Missoula, Mont. NRR-81-16.
- Jensen, M. 1996. Breaking of tree seed dormancy at controlled moisture content. In Combined Proc. Internat. Plant Prop. Soc. 46:296–304.
- Jones, S.K. and P.G. Gosling. 1994. "Target moisture content" prechill overcomes the dormancy of temperate conifer seeds. *New For.* 8:309–321.
- Jones, S.K., Y.S. Samuel, and P.G. Gosling. 1991. The effect of soaking and prechilling on the germination of Noble fir seeds. *Seed Sci. & Technol.* 19:287–293.
- Kaufmann, M.R. and A.N. Eckard. 1977. Water potential and temperature effects on germination of Engelmann spruce and lodgepole pine seeds. *For. Sci.* 23: 27–33.
- Khademi, M., D. Koranski, and P. Karlovich. 1992. Physiology of annual flowering seed. Bedding Plants Foundation, Inc., East Lansing, Mich. Res. Rep. No. F-018.

- Khalil, S.K., J.G. Mexal, and M. Ortiz. 1997. Osmotic priming hastens germination and improves seedling size of *Pinus brutia* var. *edarica*. *Tree Plant. Notes* 48:24–27.
- Kitzmiller, J.H., J.M. Battigan, and J.A. Helms. 1973. Effect of resin vesicle damage on germination of stored *Abies concolor* seed. True fir Mgmt. Coop., Sch. For. and Cons., Berkeley. Intern. Rep. 31.
- Kolotelo, D. 1993. Operational density separation processing (DSP) at the BCFS Tree Seed Centre (TSC) – 1993. In Proc. Joint Meeting of BC Seed Dealers Assoc. and Western For. and Range Seed Counc. June 2–4, 1993. Vernon, BC. pp 25–35.
- . 1997. Anatomy & morphology of conifer tree seed. BC Min. For., Nursery and Seed Operations Br., Surrey, BC. For. Nurs. Tech. Series 1.1.
- . 2000. Differences in seed and seedling attributes between select (orchard produced) and standard (wild stand) seedlots. In N. Wilder, P. Byman, and C. Hawkins (tech. coords.). Proc. For. Nurs. Assoc. BC. Sept. 18–21, 2000, Prince George, BC.
- Komada, H. 1975. Development of a selective medium for quantitative isolation of *Fusarium oxysporum* from natural soil. *Rev. Plant Prot. Res. (Japan)* 8: 114–125.
- Lamontagne, Y. and B.S.P. Wang. 1976. Germination of polyram treated white spruce seeds from various provenances. *Tree Plant. Notes* 27(1): 5–6, 22.
- Landis, T.D., R.W. Tinus, and J.P. Barnett. 1998. The container tree nursery manual. Vol. 6, Seedling Propagation. US Dep. Agric. For. Serv., Washington, DC. Agric. Handb. 674.
- Landis, T.D., R.W. Tinus, S.E. MacDonald, and J.P. Barnett. 1990. The container tree nursery manual. Vol. 5, The biological component: Nursery pests and mycorrhizae. US Dep. Agric. For. Serv., Washington, DC. Agric. Handb. 674.
- Larsen, J.A. 1925. Methods of stimulating germination of western white pine seed. *J. Agric. Res.* 31:889–899.
- Leadem, C.L. 1986. Stratification of *Abies amabilis* seeds. *Can. J. For. Res.* 16:755–760.
- . 1993. Respiration of tree seeds. In Dormancy and barriers to germination. Proc. Internat. Symp. IUFRO Proj. Group P2.04-00 (Seed Problems). April 23–26, 1991. D.G.W. Edwards. (comp. and ed.). Victoria, BC. pp. 57–66.
- . 1996. A guide to the biology and use of forest tree seeds. BC Min. For., Victoria, BC. Land Manage. Handb. #30.
- Leadem, C.L., R.D. Eremko, and I.H. Davis. 1990. Seed biology, collection and post-harvest handling. In Regenerating British Columbia's forests. D.P. Lavender et al., eds. Univ. British Columbia Press, Vancouver, BC. pp. 193–205.
- Lait, C.G., S.L. Bates, A.R. Kermode, K.K. Morissette, and J.H. Borden. 2001. Specific biochemical marker-based techniques for the identification of damage to Douglas-fir seed resulting from feeding by the western conifer seed bug, *Leptolossus occidentalis* Heidemann (Hemiptera:Coreidae). *Insect Biochem. Molec. Bio.* 31:739–746.
- Littke, W. 1996. Seed pathogen and seed treatments. In Nat. Proc. For. & Conserv. Nurse. Assoc. T.D. Landis and D.B. South (tech. coords.). US Dep. Agric. For. Serv., Portland, Oreg. Gen. Tech. Rep. PNW-GTR-389. pp. 187–191.
- Lock, W. and J.R. Sutherland. 1975. Fungicide treatment of seeds for damping-off control in B.C. forest nurseries. *Tree Plant. Notes* 26(3): 16–18.
- Mallone, J.P. and A.E. Muskett, 1997. Seed-borne fungi. Description of 77 fungus species. J.W. Sheppard. (ed.) Agriculture and Agri-Food Canada. Ottawa, Ont. Published by The Internat. Seed Testing Assoc. Zurich, Switzerland.
- Mandeel, Q. 1996. Integration of biological and chemical control of *Fusarium* wilt of radish. *J. Plant Disease and Protection* 103 (6): 610–619.
- Martinez-Hondurilia, C.J. and A. Santos-Ruiz. 1978. Germination inhibitors in the pine seed coat. *Planta* 141:141–144.
- Maude, R.B. 1996. Seedborne diseases and their control principles and practise. CAB International, Wallingford, UK.
- Mittal, R.K. and B.S.P. Wang. 1993. Effects of some seed-borne fungi on *Picea glauca* and *Pinus strobus* seeds. *Eur. J. For. Path.* 23: 138–146.
- Motta, E., T. Annesi, and V. Balmas. 1996. Seed-borne fungi in Norway spruce: testing methods and pathogen control by seed dressing. *Eur. J. For. Path.* 26: 307–314.
- Neergard, P. 1979. Seed pathology. MacMillan Press, London, UK.
- Nelson P.E., T.A. Toussoun, and R.J. Cook (editors). 1981. *Fusarium: Diseases, Biology, and Taxonomy*. Pennsylvania State Univ. Press, University Park, Penn.
- Nelson, P.E., T.A. Toussoun, and W.F.O. Marasas. 1983. *Fusarium species*. An illustrated manual for identification. Pennsylvania State Univ. Press, University Park, Penn. pp. 178–187.
- Neumann, M. 1993. Seedborne *Fusarium* and root colonization of container-grown Douglas-fir seedlings. MSc thesis. Univ. BC, Vancouver, BC.
- . 1995. Cross-contamination of conifer seed by *Fusarium* and the running water soak. BC Min. For., Tree Seed Centre, Surrey, BC. Rep. 18.
- . 1996. Seedborne *Fusarium* and seed preparation at the MOF Tree Seed Centre. BC Min. For., Tree Seed Centre, Surrey, BC.
- . 1997. Sanitation methods for conifer seeds, soaking tanks and screens to control seed-borne *Fusarium*. BC Min. For., Nursery Exten. Serv. and Tree Seed Centre, Surrey, BC. Contract rep.
- Outcalt, K.W. 1991. Aerated stratification improves germination of *Ocila* sand pine seed. *Tree Plant. Notes* 42:22–25.
- Owens, J.N. and M.D. Blake. 1985. Forest tree production. Petawawa National Forestry Institute, Can. For. Serv. Info. Report No. PI-X-53.
- Paden, J.W., J.R. Sutherland, and T.A.D. Woods. 1978. *Caloscypha fulgens* (Ascomycetidae, Pezizales): the perfect state of the conifer seed pathogen *Geniculosdendron pyriforme* (Deuteromycontina, Hyphomycetes). Can. J. Bot. 56: 2375–2379.
- Perkins, A. 1998. The effect of seed size on germination rate and germination capacity in interior spruce. Univ. Victoria, Victoria, BC. Co-op student rep.
- Peterson, M.J., 1991. Guidelines for the sanitation of nursery seedling containers. Supplement to FRDA Rep. No. 140.
- Peterson, M.J. 1996. Studies to identify times pine seedlings are subjected to high levels of *Sirococcus* inoculum and exhibit *Sirococcus* disease symptoms. BC Min. For., Nursery Exten. Serv., Surrey, BC. Contract rep.
- Peterson, M. 2000. Seed-borne *Fusarium* on seeds collected from seed orchards and natural stands. BC Min. For., Nursery Exten. Serv., Surrey, BC. Seed and Seedling Ext. Topics. 12(1):13–15.
- Pitel, J.A. and B.S.P. Wang. 1990. Physical and chemical treatments to improve germination of whitebark pine seeds. Symp. on Whitebark Pine Ecosystems: Ecology and Management of a High-Mountain Resource. March 29–31, 1989. Bozeman, Mont. pp. 130–133.
- Portlock, F.T. (compiler). 1996. A field guide to collecting cones of British Columbia conifers. Can. For. Serv. and BC Min. For., Victoria, BC.
- Poulsen, K.M. 1995. Application of the IDS-method to *Pinus caribaea* seed. *Seed Sci. & Technol.* 23:269–275.
- Prabhu, A.-L., 1994. Estimation of moisture content change of conifer seeds during extended storage. Univ. Victoria, Victoria, BC. Co-op student rep.
- Quarles, W. 1993. Alternatives to methyl bromide: *Trichoderma* seed treatments. IPM Practitioner 15 (9): 1–7.
- Ramos, A.J., J. Soler, J. Torres, M.R. Martin, and N. Magan. 1997. Scanning electron microscopy study of germination and growth of *Fusarium moniliforme* on the surface of maize grain. *Ceral Re. Comm.* 25 (3/2): 809–810.
- Rappaport, M. 1996. The effect of kiln temperature on germination in seven conifer species. Univ. Victoria, Victoria, BC. Co-op student rep.
- Richardson, M.J. 1996. Seed mycology. *Mycol. Res.* 100 (4): 385–392.
- Rietz, R.C. 1941. Kiln design and development of schedules for extracting seed from cones. US Dep. Agric., Washington, DC. Tech. Bull. No. 773.
- Roos, E.R. 1989. Long-term seed storage. *Plant Breeding Reviews* 7:129–158.

- St. Clair, B. and W.T. Adams. 1991. Effects of seed weight and rate of emergence on early growth of open-pollinated Douglas-fir families. *For. Sci.* 37: 987-997.
- Sahlén, K. and U. Bergsten. 1982. Temperature and moisture content changes in *Pinus sylvestris* seed stored in a container during freezing and warming. *Proc. IUFRO Internat. Symp. on Forest Tree Seed Storage*. Petawawa Nation. For. Inst., Chalk River, Ont. pp. 98-106.
- Sahlén, K. and K. Wiklund. 1995. Anatomical and physiological effects of osmotic priming on *Pinus sylvestris* seeds of different maturity. *Seed Sci. & Technol.* 23:725-737.
- Salt, G.A. 1971. Conifer seed pathology. *Extr. from Rep. For. Res. Comm.*, London UK. 1971: 131-132.
- Schwartz, M. 1993. Germination math: calculating the number of seeds necessary per cavity for a given number of live seedlings. *Tree Planters Notes* 44: 19-20.
- Silen, R.C. 1958. Artificial ripening of Douglas-fir cones. *J. For.* 56:410-413.
- Silow, R.A. 1934. A systemic disease of red clover caused by *Botrytis anthophila* bond. *Transactions of the British Mycol. Soc.* 18: 239-248.
- Simak, M. 1984. A method for removal of filled-dead seeds from a sample of *Pinus contorta*. *Seed Sci. & Technol.* 12:767-775.
- Smith, R. 1998. Tree seed research: is anybody doing any (Editors Notes). Canadian Tree Improvement Association, Tree Seed Working Group. *News Bull.* #29. pp. 1-2.
- Sorensen, F.C. 1991. Stratification period and germination of Douglas-fir seed from Oregon seed orchards: two case studies. US Dep. Agric. For. Serv., Portland, Oreg. Res. Note PNW-RN-499.
- Stokes, P. 1965. Temperature and seed dormancy. In *Encycl. Plant Physiol.* W. Ruhland (ed.). Springer, Berlin. Vol. 15/2:746-803.
- Sutherland, J.R. 1979. The pathogenic fungus *Caloscypha fulgens* in stored conifer seeds in British Columbia and relation of its incidence to ground and squirrel-cache collected cones. *Can. J. For. Res.* 9: 129-132.
- . 1981. Time, temperature and moisture effects on incidence of seed infected by *Caloscypha fulgens* in Sitka spruce cones. *Can. J. For. Res.* 11:727-730.
- Sutherland, J.R., W. Lock, and L.E. Benson. 1982. Diseases and insects and their management in container nurseries. In *Proc. Canadian containerized tree seedling symp.*, Toronto, Ont., Sept.14-16, 1981.
- Sutherland, J.R., W. Lock, and S.H. Farris. 1981. *Sirococcus* blight: a seed-borne disease of container-grown spruce seedlings in coastal B.C. forest nurseries. *Can. J. Bot.* 59: 559-562.
- Sutherland, J.R., G.M. Shrimpton, and R.N. Sturrock. 1989. Diseases and insects in British Columbia forest seedling nurseries. *Can. For. Serv. and BC Min. For.*, Victoria, BC. FRDA Rep. No. 065.
- Sutherland, J.R. and E. Van Eerden. 1980. Diseases and insect pests in British Columbia forest nurseries. *Can. For. Serv. and BC Min. For.*, Victoria, BC. Joint Rep. No. 12.
- Sweeney, J.D., Y.A. El-Kassaby, D.W. Taylor, D.G.W. Edwards, and G.E. Miller. 1991. Applying the IDS method to remove seeds infested with the seed chalcid, *Megastigmus spermotrophus* in Douglas-fir, *Pseudotsuga menziesii* (Mirb.) Franco. *New For.* 5:327-334.
- Tanaka, Y. and D.G.W. Edwards. 1986. An improved and more versatile method for prechilling *Abies procera* Rehd. seeds. *Seed Sci. & Technol.* 14: 457-464.
- Tanaka, Y., N.J. Kleyn, and L.M. Harper. 1986. Seed stratification of Engelmann spruce and lodgepole pine: The effect of stratification duration and timing of surface drying. *Forestry Chron.* 62:147-151.
- Taylor, A.G., P.S. Allen, M.A. Bennett, K.J. Bradford, J.S. Burris, and M.K. Misra. 1998. Seed enhancements. *Seed Sci. Res.* 8: 245-256.
- Taylor, A.G. and G.E. Harman. 1990. Concepts and technologies of selected seed treatments. *Ann. Rev. Phytopath.* 28: 321-339.
- Thomsen, K. and L. Schmidt. 1999. Control of fungi during seed procurement. Danida Forest Seed Centre, Humblebaek, Denmark. Tech. Note No. 53.
- Tillman-Sutela, E. 1996. Effect of incubation temperature on the variation of imbibition in northern pine (*Pinus sylvestris* L.) seeds. *Seed Sci. & Technol.* 25:101-113.
- Tillman-Sutela, E. and A. Kauppi. 1998. Structures restricting passage of water in the mature seeds of yellow cedar (*Chamaecyparis nootkatensis* D. Don). *Can. J. Bot.* 76:1458-1466.
- Trotter, D.B. 1990. Seed cleaning treatments on Douglas-fir. BC Min. For., Nursery Exten. Serv., Surrey, BC. Seed and Seedling Ext. Topics. Vol. 3, No. 2:12-13.
- Tull, J. 1733. Of smuttiness. In *The Horse-hoeing husbandry: or, an essay on the principles of tillage and vegetation*. G. Strabon, Cornhill, UK.
- Turgeon, J.J. and P. de Groot. 1992. Management of insect pests of cones in seed orchards in Eastern Canada. *Can. For. Serv. and Ont. Min. Nat. Resour.*, Sault Ste. Marie, Ont.
- Turgeon, J. J., A. Rocques, and P. de Groot. 1994. Insect fauna of coniferous seed cones: diversity, host plant interactions, and management. *Annu. Rev. Entomol.* 39:179-212.
- Vanangamudi, K., J.S. Zope, J.A. Vozzo, and W.W. Elam. 1993. Incubation, drying and separation method to separate viable from non-viable, artificially-aged seeds of *Pinus roxburghii* Sarg. In *Proc. Intern. Symp. on Dormancy and Barriers to Germination*. IUFRO Proj. Group P2.04-00 (Seed Problems). D.G.W. Edwards (comp. & ed.). Victoria, BC. April 23-26, 1991. pp. 141-148.
- Wall, R.E. and L.P. Magasi. 1976. Environmental factors affecting *Sirococcus* shoot blight of black spruce. *Can. J. For. Res.* 6: 448-452.
- Walters, C. 1998. Understanding the mechanisms and kinetics of seed aging. *Seed Sci. Res.* 8:223-244.
- Wang, B.S.P. 1973. Laboratory germination criteria for red pine (*Pinus resinosa* Ait.) seed. *Proc. Assoc. Official Seed Analysts* 63:94-101.
- . 1974. Tree-seed storage. *Can. For. Serv. Dep. Environ.*, Ottawa, Ont. Publ. No. 1335.
- Wang, B.S.P. and P. Berjak. 2000. Beneficial effects of moist chilling on the seeds of black spruce (*Picea mariana* [Mill.] B.S.P.). *Annals Bot.* 86:29-36.
- Wang, B.S.P., T-P. Lin, and T-T. Chang. 1998. Control of fungal growth with sphagnum for cold stratification and germination of tree seeds. *Taiwan J. For. Sci.* 13:109-118.
- Welbaum, G.E., Z. Shen, M.O. Oluoch, and L.W. Jett. 1998. The evolution and effects of priming vegetable seeds. *Seed Technol.* 20:209-235.
- Wenny, D.L. and R.K. Dumroese. 1987. Germination of conifer seeds surface sterilized with bleach. *Tree Plant. Notes* 38 (3): 18-21.
- Wu, L., S.W. Hallgren, D.M. Ferris, and K.E. Conway. 1999. Solid matrix priming to enhance germination of loblolly pine (*Pinus taeda*) seeds. *Seed Sci. & Technol.* 27:251-261.
- Xia, J.-H., A.R. Kermode. 2000. Dormancy of yellow cedar (*Chamaecyparis nootkatensis* [D.Don] Spach) seeds is effectively terminated by treatment with 1-propanol or nitrate in combination with a warm water soak, gibberellin and moist chilling. *Seed Sci. & Technol.* 28:227-240.

Additional Information

Suggested Reading

- A Training Guide for Laboratory Analysis of Forest Tree Seeds.
D.G.W. Edwards and B.S.P. Wang
Canadian Forest Service Pacific and Yukon Region Information Report. BC-X-356. 1995.
- Boundary Layer Climates.
T.R. Oke
John Wiley & Sons, New York, NY. 1978.
- Field Studies of Seed Biology.
C.L. Leadem, S.L. Gillies, H.K. Yearsley, V. Sit, D.L. Spittlehouse, and P.J. Burton. 1997.
BCMOF Land Management Handbook No. 40. 196 pp.
- Handbook for Pesticide Applicators and Dispensers.
R.W. Adams
Fifth edition. Pesticide Control Branch BC Min. Environ., Victoria, BC. 1995.
- Integrated Pest Management in Forest Nurseries of the USDA Forest Service.
S.J. Campbell
Comb. Proc. Int. Plant Prop. Soc. 41:240–244. 1991.
- Micro-climates in Propagation.
E. Muckle
21st Century Gardener, Vol. 5 Issue III. 1992.
- Physiology of Woody Plants.
P.J. Kramer, T.T. Kozlowski
Academic Press, Inc. San Diego, Ca. 1994.
- Quick Tests for Tree Seed Viability.
C.L. Leadem
BC Ministry of Forests Land Manage. Handb. No. 18. 1984. (A limited number of this publication can be obtained by contacting Dave Kolotelo.)
- Seed Ecophysiology of Temperate and Boreal Zone Forest Trees.
R.E. Farmer, Jr. 1997. St. Lucie Press.
Delray Beach, FL. 253 pp.
- Seed and Seedling Extension Topics.
A newsletter published twice a year. For information on receiving this Newsletter or contributing articles contact Diane Gertzen (604) 930-3303.
Diane.Gertzen@gems3.gov.bc.ca
- Tree and Shrub Seed Handbook.
A.G. Gordon, P. Gosling and B.S.P. Wang [Eds.].
The International Seed Testing Association, Zurich, Switzerland. 1991.
- Tree Seed Working Group Newsbulletin.
Published twice a year. For information on receiving the Newsbulletin or submitting articles, please contact Dave Kolotelo.

Web Links of Interest

- AOSA – Association of Official Seed Analysts, Inc.
<http://www-aosaseed.com>
- Danida Forest Seed Centre
<http://www.dfsc.dk>
- Forest Nursery Notes
http://www.na.fs.fed.us/spfo/rngr/fnn_list.htm
- ISTA – International Seed Testing Association
<http://www.seedtest.org>
- IUFRO Unit 7.03.04
Diseases and insects in forest nurseries
<http://iufro.boku.ac.at/iufro/iufronet/d7/hp70304.htm>
- IUFRO Unit 2.09.00
Seed physiology and technology
<http://iufro.boku.ac.at/iufro/iufronet/d2/hp20900.htm>
- Nursery Technology Co-operative
Oregon State University
<http://www.cof.orst.edu/coops/ntc/ntc.htm>
- Pest Management Regulatory Agency
Health Canada
<http://www.hc-sc.gc.ca/pmra-arl/english/index-e.html>
- Reforestation, Nurseries and Gene Resources
US Forest Service
<http://www.na.fs.fed.us/spfo/rngr/index.htm>
- Seeds of Woody Plants in the United States
The long awaited revision to the classic text is continuing, but finished chapters to date can be viewed at <http://wpsm.net>
- Southern Forest Nursery Management Cooperative
<http://www.forestry.auburn.edu/sfnmc/sfnmc.html>
- For information on other cone and seed insects, visit:
www.for.gov.bc.ca/TIP/IIG
www.for.gov.bc.ca/TIP/IID

Contacts

If you are unfamiliar with SPAR and require access or training, contact:
Susan Zedel
Tree Improvement Branch
1-250-356-8124
e-mail Susan.Zedel@gems8.gov.bc.ca

Phytosanitary certificates (fee)

Agriculture Canada
620 Royal Ave Suite 103
PO Box 2521
New Westminster, BC V3L 5A8
(604) 666-2891/666-8577

Authors:

Dave Kolotelo
BCMOF Tree Seed Centre
18793 32nd Ave.
Surrey, BC V3S 0L5
(604) 541-1683 ext. 228
Dave.Kolotelo@gems7.gov.bc.ca

Eric Van Steenis
BCMOF Extension Services
14275 96th Ave.
Surrey, BC V3V 7Z2
(604) 930-3303
Eric.VanSteenis@gems5.gov.bc.ca

Mike Peterson
Applied Forest Science Ltd.
4417 Bennett Road
Victoria, BC V9C 3Y3
(250) 478-8358
Michael.Peterson@afslimited.ca

Robb Bennett
BCMOF Pest Management
7380 Puckle Road
Saanichton, BC V8M 1W4
(250) 652-6593
Robb.Bennett@gems6.gov.bc.ca

Dave Trotter
BCMOF Extension Services
14275 96th Ave.
Surrey, BC V3V 7Z2
(604) 930-3303
Dave.Trotter@gems4.gov.bc.ca

John Dennis
Pacific Forestry Centre
506 West Burnside Road
Victoria, BC V8Z 1M5
(250) 363-0684
jdennis@pfc.forestry.ca