NO. 50 / DECEMBER 1961

Tree Planters' Notes



713.51

hu.50 (Andry)

> for Planters of Forests and Shelterbelts and for Nurserymen

NUMBERS 1 - 49

INDEX

FOREST SERVICE . U.S. DEPARTMENT OF AGRICULTURE

Invitation to Readers of Tree Planters' Notes

The first issue of Tree Planters' Notes was published in November, 1950. From that date to the close of 1960 a total of 44 issues have been published. During this time more than 160 authors have contributed more than 300 articles of interest and value to woodland managers, tree planters, and nurserymen. These many articles were written by consulting foresters, farm or service foresters, industry foresters, research foresters, nurserymen, university professors and others.

We would like every reader to consider that he is a potential author for an article of value to Tree Planters' Notes. If in your work you have developed or tried a new piece of equipment, a new technique or method of tree planting, tree seeding, site preparation, nursery operation, or seed collecting, processing and storage which might be helpful to someone else working in the same field please write to us about it.

Articles are welcome in any form--letter, rough draft, or final. If available, glossy print photographs or drawings which will help create interest or a better understanding of the article should be furnished. Black and white negatives or color slides are also acceptable and will be returned as soon as glossy prints can be made. Please send your suggestions and contributions to Chief, Forest Service (Attn, Tree Planters' Notes), U.S. Department of Agriculture, Washington 25, D.C.

Subscriptions and Mailing List

Tree Planters' Notes will be sent upon request to persons and organizations doing reforestation work, and to libraries, forest schools, and similar appropriate places.

AUTHOR INDEX

(Tree Planters' Notes 1-50)

| | Number (page) | Date |
|--|---------------|--------------------|
| Manasiev, Michel | | |
| Storage of afterripened seed of eastern redcedar | 21(28) | Sept 1955 |
| Ferbam controls nursery weeds | 12(8) | Nov 1952 |
| Large longleaf seedlings survive well | 14(17) | |
| Survival of machine-planed vs. bar-planted | | Apr 1953 |
| longleaf seedlings | 14(16) | Apr 1953 |
| Better longleaf seedlings from low-density nursery beds Allen, R. M., and Snow, G. A. | 18(29) | Dec 1954 |
| Damage to pine seedlings by Santomerse SX | 45(25) | Mar 1961 |
| Andresen, John W. | | |
| Collecting can for small tree fruit | 35(17) | Apr 1959 |
| Collecting hook for yellow-poplar fruit | 25(22) | May 1956 |
| Confecting nook for yenow-popiar fruit | | |
| Methyl bromide disperser | 31(28) | Feb 1958 |
| Simple coupling for aluminum tubing | 25(24) | May 1956 |
| Acid injection system for nursery irrigation water | 46(11) | June 1961 |
| Arnold, C. Ingersoll | | 10 miles - 1 miles |
| Drill vs. broadcast sowing | 26(5) | Oct 1956 |
| | 31(8) | Feb 1958 |
| Frost damage Increasing production of nursery stock by improvement in | 51(6) | Feb 1956 |
| bundling and packing | 29(16) | June 1957 |
| Nursery seeding machine | 31(3) | Feb 1958 |
| Augenstein, James B. | | |
| Sodium TCA for control of grasses | 4(11) | Apr 1951 |
| Averell, James L. | | 6.262. |
| Lee Bousfield pine cone drying rack, Tahoe National Forest . | 32(13) | Apr 1958 |
| Bagley, Walter T., and Loerch, Karl A. | | |
| Diuron for weed control in new windbreak plantings Bagley, Walter T., and Miyoshi, R. T. | 33(30) | June 1958 |
| Chemical weed control in windbarriers | 40(13) | Feb 1960 |
| Bailey, Carl V. | 40(13) | FED 1900 |
| Early collection and immediate sowing increase germination | 1000 1000 | |
| of basswood seed | 46(27) | June 1961 |
| Bailey, Carl V., and Wilson, J. D. Soil treatments may increase stand of locust seedlings | 31(21) | Feb 1958 |
| Baker, Lyle A. | | |
| Knife-type lateral root pruner | 46(17) | June 1961 |
| Bakuzis, E. | 11/21 | C+ 1053 |
| A new idea in seedbeds | 11(3) | Sept 1952 |
| Some notes about the planting bar | 14(8) | Apr 1953 |
| Baldwin, Henry I. | Sub Co | the second |
| Notes on nursery practice in Scotland | 38(13) | Oct 1959 |
| Agricultural sweeps make scalping easy | 14(11) | Apr 1953 |
| Barton, William Warren, and Clements, Charles M. | | |
| A systematic sampling nursery inventory procedure Beaufait, William R. | 46(19) | June 1961 |
| Simple tool for planting acorns | 28(5) | Apr 1957 |
| Sumple tool for planting acorns | 20(3) | |

| | Number (page) | Date |
|--|----------------|-----------------------|
| Bierwagen, Walter, and Heidmann, L. J. | | |
| Improved cone-drying rack Blaser, Edward, and Moore, O. W. | 47(13) | Aug 1961 |
| Ammonium nitrate fertilizer can explode Brigham, Paul, and Flink, Paul R. | 41(3) | Apr 1960 |
| Red pine nursery stock fumigation in Michigan Conservation Department nurseries Briscoe, Charles B., and DuBarry, Adrian P., Jr. | 37(17) | Aug 1959 |
| A simplified germination test for American sycamore | 35(21) | Apr 1959 |
| Briscoe, Charles B., and Stout, Charles W. Water sealing of vapam for nursery fumigation | 31(26) | Feb 1958 |
| Briscoe, Charles B., and Strickland, Freddie R. Vapam shows promise as a forest nursery herbicide | 26(3) | Oct 1956 |
| Broadfoot, W. M., and Krinard, R. M. Growth of hardwood plantations on bottoms in loess areas Brooks, Ray O. | 48(3) | Oct 1961 |
| Oil spray weeding as applied to forest nurseries in Pennsylvania | 4(6) | Apr 1951 |
| Bull, Ira W. | 1000 | |
| Machine for applying sand and sawdust to seedbeds Burns, Russell M. | 18(20) | Dec 1954 |
| Copper carbonateboon or bane | 40(5) | Feb 1960 |
| Rabbit repellents in north Mississippi | 45(19) | Mar 1961 |
| Seed sowing tool | 45(3) | Mar 1961 |
| Campbell, W. A. | 47(1) | Aur 1061 |
| Eastern Tree Seed Laboratory Carman, R. D., and Armson, K. A. | 4/(1) | Aug 1961 |
| Acid injection system for nursery irrigation water Carmichael, A. J. | 46(11) | June 1961 |
| Ladders as an aid to seed collection | 5(3) | May 1951 |
| A net for the collection of winged hardwood fruits Cayford, J. H. | 22(4) | Dec 1955 |
| Furrowing improves first-year survival of planted spruce | 10/12) | 0 + 10/1 |
| and pine in Manitoba Clements, Charles M., and Barton, William Warren | 48(13) | Oct 1961 |
| A systematic sampling nursery inventory procedure Clifford, Edward D. | 46(19) | June 1961 |
| Methyl bromide to control weeds in conifer seedbeds A rapid method of fumigating nursery soils with methyl | 7(17) | Sept 1951 |
| bromide | 37(9) | Aug 1959 |
| Seedbed root pruner | 24(11) | Feb 1956 |
| Use of a potato digger for lifting nursery stock | 24(9) | Feb 1956 |
| seedbeds | 21(24) | Sept 1955 Nov 1952 |
| Use of 2, 4-D to control weeds in conifer nurseries | 12(6) 11(4) | Sept 1952 |
| Vermiculite as a medium for germination testing Cloud, Mason | 11(1) | ochr 112 |
| Cold storage containers for pine seeds | 45(5) | Mar 1961 |
| Costs of machine planting in New York | 6(2) | June 1951 |
| Agitator seedling lifter | 48(3) | Oct 1961 |
| Cooper, E. N. Tussock seeding and mound planting | 46(5) | June 1961 |
| Cossitt, Floyd M. Seedling storage bins | 33(35) | June 1958 |
| Seedling storage in bales | 45(11) | Mar 1961 |
| Simple method of recording seedbed treatments | 18(16) | Dec 1954 |
| Weeding with oilCram, W. H. | 4(1) | Apr 1951 |
| Fungicidal control of rhizoctonia damping-off | 24(17) | Feb 1956 |

| | Number (page) | Date |
|---|---------------|---------------|
| Croker, Thomas C., Jr. | | |
| The H-C furrow seeder Czabator, Felix J., and Enghardt, Hans | 43(15) | Oct 1960 |
| Nursery-infected seedlings develop fusiform rust cankers after outplanting | 37(23) | Aug 1959 |
| Darby, S. P., Jr. | | |
| Agitator type sawdust spreader for use on dump trucks | 25(8) | May 1956 |
| Georgia's "wraparound" seedling crate | 45(7) | May 1961 |
| A report on Georgia's new dewinger | 29(22) | June 1957 |
| Davis, Paul B. Costs and use of machines in Tennessee | 6(3) | June 1951 |
| Day, M. W. | 0(0) | build 1751 |
| A convenient tree lifter | 29(8) | June 1957 |
| Deffenbacher, Forrest W., and Elisar, Rene F. | 1 | 0.001042 |
| Portable cone storage racks | 43(1) | Oct 1960 |
| DeLong, Thomas S., and Nolder, Charles R. Pine needles for seedbed covering | 29(10) | June 1957 |
| Derr, H. J. | 27(10) | June 1751 |
| Direct seeding: A fast, reliable method of regenerating | | |
| longleaf pine | 33(20) | Apr 1958 |
| Seedbed density affects longleaf pine survival and growth Derr, H. J., and Mann, William F., Jr. | 20(28) | June 1955 |
| Not for the birds | 20(3) | June 1955 |
| Derr, H. J., Meanley, Brooke, and Mann, W. F., Jr. | (-) | e une 1755 |
| New bird repellents for longleaf seed | 28(8) | Apr 1957 |
| Derr, Kenneth F. | | |
| Control of damping-off at Boscobel State Nursery in | 21/7) | Cast 10FF |
| Wisconsin Dickman, Irving | 21(7) | Sept 1955 |
| Ohio nursery develops six-row transplanter | 16(8) | Mar 1954 |
| Dickson, R. E., Hosner, J. F., and Kahler, L. | | 31807 - 4 C 4 |
| Polyethylene bag storage versus stratification in sand as a | Source. | Sector Sector |
| pregermination treatment for white and loblolly pine | 48(15) | Oct 1961 |
| Diller, Jesse D. Experimental farm plantings of Asiatic chestnuts | 40(1) | Feb 1960 |
| Doll, J. Henry, and Lanquist, Karl B. | 40(1) | 160 1700 |
| Effect of polyethylene and regular packing methods on | | |
| ponderosa pine and Douglas-fir seedlings stored over | dimon. | a state |
| winter | 42(29) | June 1960 |
| Dorman, Keith W. We need better seed collecting equipment | 5(2) | May 1951 |
| Dosen, R. C., Shenefelt, R. D., and Liebig, H. R. | 5(2) | Way 1951 |
| Protecting machine transplanted trees from white grubs | 20(14) | June 1955 |
| Downs, Joe A. | | 24 |
| Square pots for transplants | 16(10) | Mar 1954 |
| Dowdy, Felix Use of a machine in Alabama | 6(9) | June 1951 |
| DuBarry, Adrian P., Jr., and Briscoe, Charles B. | 0(3) | June 1751 |
| A simplified germination test for American sycamore | 35(21) | Apr 1959 |
| Duncan, Don A., and Whitaker, Louis B. | | and and an |
| Cattle repellents for planted pines | 36(9) | June 1959 |
| Ride Rey and Chimmy John | | |
| Bide, Rex, and Grimm, John Oblique root pruning blade | 31(6) | Feb 1958 |
| Einspahr, Dean W. | 51(0) | 1.00 1990 |
| Nursery production of aspen seedlings | 35(22) | Apr 1959 |
| Single-row, tractor-mounted tree lifter for hardwoods | 29(6) | June 1957 |
| Einspahr, Dean W., and Schlafke, Donald | 20/101 | |
| A method for aspen and cottonwood seed extraction | 28(10) | Apr 1957 |
| | | |

| | Number (page) | Date |
|---|-----------------|----------------------|
| Eliason, E. J. | | |
| Simplified tree inventory counting frame Tree seed handling in New York The use of oil spray for the control of weeds in coniferous | 38(9) 32(21) | Oct 1959 Apr 1958 |
| nurseries in New York | 4(4) | Apr 1951 |
| Eliason, E. J., and Hill, Joseph Specific gravity as a test for cone ripeness with red pine Elisar, Rene F., and Deffenbacher, Forrest W. | 17(1) | Aug 1954 |
| Portable cone storage racks Engelken, John, Farnsworth, C. E., and Lea, R. V. | 43(1) | Oct 1960 |
| Mulching coniferous transplant beds with sawdust Enghardt, Hans, and Czabator, Felix J. | 25(4) | May 1956 |
| Nursery-infected seedlings develop fusiform rust cankers after outplanting | 37(23) | Aug 1959 |
| Engstrom, Albert Polyethylene film for seedbed mulch | 21(26) | Sept 1955 |
| Erambert, G. F. Method of installing overhead lines on a slope | 18(3) | Dec 1954 |
| Evanson, C. E. Modifications required on a machine in Mississippi | 6(11) | June 1951 |
| Farnsworth, C. E., Lea, R. V., and Engelken, John | | |
| Mulching coniferous transplant beds with sawdust Ferguson, Edwin R. | 25(4) | May 1956 |
| Wood treated with penta can damage pine nursery seedlings . Ferrell, E. K. | 38(21) | Oct 1959 |
| Costs and use of a machine in South Dakota Flink, Paul R., and Brigham, Paul | 6(6) | June 1951 |
| Red pine nursery stock fumigation in Michigan Conservation Department nurseries | 37(17) | Aug 1959 |
| Foiles, Marvin Test of seeding germinated western white pine seed | 8(10) | Nov 1951 |
| Foster, A. A. The effect of seedbed density on seedling production at the | 7.11 | |
| Georgia forest nurseries Fumigation of forest nurseries in the southeast for control | 25(1) | May 1956 |
| of weeds and root rot | 26(1) | Oct 1956 |
| Seedling losses in Arizona cypress | 29(20) | June 1957 |
| Foster, A. A., and Henry, B. W. Nursery control of fusiform rust demands careful spraying. Fowells, H. A., and Schubert, Gilbert H. | 24(13) | Feb 1956 |
| Planting trials with transpiration retardants in California | 20(19) | June 1955 |
| Fox, George F. Modifications of a Lowther tree planter for better quality | | |
| planting and survival | 33(15) | June 1958 |
| Freese, Frank Tree species for planting spoil banks in north Alabama | 17(15) | Aug 1954 |
| Futrell, L. M. Seedbed smoother | 38(1) | Oct 1959 |
| Gammage, J. L., and Maisenhelder, L. C. | 0.000 | |
| Refrigeration prolongs viability of cottonwood seed Garlington, William O. | 43(5) | Oct 1960 |
| Method of unloading straw from a truck Garren, Kenneth H., May, Jack T., and Walsh, Charles S. | 16(7) | May 1954 |
| Micro-organisms in nursery seedbed soils Georgia Crop Improvement Association | 21(21) | Sept 1955 |
| Certification standards for forest tree seed | 35(3) | Apr 1959 |
| Gilmore, A. R. Subsoiling in a forest tree nursery | 31(19) | Feb 1958 |

| | Number (page) | Date |
|--|----------------------------|-----------------------------------|
| Gilmore, A. R., May, Jack T., and Lyle, E. S., Jr. | | |
| The effects on field survival of late nitrogen fertilization of loblolly pine and slash pine in the nursery seedbed Survival and growth of 2-0 longleaf and loblolly seed- | 36(22) | June 1959 |
| lings in the field | 33(26) | June 1958 |
| Ratio of rough cones to clean seed | 17(5) | Aug 1954 |
| Mortality of loblolly pine planted under small hardwoods Greene, James T., and Reines, M. | 48(1) | Oct 1961 |
| Reproduction of longleaf pine outside its natural range Rooting of slash pines in open hotbeds Screening for seedbed protection against birds Griffiths, J. D. | 35(26) 35(25) 29(12) | Apr 1959 Apr 1959 June 1957 |
| Piecework system of grading and tying seedlings Griffiths, P. A. | 47(21) | Aug 1961 |
| Rental charges and use of a machine in North Carolina | 6(8) | June 1951 |
| Grimm, John, and Eide, Rex Oblique root pruning blade | 31(6) | Feb 1958 |
| Grinnell, W. Ross Planting stock dropped by air | 20(26) | June 1955 |
| Hansbrough, Thomas, and Hollis, John P. The effect of soil fumigation on the growth and yield of | | |
| loblolly pine seedlings in the nursery | 37(13) | Aug 1959 |
| Stratifying repellent-treated pine seed | 42(5) | June 1960 |
| Harrison, Robert P., and Foster, A. A. Seedling losses in Arizona cypress | 29(20) | June 1957 |
| Effects of refrigeration and shipping on sugar pine field survival | 45(17) | Mar 1961 |
| Hayes, G. L. Soil texture can influence forest regeneration from seed | 11(2) | Sept 1952 |
| Heidmann, L. J., and Bierwagen, Walter Improved cone-drying rack | 47(13) | Aug 1961 |
| Heintz, Robert H. Design for a nursery seedbed lifter | 29(3) | June 1957 |
| Henry, Berch W. Basal branches no symptom of fusiform rust on slash pine | | |
| seedlings Ethylene dibromide controls a root rot at the W. W. Ashe | 24(16) | Feb 1956 |
| Nursery | 7(2) | Sept 1951 |
| Nursery control of fusiform rust demands careful spraying Hertel, H. G. | 24(13) | Feb 1956 |
| Soil injection with modified root pruner Steel strapping tree baler | 46(15) 38(5) | June 1961 Oct 1959 |
| Seed laws and policyGeorgia, New York, and U. S. Department of Agriculture | 8(5) | Nov 1951 |
| Kill, Joseph A., and Eliason, E. J. | 17(1) | |
| Specific gravity as a test for cone ripeness with red pine Hill, Joseph A. | 17(1) | Aug 1954 |
| Control of strawberry root weevil in the New York State nurseries | 21(17) | Sept 1955 |
| Methyl bromide gas controls weeds, nematodes, and root rot in seedbeds | 21(11) | Sept 1955 |
| Effect of soil fumigation in the nursery on growth of loblolly | | |
| pine seedlings and control of weeds Freezing lowers survival of three species of southern pines | 42(23) 47(23) | June 1960 Aug 1961 |

| | Number (page) | Date |
|---|---------------|------------|
| Hoekstra, P. E. | | |
| Tree-raising succeeds on barren sand tracts Hollis, John P., and Hansbrough, Thomas The effect of soil fumigation on the growth and yield of | 48(11) | Oct 1961 |
| loblolly pine seedlings in the nursery | 37(13) | Aug 1959 |
| Preliminary tests with surfactants fail to show increase in | | |
| either growth or survival of Scotch pine seedlings Hosner, John F., Kahler, L., and Dickson, R. E. | 21(15) | Sept 1955 |
| Polyethylene bag storage versus stratification in sand as a pregermination treatment for white and loblolly pine Huckenpahler, B. J. | 48(15) | Oct 1961 |
| Planting hardwoods for stand improvement in north | | 1 11-14 |
| Mississippi | 14(18) | Apr 1953 |
| Ibberson, Joseph E. | | |
| Chemically treated seed shows promise in forest nursery | | |
| work Inman, R. E., and Weihing, J. L. CYPREX: A superior control for shothole disease of | 17(7) | Aug 1954 |
| chokecherry | 37(27) | Aug 1959 |
| Isaac, Leo A. | | |
| Advantages of selecting tree seeds with care | 11(5) | Sept 1952 |
| Jack, John B. | 20/22) | T |
| Tests of a transpiration inhibitor | 20(23) | June 1955 |
| Tractor lug for digging tree planting holes | 14(5) | Apr 1953 |
| Johnson, E. W. A simple device for making paper pots | 20(11) | June 1955 |
| Johnson, E. W., and Vanderslice, G. G. | 20(11) | o une 1755 |
| An improved device for making paper pots | 24(3) | Feb 1956 |
| Johnston, E. F. Lowther tree planter modified for silt and clay soils | 28(4) | Apr 1957 |
| Jones, LeRoy | | |
| Rapid moisture determination of tree seed with an electronic meter | 43(7) | Oct 1960 |
| meter sussessment and sussessme | (-) | |
| Kahler, L. H. | 21(3) | Sept 1955 |
| Pelleting conifer seeds for control of damping-off Kahler, L. H., and Gilmore, A. R. | | Bept 1755 |
| Field survival of cold stored loblolly pine seedlings | 45(15) | Mar 1961 |
| Kahler, L. H., Dickson, R. E., and Hosner, J. F. Polyethylene bag storage versus stratification in sand as a | | |
| pregermination treatment for white and loblolly pine | 48(15) | Oct 1961 |
| Ketchie, H. L. | 40(21) | Feb 1960 |
| Subsoiler for improving survival in hardpan areas King, G. W. | 40(21) | FED 1700 |
| Packing table for bundling seedlings | 38(3) | Oct 1959 |
| Tape for tying seedling bundles | 29(24) | June 1957 |
| King, Johnsey Ashe Nursery cone hook | 35(20) | Apr 1959 |
| Repellent treatment of pine seed for bird protection | 32(11) | Apr 1958 |
| Kingsley, C. E. | 32(9) | Apr 1958 |
| Use of bird repellents for nursery sowing | 100 C | |
| Fertility problems at a forest nursery | 43(19) | Oct 1960 |
| Growing green manure crops at a forest nursery | 24(19) | Feb 1956 |
| Test to determine acceptability of sawdust as a seedbed cover | 31(10) | Feb 1958 |
| Koshi, Paul T. | 10/71 | E-1-1040 |
| Deep planting has little effect in a wet year | 40(7) | Feb 1960 |

| | Number (page) | Date |
|--|---------------|-----------|
| rause, H. H., and Wilde, S. A. Soil analysis in service of nursery practice | 37(1) | Aug 1959 |
| Further note on polyembryony | | |
| Polyethylene bags for shipment and storage of small lots of | 22(7) | Dec 1955 |
| seed inard, R. M. | 22(6) | Dec 1955 |
| No advantage to clipping baldcypress planting stock inard, R. M., and Broadfoot, W. M. | 36(14) | June 1959 |
| Growth of hardwood plantations on bottoms in loess areas | 48(3) | Oct 1961 |
| ngdon, O. Gordon Skillful lifting technique increases seedling survival nquist, Karl B. | 18(23) | Dec 1954 |
| Allyl alcohol application through the overhead sprinkler | | |
| system | 7(12) | Sept 1951 |
| Cold treatment of seed and moisture absorption Holland transplanter, further modifications of the shoe to | 48(21) | Oct 1961 |
| improve root position | 38(11) | Oct 1959 |
| Modification of a Holland transplant machine | 16(9) | Mar 1954 |
| Portable automatic cone kiln | 35(10) | Apr 1959 |
| Seed cleaning and dewinging machine | 18(8) | Dec 1954 |
| Seedling harvester | 16(5) | Mar 1954 |
| Seed sowing machine Use of overhead irrigation lines to apply liquid fertilizers and | 18(6) | Dec 1954 |
| weedicides to nursery beds | 16(2) | Mar 1954 |
| Venetian blind slats as nursery bed markers | 48(23) | Oct 1961 |
| What is mycorrhiza and what does it do? | 43(13) | Oct 1960 |
| Effect of polyethylene and regular packing methods on | 45(15) | 001 1960 |
| ponderosa pine and Douglas-fir seedlings stored over | (2(20) | 1 |
| winter | 42(29) | June 1960 |
| Mist sprayer improves seedling harvester | 38(19) | Oct 1959 |
| Mulching coniferous transplant beds with sawdust ehto, Toivo V., and Gouffon, Charles L. | 25(4) | May 1956 |
| Ratio of rough cones to clean seed | 17(5) | Aug 1954 |
| Planting machines furnished in New Jersey eibig, H. R., Dosen, R. C., and Shenefelt, R. D. | 14(2) | Apr 1953 |
| Protecting machine transplanted trees from white grubs | 20(14) | June 1955 |
| Stratify yellow-poplar seed or sow directly? | 32(3) | Apr 1958 |
| Nursery practice for growing sycamore seedlings | 41(15) | Apr 1960 |
| Tests of deer and rabbit repellents on planted loblolly pines in eastern Maryland | 48(17) | Oct 1961 |
| Diuron for weed control in new windbreak planting | 33(30) | June 1958 |
| Yellow-poplar height growth affected by seed source vestead, Howard S., and McComb, A. L. | 22(3) | Dec 1955 |
| Viability of cottonwood seeds in relation to storage temperatures and humidities | 17(9) | Aug 1954 |
| The effects on field survival of late nitrogen fertilization of loblolly pine and slash pine in the nursery seedbed | 36(22) | June 1959 |
| Survival and growth of 2-0 longleaf and loblolly seedlings in the field | 33(26) | June 1958 |

| | Number (page) | Date |
|---|------------------|-----------------------|
| McClurkin, D. C. | | |
| Legumes fail to benefit loblolly pine plantings in north | | |
| Mississippi | 43(11) 33(29) | Oct 1960 June 1958 |
| McComb, A. L., and Lovestead, Howard S. | | |
| Viability of cottonwood seeds in relation to storage temperatures and humidities | 17(9) | Aug 1954 |
| McDaniel, Vern E. Roto-tiller cultivator | 18(13) | Dec 1954 |
| McKusick, H. Connecticut establishes a seed orchard | 8(8) | Nov 1951 |
| McLemore, B. F. | instant. | |
| Small, fast-drying cone kiln | 47(9) | Aug 1961 |
| Storage of longleaf pine seed | 47(15) | Aug 1961 |
| McReynolds, R. D. | | |
| Mortality of newly germinated southern pine seedings | 42(22) | 0-+ 1040 |
| following inundation | 43(23) | Oct 1960 |
| Polyethylene tarp used in pelleting coniferous tree seed | 47(5) | Aug 1961 |
| Maguire, W. P. | -1(-) | and a set |
| Some observations on the use of the transpiration | | |
| inhibitor "Plantcote" on lifted tree seedlings, | 12(15) | Nov 1952 |
| Maisenhelder, L. C., and Gammage, J. L. | | |
| Refrigeration prolongs viability of cottonwood seed | 43(5) | Oct 1960 |
| Malac, Barry F. | 1.7/-2 | |
| More on stratification of pine seed in polyethylene bags | 42(7) | June 1960 |
| Mann, William F., Jr. Direct-seeding the southern pines | 25(12) | May 1956 |
| Stratified pine seed for direct seeding | 11(3) | Sept 1952 |
| Mann, William F., Jr., and Derr, H. J. | 11(5) | Sept 1/51 |
| Not for the birds | 20(3) | June 1955 |
| Mann, William F., Jr., Derr, H. J., and Meanley, Brooke | | |
| New bird repellents for longleaf seed | 28(8) | Apr 1957 |
| Mann, William F., Jr., and Russell, T. E. | | |
| Longleaf cone production doubled by ringing | 28(6) | Apr 1957 |
| Maple, William R. | | |
| Rotary cutter prepares pine seedbed for natural regeneration | 40(17) | Feb 1960 |
| while clearing brush | 40(11) | 1 |
| Rubber bands for bundling seedlings | 18(18) | Dec 1954 |
| May, Jack T., Lyle, E. S., Jr., and Gilmore, A. R. | | |
| The effects on field survival of late nitrogen fertilizer of | 112-22 | |
| loblolly pine and slash pine in the nursery seedbed | 36(22) | June 1959 |
| Survival and growth of 2-0 longleaf and loblolly seedlings | 22/2/1 | |
| in the field | 33(26) | June 1958 |
| May, Jack T., Walsh, Charles S., and Garren, Kenneth H. Micro-organisms in nursery seedbed soils | 21(21) | Sept 1955 |
| Meanley, Brooke, Mann, William F., and Derr, H. J. | 21(21) | Dept 1755 |
| New bird repellents for longleaf seed | 28(8) | Apr 1957 |
| Miller, Charles I. | | |
| Root-rolled seedlings | 20(9) | June 1955 |
| Miyoshi, R. T., and Bagley, W. J. | 1.1.1.1.1.1 | - |
| Chemical weed control in windbarriers | 40(13) | Feb 1960 |
| Mohr, J. J., and Little, S. | | |
| Tests of deer and rabbit repellents on planted loblolly pines | 48(17) | Oct 1961 |
| in eastern Maryland | 40(17) | 000 1701 |
| | | |

| | Number (page) | Date |
|---|---------------|-------------|
| Mony, Charles C. | | |
| Force feed seed hopper Manual application of methyl bromidesoil fumigant | 26(7) | Oct 1956 |
| Observations on the use of methyl bromide | 37(7) | Aug 1959 |
| Seed pelleting process for bird and disease control | 45(23) | Mar 1961 |
| A simple guide to understanding fertilizers | 32(7) | Apr 1958 |
| Simplified form for instructions needed to accompany tree | 12(14) | Nov 1952 |
| shipments | 29(27) | June 1957 |
| Vallonia rotary tooth cultivator Moore, O. W., and Blaser, Edward | 16(17) | Mar 1954 |
| Ammonium nitrate fertilizer can explode | 41(3) | Apr 1960 |
| Soil fumigation evaluations in white pine seedbeds; and | | |
| other nursery investigations | 41(17) | Apr 1960 |
| Morris, Caleb L. | | |
| Treatment of forest-tree seed with chemical protectants | 21(9) | Sept 1955 |
| Nelson, Thomas C. | | |
| Survival and early growth of an eastern cottonwood | and and | |
| plantation on the Piedmont | 28(9) | Apr 1957 |
| Control of weeds with Dowfume MC-2 in woody stock | | |
| Production at the Albuquerque SCS nursery | 4(9) | Apr 1951 |
| Pine needles for seedbed covering | 29(10) | June 1957 |
| The portable post hole digger as a tree planting machine | 36(8) | June 1959 |
| Oliver, D. A. | | |
| Study of methyl-bromide as weed control in Parsons | | |
| Nursery | 4(8) | Apr 1951 |
| Olson, David F., Jr., and Whisinant, H. H. | -(-) | |
| A planting bar extension for setting large-rooted seedlings | 36(6) | June 1959 |
| Pitkin, Franklin H. | | |
| Combination cone kiln and extractor | 48(25) | Oct 1961 |
| Price, E. B. | () | 4 |
| Use of machines by public, private, and industrial foresters | | |
| in South Carolina | 6(12) | June 1951 |
| Province of Ontario | 3(14) | 0 mile 1751 |
| Seedbed inventory | 25(25) | May 1956 |
| Region 6, U.S.F.S. | | |
| Proposed safety rules for the operation of mechanical | 20/10) | Tune 1055 |
| tree planters | 20(18) | June 1955 |
| Reines, M., and Greene, James T. | 35(26) | A 1050 |
| Reproduction of longleaf pine outside its natural range | | Apr 1959 |
| Rooting of slash pines in open hotbeds | 35(25) | Apr 1959 |
| Screening for seedbed protection against birds | 29(12) | June 1957 |
| Rhody, John P. | | |
| Performance of tree-planting machines on Pennyrile | 14/121 | A 1052 |
| State Forest | 14(13) | Apr 1953 |
| Ricker, Daniel L. The Hanson-Lowther tree planter | 46(1) | June 1961 |
| | 40(1) | June 1901 |
| Rindt, Charles A. | 24(6) | Feb 1956 |
| Self-cleaning screen for water supply systems | 54(0) | 1 60 1950 |
| Varsol tried on black locust seedbeds | 4(7) | Apr 1951 |
| loe, E. I., Stoeckeler, J. H., and Sowash, R. O. | | when ever |
| Allyl alcohol for weed control in forest nurseries | 7(10) | Sept 1951 |
| and a second for accuration in forest nurseries fifthing | | arte ever |

| | Number (page) | Date |
|---|-----------------|----------------|
| Rotty, Roland | | |
| Better survival with oversize hole digging | 33(6) | June 1958 |
| Three rocks | 33(3) | June 1958 |
| Transplanting as done in Germany | 41(9) | Apr 1960 |
| Rowan, Samuel J. | | |
| The effectiveness of Eptam in controlling weeds in southern | 10(20) | 0-1 10/1 |
| forest nurseries Royal, Dan C. | 48(29) | Oct 1961 |
| Use and modification of two makes of machines in | | |
| Alabama | 6(10) | June 1951 |
| Rudolf, Paul O. | -() | June 1751 |
| Nursery behavior of red pine stock of different seed origins . | 8(3) | Nov 1951 |
| Plows to precede a tree planting machine | 14(10) | Apr 1953 |
| Russell, T. E., and Mann, William F., Jr. | | |
| Longleaf cone production doubled by ringing | 28(6) | Apr 1957 |
| Ryland Croshaw Nursery | | |
| Methyl bromide disperser | 37(11) | Aug 1959 |
| Scarbrough, N. M., and Allen R. M. | | |
| Better longleaf seedlings from low-density nursery beds | 18(29) | Dec 1954 |
| Schaeffer, George K. | | |
| Safety modification of Lowther planting machine | 14(3) | Apr 1953 |
| Schlafke, Donald, and Einspahr, Dean W. | a second second | |
| A method for aspen and cottonwood seed extraction | 28(10) | Apr 1957 |
| Schneider, Howard W. | | |
| The Ottawa debris plow and scalper | 28(1) | Apr 1957 |
| Schory, Elbert A., Sr. | 20/141 | |
| A simply made cover for seedbeds | 29(14) | June 1957 |
| Schubert, Gilbert H., and Fowells, H. A. Planting trials with transpiration retardants in California | 20(19) | June 1955 |
| Schubert, Gilbert H., and Lanquist, Karl B. | 20(19) | 5 mie 1355 |
| Mist sprayer improves seedling harvester | 38(19) | Oct 1959 |
| Sentell, N. W. | 50(17) | |
| Seed stratification cages | 17(12) | Aug 1954 |
| Sharkey, T. M. | 1.71.71 | |
| Sheltering the seedbed | 25(11) | May 1956 |
| Shenefelt, Roy D., Liebig, H. R., and Dosen, R. C. | 201.34 | |
| Protecting machine transplanted trees from white grubs | 20(14) | June 1955 |
| Shenefelt, Roy D., and Simkover, H. G. | 7/51 | C |
| White grubs and their control in forest tree nurseries | 7(5) | Sept 1951 |
| Shoulders, Eugene | | |
| Caution needed in fall applications of nitrogen to nursery stock | 38(25) | Oct 1959 |
| Root pruning boosts longleaf survival | 36(13) | June 1959 |
| Seedbed density influences production and survival of loblolly | | S Line The |
| and slash pine nursery stock | 42(19) | June 1960 |
| Silker, T. H. | 2. 2. 10 | |
| Economic considerations of growing and grading southern | 1.1.1.1 | |
| pine nursery stock | 42(13) | June 1960 |
| Simkover, H. G., and Shenefelt, Roy D. | - 1-1 | |
| White grubs and their control in forest tree nurseries | 7(5) | Sept 1951 |
| Skilling, Darroll D. | | |
| Tractor-mounted ladder for tree-crown studies and seed | 43(9) | Oct 1960 |
| collection Smack, Lawrence C. | 45(7) | 000 1700 |
| Construction costs for a grading table | 16(21) | Mar 1954 |
| Smith, Lloyd F. | 10(11) | |
| Rapid growth of slash and loblolly pines on cultivated plots | 46(9) | June 1961 |
| Smith, McClain B., Jr. | 1 | and the second |
| Longleaf pine seedling survival affected by depth of | 100.00 | in second |
| planting | 17(13) | Aug 1954 |
| Snow, Glenn A. Spraying before rains important for fusiform rust control | 10/1-1 | Oct 1960 |
| | 43(17) | Oct 1960 |

| Snow, Glenn A., and Allen, R. M. Damage to pine seedings by Santomerse SX. 45(25) Mar 1961 Sowash, Robert O., Roe, E. I., and Stockeler, J. H. Allyl alcohol for weed control in forest nurseries | | Number (page) | Date |
|---|---|---------------|--------------------|
| Damage to pine seedlings by Santomerse SX45(25)Mar 1961Sowash, Robert O., Roe, E. I., and Stockeler, J. H.18(10)Dec 1954Alyl alcohol for weed control in forest nurseries7(10)Sept 1951Eavenson, Hugh12(7)Nov 1952Sileil, W. M.33(18)June 1958Böcckeler, J. H.7(14)Sept 1951Control of weeds in nurseries with chemicals7(14)Sept 1951Sileckeler, J. H.7(14)Sept 1951Control of weeds in nurseries with chemicals7(14)Sept 1951Sileckeler, J. H., Roc, E. I., and Sowash, R. O.18(22)Dec 1954Sileckeler, J. H., Roc, E. I., and Sowash, R. O.18(22)Dec 1954Sile treatments have little effect during wet season in Texas.7(10)Sept 1951Sile treatments have little effect during wet season in Texas.31(26)Feb 1958Silestreatments have little effect during wet season in Texas.36(20)June 1959Swiften, George L.Elimination of empty or blind coniferous seed by specific30Oct 1956Swiften, Tomas F.26(3)Oct 1956Silettriftention harmful to some lobbily and slash pine seed32(5)Apr 1959Swerson, Martin L.Gone cutter42(3)June 1950June 1950Sol moisture conditions after chemically killing manzanta brush in central Oregon33(12)June 1958Sol moisture conditions after chemically killing manzanta brush in central Oregon33(12)June 1958Sol moisture conditions after chemically killing manzanta brush in central Orego | Snow, Glenn A., and Allen, R. M. | | |
| Sawash, Robert O., Roe, E. I., and Stocckeler, J. H. Allyl alcohol for weed control in forest nurseries | Damage to pine seedlings by Santomerse SX | 45(25) | Mar 1961 |
| Allyl alcohol for weed control in forest nurseries | Sowash, Robert O., Roe, E. I., and Stoeckeler, J. H. | 18(10) | Dec 1954 |
| Experiences in using allyl alcohol for weed control12(7)Nov 1952Stell, W. M.A spacing aid for machine planting | Allyl alcohol for weed control in forest nurseries | 7(10) | Sept 1951 |
| Sibeckeler, J. H. Control of weeds in nurseries with chemicals | Experiences in using allyl alcohol for weed control | 12(7) | Nov 1952 |
| An improved cylindrical seed spot screen and setter | Stoeckeler, J. H. | 33(18) | June 1958 |
| Stockeler, J. H., Roe, E. I., and Sowash, R. O. Ally alcohol for weed control in forest nurseries | An improved cylindrical seed spot screen and setter | 20(7) | June 1955 |
| Stott, Charles W., and Briscoe, Charles B.Water scaling of vapam for nursery furnigation | Stoeckeler, J. H., Roe, E. I., and Sowash, R. O. | | |
| Stransky, John J. Site treatments have little effect during wet season in Texas. 36(20) June 1959 Site treatments have little effect during wet season in Texas. 36(20) June 1959 Site treatments have promise as a forest nursery herbicide | Stout, Charles W., and Briscoe, Charles B. | | Sept 1951 |
| Strickland, Freddie R., and Briscoe, Charles B. 26(3) Oct 1956 Vapam shows promise as a forest nursery herbicide | Stransky, John J. | 31(26) | Feb 1958 |
| Vapam shows promise as a forest nursery herbicide26(3)Oct 1956Switzer, George L.Elimination of empty or blind coniferous seed by specific gravity separation | Site treatments have little effect during wet season in Texas. Strickland, Freddie R., and Briscoe, Charles B. | 36(20) | June 1959 |
| Elimination of empty or blind coniferous seed by specific gravity separation | Vapam shows promise as a forest nursery herbicide | 26(3) | Oct 1956 |
| Swofford, Thomas F. Dewinging damage to slash pine seed | Elimination of empty or blind coniferous seed by specific | | |
| The effect of air drying of cones upon seed germination43(3)Oct 1960Stratification harmful to some loblolly and slash pine seed32(5)Apr 1958Syverson, Martin L.42(1)June 1960Taber, W. S.Delaware nursery cart | Swofford, Thomas F. | 35(15) | Apr 1959 |
| Stratification harmful to some lobiolly and slash pine seed32(5)Apr 1958Syverson, Martin L. Cone cutter | Dewinging damage to slash pine seed | | |
| Syverson, Martin L. Cone cutter | The effect of air drying of cones upon seed germination | | |
| Taber, W. S. Delaware nursery cart | Syverson, Martin L. | | |
| Delaware nursery cart24(8)Feb 1956Tarrant, Robert F.Soil moisture conditions after chemically killing manzanita brush in central Oregon | | 42(1) | June 1960 |
| Tarrant, Robert F. Soil moisture conditions after chemically killing manzanita brush in central Oregon | | 24(8) | Fab 1054 |
| manzanita brush in central Oregon | Tarrant, Robert F. | 24(0) | F 60 1950 |
| Use of Dowfume MC-2 as insect and weed killing agent in a forest tree nursery in Maine | manzanita brush in central Oregon, | 33(12) | June 1958 |
| forest tree nursery in Maine4(12)Apr 1951Trenk, F. B., and Barrington, Gordon Agricultural sweeps make scalping easy.14(11)Apr 1953Turner, T. S. Replacement points for tree planting machine40(9)Feb 1960Ursic, S. J. Late winter prelifting fertilization of loblolly seedbeds.26(11)Oct 1956Lethal root temperatures of 1-0 loblolly pine seedlings47(25)Aug 1961Pit storage of baled loblolly seedlings.45(13)Mar 1961What's your survival?40(3)Feb 1960U. S. Public Health Service An infectious disease of nurserymen41(1)Apr 1960Vanderslice, G. G., and Johnson, E. W. An improved device for making paper pots.24(3)Feb 1956Wahlenberg, W. G. Modifying nursery stock to fit modern planting methods14(4)Apr 1953 Apr 1953Wakeley, Philip C. A proof that geographic origin affects growth8(2)Nov 1951Walker, L. C.Nov 19518(2)Nov 1951 | | | |
| Turner, T. S. Replacement points for tree planting machine40(9)Feb 1960Ursic, S. J. Late winter prelifting fertilization of loblolly seedbeds26(11)Oct 1956Lethal root temperatures of 1-0 loblolly pine seedlings47(25)Aug 1961Pit storage of baled loblolly seedlings | forest tree nursery in Maine Trenk, F. B., and Barrington, Gordon | 4(12) | Apr 1951 |
| Ursic, S. J.26(11)Oct 1956Lethal root temperatures of 1-0 loblolly pine seedlings47(25)Aug 1961Pit storage of baled loblolly seedlings45(13)Mar 1961What's your survival?40(3)Feb 1960U. S. Public Health Service41(1)Apr 1960Vanderslice, G. G., and Johnson, E. W.41(1)Apr 1960Wahlenberg, W. G.24(3)Feb 1956Wahlenberg, W. G.14(4)Apr 1953Use of a short-handled planting hoe in the Appalachians14(6)Apr 1953Wakeley, Philip C.A proof that geographic origin affects growth8(2)Nov 1951Walker, L. C.Xan infectsXan infectsXan infects | Turner, T. S. | | |
| Late winter prelifting fertilization of loblolly seedbeds26(11)Oct 1956Lethal root temperatures of 1-0 loblolly pine seedlings47(25)Aug 1961Pit storage of baled loblolly seedlings45(13)Mar 1961What's your survival?40(3)Feb 1960U. S. Public Health Service41(1)Apr 1960An infectious disease of nurserymen41(1)Apr 1960Vanderslice, G. G., and Johnson, E. W. An improved device for making paper pots24(3)Feb 1956Wahlenberg, W. G. Use of a short-handled planting hoe in the Appalachians14(4)Apr 1953Wakeley, Philip C. A proof that geographic origin affects growth8(2)Nov 1951Walker, L. C.SectorSectorSector | | 40(9) | Feb 1960 |
| Lethal root temperatures of 1-0 loblolly pine seedlings47(25)Aug 1961Pit storage of baled loblolly seedlings45(13)Mar 1961What's your survival?40(3)Feb 1960U. S. Public Health Service41(1)Apr 1960An infectious disease of nurserymen41(1)Apr 1960Vanderslice, G. G., and Johnson, E. W. An improved device for making paper pots24(3)Feb 1956Wahlenberg, W. G. Modifying nursery stock to fit modern planting methods14(4)Apr 1953Use of a short-handled planting hoe in the Appalachians14(6)Apr 1953Wakeley, Philip C. A proof that geographic origin affects growth8(2)Nov 1951Walker, L. C.Xandal SectorXandal SectorXandal Sector | | 26(11) | Oct 1956 |
| Pit storage of baled loblolly seedlings | Lethal root temperatures of 1-0 loblolly pine seedlings | | |
| What's your survival?40(3)Feb 1960U. S. Public Health Service An infectious disease of nurserymen | | | |
| U. S. Public Health Service An infectious disease of nurserymen | | | |
| Vanderslice, G. G., and Johnson, E. W. An improved device for making paper pots | U. S. Public Health Service | | |
| An improved device for making paper pots | | | 100 million (1997) |
| Modifying nursery stock to fit modern planting methods14(4)Apr 1953Use of a short-handled planting hoe in the Appalachians14(6)Apr 1953Wakeley, Philip C.A proof that geographic origin affects growth8(2)Nov 1951Walker, L. C.Walker, L. C.Nov 1951 | Vanderslice, G. G., and Johnson, E. W. An improved device for making paper pots | 24(3) | Feb 1956 |
| Use of a short-handled planting hoe in the Appalachians 14(6) Apr 1953 Wakeley, Philip C. A proof that geographic origin affects growth 8(2) Nov 1951 Walker, L. C. | | 3334 | der state |
| A proof that geographic origin affects growth | Use of a short-handled planting hoe in the Appalachians | | |
| | A proof that geographic origin affects growth | 8(2) | Nov 1951 |
| | | 45(1) | Mar 1961 |

| | Number (page) | Date |
|---|---------------------------------------|----------------------|
| Walsh, Charles S., Garren, Kenneth H., and May, Jack T. | | |
| Micro-organisms in nursery seedbed soils | 21(21) | Sept 1955 |
| Ward, Homer | | |
| Simplified hand weeding tool | 38(17) | Oct 1959 |
| Watt, Richard F. | 10/5) | |
| A test of wood fiber pads as a seedbed mulch | 40(5) | Apr 1960 |
| CYPREX: A superior control for shothole disease of | | |
| chokecherry | 37(27) | Aug 1959 |
| West Virginia Conservation Magazine | 31(-1) | 114g 1757 |
| Grazing geese | 12(3) | Nov 1952 |
| Whalen, E. J. | 2014 | |
| Folding spudder for tree planting | 25(20) | May 1956 |
| Whisinant, H. H., and Olson, David F., Jr. | | |
| A planting bar extension for setting large-rooted seedlings | 36(6) | June 1959 |
| Whitaker, Louis B., and Duncan, Don A. | | |
| Cattle repellents for planted pines | 36(9) | June 1959 |
| Whitesell, Craig D. | | |
| Stem girdling by ice | 35(28) | Apr 1959 |
| Widmoyer, Fred B. | 12(22) | |
| Storage of bare root cuttings of selected ornamentals | 42(33) | June 1960 |
| Wilde, S. A. | | |
| Liquid fertilizer treatments of nursery soilstheir | 42(11) | June 1960 |
| advantages and shortcomings Wilde, S. A., and Krause, H. H. | 42(11) | June 1900 |
| Soil analysis in service of nursery practice | 37(1) | Aug 1959 |
| Williston, Hamlin L. | 21(1) | ing inst |
| Inundation damage to loblolly pine seedlings | 36(13) | June 1959 |
| Wilson, J. D., and Bailey, Carl V. | (/ | |
| Soil treatments may increase stand of locust seedlings | 31(21) | Feb 1958 |
| Woodrum, Hobart G. | | |
| Comments on grazing geese, | 12(5) | Nov 1952 |
| Worthington, Elmer L. | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | |
| Cultivation tools for newly established windbarriers in | | |
| North Dakota | 40(11) | Feb 1960 |
| Wycoff, Hugh B. | | |
| An analysis of nursery stock production costs in relation to | | - |
| the use of mineral spirits | 18(25) | Dec 1954 |
| Cottonwood seeding at the Mason State Tree Nursery | 41(13) | Apr 1960 |
| Experimental treatment of sawdust with anhydrous ammonia. | 31(15) | Feb 1958 |
| Green manure crop causes seedling mortality | 12(9) | Nov 1952 Oct 1959 |
| Lateral root pruner | 38(23) | 001 1939 |
| Methyl bromide controls soil organisms which cause | 12(11) | Nov 1952 |
| mortality of eastern white pine seedlings Redcedar seeding practices | 47(3) | Aug 1961 |
| Redcedar seeding practices | 42(31) | June 1960 |
| Reingerated storage of nursery stock | 12(31) | built 1700 |

SUBJECT INDEX

(Tree Planters' Notes 1-50)

| | Number (page) | Date |
|--|---------------|-----------|
| acid injection system, nursery irrigation water | | June 196 |
| chokecherry shothole disease | 37(27) | Aug 1959 |
| dhesives, seed pelleting process | 32(7) | Apr 1958 |
| gitator, for sawdust spreader on dump truck (Georgia) | | May 1956 |
| gitator seedling lifter | 48(9) | Oct 1961 |
| gitator tree lifter | 18(10) | Dec 1954 |
| ir drying, cone, effect upon seed germination | 43(3) | Oct 1960 |
| ir-dropping, planting stock | 20(26) | June 195 |
| irplane seeding, regeneration of longleaf pine | 32(19) | Apr 1958 |
| in plane security, regeneration of longical place it is it i | 33(24) | June 1958 |
| Alabama, tree planting instructions | | Apr 1952 |
| weed control | | |
| Lake States | 7(14) | Sept 1951 |
| Missouri | | Nov 1952 |
| weed killer | | |
| Lake States | 7(10) | Sept 1951 |
| California | | Sept 1951 |
| allyl alcohol weed control | | 50pt 1751 |
| Lake States | 7(14) | Sept 1951 |
| Missouri | 12(7) | Nov 1952 |
| Missouri | | |
| Lake States | 7(10) | Sept 1951 |
| through overhead sprinkler system, California | | Sept 1951 |
| luminim tubing, handles, coupling device | 25(24) | May 1956 |
| mmonia, anhydrous, treated sawdust as soil amendment | 31(15) | Feb 1958 |
| ummonium nitrate fertilizer, can explode | 41(3) | Apr 1960 |
| nnual planting report. <u>See</u> planting statistics. nthraquinone, repellent | | |
| for nursery sowing | 32(9) | Apr 1958 |
| seed pelleting process | 32(7) | Apr 1958 |
| Arasan (tetramethylthiuram disulfide) | | |
| dusting seed for fungi control | 21(9) | Sept 1955 |
| pelleted to control damping-off | 21(7) | Sept 1955 |
| seed pelleting process | | Apr 1958 |
| repellent | 5-(1) | 1191 1/00 |
| for longleaf seed | 28(8) | Apr 1957 |
| for nursery sowing | 32(9) | Apr 1958 |
| treatment of pine seed | | Apr 1958 |
| stratifying repellent-treated pine seed | | June 1960 |
| Stratitying repetient-treated pine seed | | Oct 1961 |
| rasan-Rhoplex-Methocel, repellent, loblolly pine in Maryland | | |
| arasan SF-X, fungicide pelleted to control damping off (Illinois) | 21(3) | Sept 1955 |
| she Nursery cone hook | 35(20) | Apr 1959 |
| spen | 28(10) | Ana 1057 |
| seed extraction | 20(10) | Apr 1957 |
| seedlings | 25/221 | A 1050 |
| nursery production | 35(22) | Apr 1959 |
| tractor-mounted lifter | 29(6) | June 1957 |

| | Number (page) | Date |
|---|---------------|-----------|
| asphalt emulsion | | |
| adhesive with repellents, for nursery sowing | 32(9) | Apr 1958 |
| adhesive, treatment of pine seed with repellents | 32(11) | Apr 1958 |
| atrazine, chemical weed control in windbarriers | 40(13) | Feb 1960 |
| The second second | | |
| bags, polyethylene | AFIES | |
| cold storage containers for pine seed | 45(5) | Mar 1961 |
| packing and storing ponderosa pine and Douglas-fir seedlings | 42(29) | June 1960 |
| shipment and storage of small lots of seed | 22(6) | Dec 1955 |
| stratification of pine seed | 42(7) | June 1960 |
| baldcypress, planting stock, no advantage to clipping | 36(14) | June 1959 |
| baler, steel strappingbales | 38(5) | Oct 1959 |
| instructions to accompany tree shipments | 29(27) | June 1957 |
| pit storage of loblolly seedlings | 45(13) | Mar 1961 |
| storage of seedlings | 45(11) | Mar 1961 |
| bar planting, vs. machine planting, longleaf seedling survival | 14(16) | Apr 1953 |
| barren tracts, tree-raising, pots and muck | | Oct 1961 |
| basal branches, not symptom of fusiform rust on slash pine seedlings. | | |
| basic plattices, not symptom of usion in this on stash pine seedings. | 24(16) | Feb 1956 |
| basin planting for better survival (Spain) basswood, early collection and immediate sowing increase | 33(6) | June 1958 |
| germination | 46(27) | June 1961 |
| bed markers, venetian blind slats | 48(23) | Oct 1961 |
| beds, low-density, better longleaf seedlings | 18(29) | Dec 1954 |
| Bermudagrass, fertilized, unaffected by maleic hydrazide | 33(29) | June 1958 |
| bird repellents | 33(67) | June 1956 |
| for longleaf seed | 28(8) | Apr 1957 |
| for nursery sowing | 32(9) | Apr 1958 |
| Morkit, longleaf pine seed | 20(3) | June 1955 |
| seed pelleting process | 32(7) | Apr 1958 |
| traction of size 4 and | 22/11 | |
| treatment of pine seed | 32(11) | Apr 1958 |
| birds, screening for seedbed protection | 29(12) | June 1957 |
| black locust seedbeds, Varsol weeding (Tennessee) | 4(7) | Apr 1951 |
| blade, oblique root pruning bolt, depth regulator, for coulter and trencher of Lowther tree | 31(6) | Feb 1958 |
| planter | 33(17) | June 1958 |
| bordeaux, fungicide, index rating for treatment of chokecherry | 20120 | |
| shothole disease | | Aug 1959 |
| bottom lands, growth of planted hardwoods in loess areas | | Oct 1961 |
| Bousfield pine cone drying rack, Tahoe National Forest Brachyrhinus ovatus, strawberry root weevil control in New York | 32(13) | Apr 1958 |
| nurseries | 21(17) | Sept 1955 |
| broadcast sowing | / | |
| by Gandy fertilizer spreader | 26(5) | Oct 1956 |
| vs. drill | 26(5) | Oct 1956 |
| Brozone, soil fumigant | 12/201 | |
| effect on loblolly seedling growth and weed control | | June 1960 |
| evaluation in white pine seedbeds | | Apr 1960 |
| brush, manzanita, soil moisture conditions after chemical kill | | June 1958 |
| brush cutter, rotary, prepares seedbed for natural regeneration bundles | 40(17) | Feb 1960 |
| fumigation of red pine nursery stock | 37(17) | Aug 1959 |
| packing table for seedlings | 38(3) | Oct 1959 |
| seedling storage bins | 33(35) | June 1958 |
| steel strapping tree baler | 38(5) | Oct 1959 |
| tape | 20(24) | June 1957 |
| | | |
| bundling and packing, increased production of nursery stock | | June 1957 |
| bundling, piecework system of grading and tying seedlings | | Aug 1961 |
| bundling seedlings, rubber bands | 18(18) | Dec 1954 |
| cages, seed stratification | 17(12) | Aug 1954 |
| calcium polysulfide, rabbit repellent | 45(19) | Mar 1961 |
| caliper gauges, colored, grading nursery stock | | Aug 1961 |
| | | and allow |

| | Number (page) | Date |
|---|------------------|----------------------|
| cankers, fusiform rust, develop after outplanting nursery-infected | | |
| seedlings | 37(23) 24(17) | Aug 1959 Feb 1956 |
| chokecherry shothole disease | 37(27) | Aug 1959 |
| captan 50W, fungicide pelleted to control damping-off | 21(3) | Sept 1955 |
| cart, light, for moving equipment or supplies | 24(8) | Feb 1956 |
| casilla planting for better survival | 33(6) | June 1958 |
| cattle repellents, for planted pines | 36(9) | June 1959 |
| Ceremul 'C', transpiration inhibitor planting trials in Australia | 20(23) | June 1955 |
| certification standards for forest tree seed | | Apr 1959 |
| soil treating, injector on lateral root pruner | 46(15) | June 1961 |
| weed control in windbarriers | 40(13) | Feb 1960 |
| chestnut, Asiatic, experimental farm plantings | 40(1) | Feb 1960 |
| chokecherry, shothole disease, cyprex for superior control | 37(27) | Aug 1959 |
| chimate, limitations on seed selection | 11(6) | Sept 1952 |
| clipping, baldcypress planting stock, no advantage | | June 1959 |
| bare root cuttings of selected ornamentals in polyethylene bags | 42(33) | June 1960 |
| containers for pine seed, bag in box | 45(5) | Mar 1961 |
| cottonwood seed viability prolonged | 43(5) | Oct 1960 |
| effect on germination of longleaf pine seed | 47(15) | Aug 1961 |
| effect on survival of planted loblolly seedlings | 45(15) | Mar 1961 |
| effect on survival of planted sugar pine seedlings | 45(17) | Mar 1961 |
| nursery stock (Illinois) | 42(31) | June 1960 |
| polyethylene bags, ponderosa pine and Douglas-fir seedlings | 42(29) | June 1960 |
| cold treatment, seed moisture absorption | 48(21) | Oct 1961 |
| collecting, basswood seed, early for increased germination | 46(27) | June 1961 |
| collecting can, for small fruit | | Apr 1959 |
| collecting hook, for yellow-poplar fruit | 25(22) | May 1956 |
| collection, net, winged hardwood fruits | 22(4) | Dec 1955 |
| compaction, counteracted by subsoiling in nursery | 31(19) | Feb 1958 |
| cone cutter | 42(1) | June 1960 |
| cone drying, improved rack | 47(13) | Aug 1961 |
| cone drying rack, Tahoe National Forest | 32(13) | Apr 1958 |
| cone hook, Ashe Nursery | 35(20) | Apr 1959 |
| cone kiln and extractor | 48(25) | Oct 1961 |
| cone kiln | 75/10 | A 1050 |
| portable automatic | | Apr 1959 |
| small, fast-drying | | Aug 1961 |
| cone production, longleaf, doubled by ringing | 28(6) | Apr 1957 Aug 1954 |
| cone ripeness, red pine, specific gravity test | 43(1) | Oct 1960 |
| cones | 45(1) | 000 1900 |
| air drying, effect upon seed germination | 43(3) | Oct 1960 |
| yield of clean seed (Tennessee) | 17(5) | Aug 1954 |
| empty, elimination by specific gravity separation pelleting to control damping-off | 35(15) | Apr 1959 |
| Illinois | 21(3) | Sept 1955 |
| Wisconsin | | Sept 1955 |
| polyethylene tarp used in pelleting | 47(5) | Aug 1961 |
| conifer seedlings, transpiration retardant planting trials | 29(19) | June 1955 |
| conifer stock, cold storage over winter | 42(31) | June 1960 |
| conifers, mulching transplant beds with sawdust | 25(4) | May 1956 |
| Connecticut seed orchard | 8(8) | Nov 1951 |
| Conservation planter, brief description | 2(3) | Jan 1951 |
| containers, cold storage, for pine seed, bag in box | | Mar 1961 |
| contract form, tree planting | | June 1959 |
| copper carbonate | | a characteristic |
| cattle repellent for planted pines | 36(9) | June 1959 |

| | Number (page) | Date |
|--|---------------|-----------------|
| copper carbonate Continued | | |
| rabbit repellent | 45(19) | Mar 1961 |
| repellent, boon or bane | 40(5) | Feb 1960 |
| copper carbonate-asphalt emulsion, deer and rabbit repellent | 48(17) | Oct 1961 |
| note on survival and growth, Georgia Piedmont plantation | 28(9) | Apr 1957 |
| seed extraction | | Apr 1957 |
| in relation to storage temperature and humidity | 17(9) | Aug 1954 |
| prolonged by refrigeration | | Oct 1960 |
| seeding at an Illinois nursery | | Apr 1960 |
| coulters, staggered for lateral root pruner | 38(23) | Oct 1959 |
| counting frame, nursery seedling inventory | 38(9) | Oct 1959 |
| | 46(19) | June 1961 |
| crabgrass, control by Eptam and mineral spirits | | Oct 1961 |
| crate, seedling, wraparound | | Mar 1961 |
| cultivation, rapid growth of planted slash and loblolly pines | 46(9) | June 1961 |
| cultivation tools, newly established windbarriers | 40(11) | Feb 1960 |
| roto-tiller, for drilled seedlings | 18(13) | Dec 1954 |
| Vallonia rotary tooth | | Mar 1954 |
| cutter | 201001 | |
| cone | 42(1) | June 1960 |
| rotary brush cutter prepares seedbed for natural regeneration. cuttings, bare root, selected ornamentals, cold storage in | | Feb 1960 |
| polyethylene bags | 42(33) | June 1960 |
| cypress, Arizona, seedling losses | | June 1957 |
| for control of chokecherry shothole disease | 37(27) | Aug 1959 |
| index rating for treatment of chokecherry shothole disease | | Aug 1959 |
| D-D (1, 3-dichloropropene - 1, 2-dichloropropane), soil fumigant . | 37(13) | Aug 1959 |
| damage, frost, seedlings | 31(8) | Feb 1958 |
| dusting seed for control (Pennsylvania) pelleting conifer seed for control | 21(9) | Sept 1955 |
| Illinois | 21(3) | Sept 1955 |
| Wisconsin | | Sept 1955 |
| rhizoctonia, fungicidal control | | Feb 1956 |
| dealers | | 2.00.0404 |
| commercial, in forest tree seed and seedlings | 8 | Nov 1951 |
| seed, 1952 | | Sept 1952 |
| seed and planting stock, 1959 | . 35 | Apr 1959 |
| debris plow and scalper | | Apr 1957 |
| deep planting, little effect in a wet year | | Feb 1960 |
| deer repellents, on loblolly pine in Maryland | 48(17) | Oct 1961 |
| Delaware nursery cart | 24(8) | Feb 1956 |
| density, seedbed | | |
| effect on seedling production of slash and loblolly pine | 25(1) | May 1956 |
| influence on production and survival of loblolly and slash pine , | 42(19) | June 1960 |
| low for better longleaf seedlings | 18(29) | Dec 1954 |
| dewinger | 18(8) | Dec 1954 |
| pine seed in Georgia | 29(22) | June 1957 |
| dewinging | inin | · · · · · · · · |
| damage to slash pine seed | | June 1960 |
| seed cleaning machine | 18(8) | Dec 1954 |
| dieldrin | 21/215 | T-1 1070 |
| soil treatment to increase stand of locust seedlings | | Feb 1958 |
| sprayed to control strawberry root weevil in nursery | | Sept 1955 |
| digger, potato, lifting nursery stockdirect seeding | 24(9) | Feb 1956 |
| fast reliable method of regenerating longleaf pine | 32(15) | Apr 1958 |
| ast renable memor of regenerating fongreat pine | 33(20) | June 1958 |

| | Number (page) | Date |
|--|--|----------------------|
| direct seeding Continued | | |
| southern pines | 25(12) | May 1956 |
| with stratified loblolly pine seed (Louisiana) | 11(3) | Sept 1952 |
| disease | 12(3) | Sept 1452 |
| fusiform rust cankers develop after outplanting | 37(23) | Aug 1959 |
| infections, of nurserymen | 41(1) | Apr 1960 |
| seedling losses in Arizona cypress | 29(20) | June 1957 |
| shothole, chokecherry, cyprex for superior control | 37(27) | Aug 1959 |
| iiuron (Karmex DW) | a da d | 1148 1/2/ |
| chemical weed control in windbarriers | 40(13) | Feb 1960 |
| effect on tree survival and growth in new windbreak plantings | 33(30) | June 1958 |
| herbicide in new windbreak plantings | 33(30) | June 1958 |
| buglas-fir, packing and storing seedlings in polyethylene bags | 42(29) | June 1960 |
| owels, for coupling aluminum tubing for handles | 25(24) | May 1956 |
| Dowfume MC-2 | | and creek |
| insect control, Maine | 4(12) | Apr 1951 |
| soil fumigant | 37(13) | Aug 1959 |
| evaluation in white pine seedbeds | 41(7) | Apr 1960 |
| weeding | | 6.90 C 100 S |
| West Virginia | 4(8) | Apr 1951 |
| New Mexico | 4(9) | Apr 1951 |
| Maine | 4(12) | Apr 1951 |
| Dowfume W-85 (1, 2-dibromoethane) soil fumigant | 37(13) | Aug 1959 |
| rill vs. broadcast sowing | 26(5) | Oct 1956 |
| rying rack, cone | 47(13) | Aug 1961 |
| ump truck, agitator-type sawdust spreader (Georgia) | 25(8) | May 1956 |
| dusting, seed, to control fungi | 21(9) | Sept 1955 |
| vrene, fungicide, index rating for treatment of chokecherry | | |
| shothole disease | 37(27) | Aug 1959 |
| astern Tree Seed Laboratory | 47/11 | Aux 1041 |
| DB, soil treatment to increase stand of locust seedlings | 47(1) | Aug 1961 |
| lite trees, as seed source | 31(21) | Feb 1958 |
| mbryo, multiple | 11(8) | Sept 1952 |
| maple seed (note) | 22(7) | De 1055 |
| ponderosa pine seed (note) | and the second sec | Dec 1955 |
| adrin | 17(14) | Aug 1954 |
| fungicide, seed pelleting process | 32(7) | A |
| rabbit repellent | 45(19) | Apr 1958 Mar 1961 |
| stratifying repellent-treated pine seed | 42(5) | June 1961 |
| bitam | 46(5) | June 1900 |
| soil fumigation, effect on loblolly seedling growth and weed | | |
| control | 42(23) | June 1960 |
| weed control with mineral spirits in southern nurseries | 48(29) | Oct 1961 |
| uipment, machine for digging oversize hole | 33(8) | June 1958 |
| sso Weed Killer #35 | 4(6) | Apr 1951 |
| thel di-n-propylthiolcarbamate, weed control | 48(29) | Oct 1961 |
| mylene dibromide controls root rot | 7(2) | Sept 1951 |
| hylene-oxide-thioether condensate, wetting agent noneffective on | (14) | Sept 1751 |
| Scotch pine survival | 21(15) | Sept 1955 |
| spert tree planter, brief description | 2(3) | Jan 1951 |
| straction, seed, aspen and cottonwood | 28(10) | Apr 1957 |
| straction treatments, viability of ponderosa pine seed | 48(26) | Oct 1961 |
| stractor, seed, and combination cone kiln | 48(25) | Oct 1961 |
| A A A A A A A A A A A A A A A A A A A | 40(00) | 000 1901 |
| rbam | | |
| nursery control of fusiform rust | 24(13) | Feb 1956 |
| spraying before rains important for fusiform rust control | 43(17) | Oct 1960 |
| weed control, Mississippi | 12(8) | Nov 1952 |
| stility problems, at a forest nursery | 43(19) | Oct 1960 |
| rtilization | | |
| late winter prelifting, loblolly seedbeds | 26(11) | Oct 1956 |
| | | |

| | Number (page) | Date |
|---|---------------|----------------------|
| fertilization Continued | | / |
| nitrogen, effect on field survival by application in nursery | / | The second second |
| seedbed | . 36(22) | June 1959 |
| prelifting, loblolly seedbeds | | Oct 1956 |
| fertilizer | / | |
| ammonium nitrate, can explode | | Apr 1960 |
| fall applications of nitrogen to nursery stock require caution | | Oct 1959 |
| liquid, applying by overhead irrigation lines | | Mar 1954 |
| fertilizer spreader, Gandy, for broadcast sowing | . 26(5) | Oct 1956 |
| fertilizers | | the start |
| conversion factors for numerical symbols | | Nov 1952 |
| guide to numerical symbols | | Nov 1952 |
| liquid, advantages and shortcomings for nursery soils | | June 1960 |
| filter, self-cleaning screen for water supply systems | | Feb 1956 |
| flooding, mortality of newly germinated southern pine seedlings | | Oct 1960 |
| flooding damage, loblolly pine seedlings | , 36(13) | June 1959 |
| forest tree nurseries in the United States (fiscal year) | | |
| 1949 | | Nov 1950 |
| 1950 | | May 1951 |
| 1951 | | Jan 1952 |
| 1952 | | Jan 1953 |
| 1953 | | Jan 1954 |
| 1954 | | Feb 1955 |
| 1955 | | Jan 1956 |
| 1956 | | Jan 1957 |
| 1957 | | Jan 1958 |
| 1958 | | Jan 1959 |
| 1959 | 5 | Dec 1959 |
| 1960 | | Dec 1960 Dec 1961 |
| 1961, | | |
| formaldehyde, soil fumigant, evaluation in white pine seedbeds freezing, lowers survival of three southern pine seedlings | | Apr 1960 Aug 1961 |
| frost damage, seedling, cleavage lines | | Feb 1958 |
| fruit | . 51(6) | F CD 1756 |
| small, collecting can | . 35(17) | Apr 1959 |
| yellow-poplar, collecting hook | . 25(22) | May 1956 |
| fumigant | | 101 LY 1/50 |
| methyl bromide dispenser | . 31(23) | Feb 1958 |
| seedbed, methyl bromide | 45(23) | Mar 1961 |
| soil | | |
| D-D (1, 3-dichloropropene-1, 2-dichloropropane) | , 37(13) | Aug 1959 |
| Dowfume MC-2 (methyl bromide) | . 37(13) | Aug 1959 |
| Dowfume W-85 (1, 2-dibromoethane) | . 37(13) | Aug 1959 |
| machine application of methyl bromide under polyethylene | | |
| film | . 37(9) | Aug 1959 |
| manual application of methyl bromide | | Aug 1959 |
| methyl bromide dispenser | | Aug 1959 |
| Nemagon (1, 2-dibro-3-chloropropane) | . 37(13) | Aug 1959 |
| fumigants, effect on growth of loblolly pine seedlings and weed | | |
| control | . 42(23) | June 1960 |
| fumigation | | |
| control of weeds and root rot in the Southeast | . 26(1) | Oct 1956 |
| evaluation in white pine seedbeds | | Apr 1960 |
| red pine nursery stock in bundles | | Aug 1959 |
| soil, effect on growth and yield of loblolly pine seedlings | | Aug 1959 |
| water sealing of Vapam | | Feb 1958 |
| fumigation chamber, red pine nursery stock in bundles | | Aug 1959 |
| fumigator, machine applicator for ethylene dibromide (Mississippi) | | Sept 1951 |
| fungi, isolated from seedbeds at Auburn, Alabama | . 21(21) | Sept 1955 |
| fungicides | 211150 | |
| control of rhizoctonia damping-off | | Feb 1956 |
| cyprex, for control of chokecherry shothole disease | | Aug 1959 Feb 1956 |
| nursery control of fusiform rust | | |

| | Number (page) | Date |
|---|---------------|-----------|
| JungicidesContinued | | |
| pelleting to control damping-off of conifers | | |
| Illinois | . 21(3) | Sept 1955 |
| Wisconsin | . 21(7) | Sept 1955 |
| polyethylene tarp used in pelleting coniferous tree seed | | Aug 1961 |
| screened for control of chokecherry shothole disease | . 37(27) | Aug 1959 |
| seed pelleting process | . 32(7) | Apr 1958 |
| spraying before rains important for fusiform rust control | . 43(17) | Oct 1960 |
| treating seeds, Pennsylvania | . 17(7) | Aug 1954 |
| hrrow seeder, H-C | . 43(15) | Oct 1960 |
| furrowing, improves first-year survival, planted spruce and pine . Asiform rust | | Oct 1961 |
| basal branches on slash pine seedlings not a symptom | . 24(16) | Feb 1956 |
| nursery control demands careful spraying | . 24(13) | Feb 1956 |
| insiform rust cankers, develop after outplanting nursery-infected | | |
| seedlings | . 37(23) | Aug 1959 |
| fusiform rust control, spraying before rains important | 43(17) | Oct 1960 |
| Gandy fertilizer spreader, for broadcast sowing | 26(5) | Oct 1956 |
| Gandy nursery special fertilizer spreader and seeder | 31(3) | Feb 1958 |
| Pap | 51(5) | 100 1/30 |
| insect control, Maine | . 4(12) | Apr 1951 |
| Maine | 4/101 | A |
| New Mexico | . 4(12) | Apr 1951 |
| West Virginia | . 4(9) | Apr 1951 |
| geese, for weeding, West Virginia | 4(8) | Apr 1951 |
| Georgia | | Nov 1952 |
| certification standards for forest tree seed | 35(3) | Apr 1959 |
| wraparound seedling crate | 45(7) | Mar 1961 |
| seed law | 8(5) | Nov 1951 |
| Germany, transplanting | 41(9) | Apr 1960 |
| delayed, white pine survival on treated beds | 41(20) | Apr 1960 |
| early collection and immediate sowing for basswood seed | 46(27) | June 1961 |
| effect of air drying of cones | 43(3) | Oct 1960 |
| effect of cold storage of longleaf pine seed | 47(15) | Aug 1961 |
| effect of stratifying pine seed in polyethylene bags | 42(7) | June 1960 |
| influence of soil texture (Oregon) | 11(2) | Sept 1952 |
| redcedar, effect of stratification and cold storage | 21(28) | Sept 1955 |
| stratification of repellent-treated pine seed | 42(5) | June 1960 |
| germination test, simplified, for American sycamore | 35(21) | Apr 1959 |
| germination testing, vermiculite as medium | 11(4) | |
| girdling | | Sept 1952 |
| by ice | 35(28) | Apr 1959 |
| partial, doubles longleaf cone production | 28(6) | Apr 1957 |
| grading | | |
| future value in using superior southern pine nursery stock | 42(13) | June 1960 |
| nursery stock, caliper gauges in color | 47(8) | Aug 1961 |
| piecework system of grading and tying seedlings | 47(21) | Aug 1961 |
| grading table, construction costs | 16(21) | Mar 1954 |
| rass, control by sodium TCA (Montana) | 4(11) | Apr 1951 |
| reen manure, use in nursery | 43(19) | Oct 1960 |
| reen manure crop | | |
| causes seedling mortality, Illinois | 12(9) | Nov 1952 |
| growing at nursery, British Columbia | 24(19) | Feb 1956 |
| economics in using graded southern pine nursery stock | 47(13) | Tune 1040 |
| geographic origin affects loblolly pine (Louisiana) | 4Z(13) | June 1960 |
| planted hardwoods, bottoms in loess areas | 8(2) | Nov 1951 |
| ranid for slash and lobicity nine or subtract slass | 48(3) | Oct 1961 |
| rapid for slash and loblolly pine on cultivated plots | 46(9) | June 1961 |
| relation of mycorrhizae to seedlings sycamore seedlings make excellent growth in plantations | 43(13) | Oct 1960 |
| sycamore seenings make excellent growth in plantations | 41(16) | Apr 1960 |

| | Number (page) | Date |
|---|--------------------|------------------------|
| growthContinued 2-0 longleaf and loblolly seedlings in the field | . 33(26) | June 1958 |
| grubs | 10 AV. 2 M | |
| insecticide spraying at time of machine planting | . 20(14) . 7(5) | June 1955 Sept 1951 |
| handles, aluminum tubing, coupling device | 25(24) | May 1956 |
| handtool, for planting acorns | 28(5) | Apr 1957 |
| Hanson-Lowther tree planter | 46(1) | June 1961 |
| hardpan, subsoiler for improving survival | 40(21) | Feb 1960 |
| hardwood fruit, winged, collection net | 22(4) | Dec 1955 |
| mortality of planted loblolly pine | 48(1) | Oct 1961 |
| planted, growth on bottoms in loess areas | 48(3) | Oct 1961 |
| planting for stand improvement, Mississippi | 14(18) | Apr 1953 |
| harroweeder, newly established windbarriers | 40(11) | Feb 1960 |
| harvester, seedling | 16(5) | Mar 1954 |
| hay-rake cultivator, newly established windbarriers | 40(11) | Feb 1960 |
| heating, bales, lethal root temperatures of loblolly pine seedlings herbicide, diuron (Karmex DW), weed control in new windbreak | 47(25) | Aug 1961 |
| plantings herbicides. See weed control. | 33(30) | June 1958 |
| hoe, short-handled, planting in Appalachians | 14(6) | Apr 1953 |
| for better planting survival | 33(6) | June 1958 |
| machine for digging planting hole | 33(8) | June 1958 |
| modifications | 16(9) | Mar 1954 |
| shoe modification to improve root position | 38(11) | Oct 1959 |
| collecting, for yellow-poplar fruit | 25(22) | May 1956 |
| cone, Ashe Nursery | 35(20) | Apr 1959 |
| hopper, seed, force feed | 26(7) | Oct 1956 |
| hotbeds, open, rooting slash pine | 35(25) | Apr 1959 |
| humidity, storage, effect on viability of cottonwood seed | 17(9) | Aug 1954 |
| Bermudagrass | 33(29) | June 1958 |
| ice, stem girdling | 35(28) | Apr 1959 |
| Idaho, tree planting instructions | 10 | Apr 1952 |
| Illinois Central Railroad tree planter, brief description | 2(4) | Jan 1951 |
| injection system, acid for nursery irrigation system | 46(11) | June 1961 |
| injector, soil treating chemicals, on lateral root pruner | 46(15) | June 1961 |
| insect control, Dowfume MC-2, Maine | 4(12) | Apr 1951 |
| insecticides control white grubs in forest tree nurseries (Wisconsin) | 7(5) | Sept 1951 |
| insects, seedling losses in Arizona cypress | 29(20) | June 1957 |
| instructions, to accompany tree shipments, simplified form | 29(27) | June 1957 |
| interplanting, legumes fail to benefit loblolly pine | 43(11) | Oct 1960 |
| nursery record forms | 46(23) | June 1961 |
| simplified tree counting frame | 38(9) | Oct 1959 |
| systematic sampling of seedbeds | 46(19) | June 1961 |
| installed on slope | 18(3) | Dec 1954 |
| to apply liquid fertilizers and weedicides | 16(2) | Mar 1954 |
| irrigation water, acid injection system | 46(11) | June 1961 |
| Jeffrey pine, cold treatment and seed moisture absorption | 48(21) | Oct 1961 |
| Karmex DW (diuron), herbicide in new windbreak plantings | 33(30) | June 1958 |
| Karmex-N, weed control limited test | 41(21) | Apr 1960 |
| kiln and extractor, cone | | Oct 1961 |
| | 10(00) | 001 1901 |

| | Number (page) | Date |
|--|----------------|-----------------------------|
| kiln, cone | | |
| portable automatic | 35(10) | Apr 1959 |
| small and fast-drying | 47(9) | Aug 1961 |
| ladder, aerial, tractor-mounted for seed collection | 43(9) | Oct 1960 |
| ladders, seed collecting equipment, brief description | 5(3) | May 1951 |
| lanolin, transpiration retardant planting trials | 20(19) | June 1955 |
| latex (Dow, 512R) | | |
| adhesive for seed pelleting process | 32(7) | Apr 1958 |
| adhesive with repellents, for nursery sowing latex, vinyl resin, as transpiration inhibitor on lifted seedlings | 32(9) | Apr 1958 |
| (California) | 12(15) | Nov 1952 |
| legumes, interplanting fails to benefit loblolly pine plantings | 43(11) | Oct 1960 |
| agitator type | 18(10) | Dec 1954 |
| Dunbar Forest Experiment Station, Michigan | 29(8) | June 1957 |
| for hardwoods, single-row tractor-mounted | 29(6) | June 1957 |
| Towner Nursery, North Dakota | 29(3) | June 1957 |
| tractor-mounted, for hardwoods | | A CONTRACT OF A CONTRACT OF |
| seedling agitator | 29(6) 48(9) | June 1957 Oct 1961 |
| lifting | 40(3) | 001 1901 |
| potato digger for nursery stock | 24(9) | Feb 1956 |
| save feeder roots to increase seedling survival | 18(23) | Dec 1954 |
| seedling harvester improved by mist sprayer | 38(19) | Oct 1959 |
| litter, used as seedbed | 11(3) | Sept 1952 |
| loblolly pine | 11(5) | Sept 1952 |
| better growth from larger graded stock | 42(13) | June 1960 |
| deer and rabbit repellents, Maryland | 48(17) | Oct 1961 |
| direct seeding | 25(17) | May 1956 |
| effect of seedbed density on seedling production | 25(1) | |
| effect of soil fumigation on growth and yield of seedlings | 37(13) | May 1956 |
| effect of soil fumigation on seedling growth and weed control | | Aug 1959 |
| flooding damage to seedlings | 42(23) | June 1960 |
| influence of seedbed density on production and survival | 36(13) | June 1959 |
| interplanted logumes fail to herefit | 42(19) | June 1960 |
| interplanted legumes fail to benefit | 43(11) | Oct 1960 |
| lethal root temperatures of seedlings in bales | 47(25) | Aug 1961 |
| mortality, under small hardwoods | 48(1) | Oct 1961 |
| rapid growth on cultivated plots | 46(9) | June 1961 |
| ratio of cones to clean seed | 17(6) | Aug 1954 |
| seed storage in polyethylene bags | 48(15) | Oct 1961 |
| seed source affects growth | 8(2) | Nov 1951 |
| seed, stratification sometimes harmful | 32(5) | Apr 1958 |
| seedbeds, late winter prelifting fertilization | 26(11) | Oct 1956 |
| pit storage of bales | 45(13) | Mar 1961 |
| planted, effect of cold storage on survival | 45(15) | |
| stratified seed for direct seeding | 45(15) | Mar 1961 |
| 2-0 seedlings survival and growth in the field | | Sept 1952 |
| locust soudlings, soil treatments with in the field | 33(26) | June 1958 |
| locust seedlings, soil treatments may increase stand | 31(21) | Feb 1958 |
| Lonesome pine tree planter, brief description | 2(4) | Jan 1951 |
| cone production doubled by ringing | 20/41 | A 1057 |
| direct seeding | 28(6) | Apr 1957 |
| newsearches | | May 1956 |
| regeneration | 32(15) | Apr 1958 |
| effect of seedbed density on summing! | 33(20) | June 1958 |
| effect of seedbed density on survival | | June 1955 |
| planting depth affects survival | 17(13) | Aug 1954 |
| reproduction outside its natural range | 35(26) | Apr 1959 |
| root pruning increases survival | 36(15) | June 1959 |
| seed | 20101 | |
| bird repellents | 28(8) | Apr 1957 |
| Morkit bird repellent | 20(3) | June 1955 |

| | Number (page) | Date |
|---|-----------------|------------------------|
| longleaf pineContinued | | |
| seed storage, effect on germination | 47(15) | Aug 1961 |
| better from low-density beds | 18(29) | Dec 1954 |
| large, survival | 14(17) | Apr 1953 |
| survival of machine - vs. bar - planted | 14(16) | Apr 1955 |
| Z-0 seedling survival and growth in the field | 33(26) | June 1958 |
| Lowther tree planter | | |
| auxiliary wheel for packing wheels | 33(16) | June 1958 |
| brief description | 2(5) | Jan 1951 |
| depth regulator bolt for coulter and trencher | 33(17) | June 1958 |
| modifications | 33(15) | June 1958 |
| modified for silt and clay soils | 28(4) | Apr 1957 |
| performance on Pennyrile State Forest, Kentucky | 14(13) | Apr 1953 |
| replacement points | 40(9) | Feb 1960 |
| safety modification | 14(3) | Apr 1953 |
| scalper plows added | 33(15) | June 1958 |
| machine | | |
| applying sand or sawdust to seedbeds | 18(20) | Dec 1954 |
| hand-operated, for making paper pots | 20(11) | June 1955 |
| improved, for making paper pots | 24(3) | Feb 1956 |
| seed cleaning and dewinging | 18(8) | Dec 1954 |
| seed sowing | 18(6) | Dec 1954 |
| machine planting | 6 | June 1951 |
| Alabama | 6(9) | June 1951 |
| Alabama | 6(10) | June 1951 |
| South Carolina | 6(12) | June 1951 |
| costs and use | 1 100 | |
| New York | 6(2) | June 1951 |
| North Carolina | | June 1951 |
| South Dakota | 6(6) | June 1951 |
| Tennessee | 6(3) | June 1951 |
| safety rules | 6(11) 20(18) | June 1951 |
| signaling device as spacing aid | 33(18) | June 1955 June 1958 |
| spraying for white grubs | 20(14) | June 1955 |
| vs. bar planting, longleaf seedling survival | 14(16) | Apr 1953 |
| vs. hand planting in Tennessee (summary) | 6(5) | June 1951 |
| machinery, nursery | 16 | Mar 1954 |
| | 18 | Dec 1954 |
| maleic hydrazide, growth inhibitor not effective against fertilized | | |
| Bermudagrass | 33(29) | June 1958 |
| management, economics in using graded southern pine nursery stock maneb (manganese ethylene bix-dithio carbamate) fungicide, index | | June 1960 |
| rating for treatment of chokecherry shothole disease manure crop, green | | Aug 1959 |
| causes seedling mortality (Illinois) | | Nov 1952 |
| growing at nursery | 24(19) | Feb 1956 |
| use in nursery | 43(19) | Oct 1960 |
| manzanita brush, soil moisture conditions after chemical kill Manzate, See maneb. | 33(12) | June 1958 |
| maple seed, multiple embryos (note) | 22(7) | Dec 1955 |
| markers, nursery bed, venetian blind slats | 48(23) | Oct 1961 |
| Methocel-Arasan-Rhoplex, repellent, loblolly pine in Maryland methocel powder (Dow, 100 CPS), adhesive for seed pelleting | 48(17) | Oct 1961 |
| process | 32(7) | Apr 1958 |
| control weeds, nematodes, and root rots in seedbeds | 21(11) | Sept 1955 |
| disease control in eastern white pine seedlings (Illinois) | 12(9) | Nov 1952 |
| effect of soil fumigation on loblolly seedling growth and weed | 12/201 | |
| control | 42(23) | June 1960 |
| fumigation for control of weeds and root rot | 26(1) | Oct 1956 |

| | Number (page) | Date |
|--|-----------------|-----------------------|
| mathed beautiful Construct | | |
| methyl bromideContinued | 201202 | |
| fumigation of red pine nursery stock in bundles | | Aug 1959 |
| machine application with polyethylene film | 37(9) | Aug 1959 |
| seedbed fumigant | 45(23) | Mar 1961 |
| evaluation in white pine seedbeds | 434133 | 10.10/0 |
| | 41(17) | Apr 1960 |
| manual application | 37(7) | Aug 1959 |
| Lake States | 7(14) | Sept 1951 |
| Michigan | 7(17) | Sept 1951 |
| West Virginia | | Apr 1951 |
| methyl bromide dispenser | 31(28) | Feb 1958 |
| small amounts | 37(11) | Aug 1959 |
| Mexicanclover, control by Eptam and mineral spirits | 48(29) | Oct 1961 |
| micro-organisms, in nursery seedbed soils | 21(21) | Sept 1955 |
| Michigan Department of Conservation tree planting instructions | 10 | Apr 1952 |
| Michigan State College tree planting instructions | 10 | Apr 1952 |
| mineral spirits, weed control | | artha artes |
| Lake States | 7(15) | Sept 1951 |
| reduce nursery costs | 18(25) | Dec 1954 |
| South | 4(3) | Apr 1951 |
| with Eptam in southern nurseries | 48(29) | Oct 1961 |
| Missouri, tree planting instructions | 10 | Apr 1952 |
| mist sprayer, improves seedling harvester | 38(19) | Oct 1959 |
| moisture, in soil after chemically killing manzanita brush | 33(12) | June 1958 |
| moisture absorption, seed, cold treatment | 48(21) | Oct 1961 |
| moisture content, effect of cold storage on germination of longleaf | | |
| pine seed | 47(15) | Aug 1961 |
| moisture determination, tree seed, electronic meter | 43(7) | Oct 1960 |
| moisture meter, rapid moisture determination of tree seed | 43(7) | Oct 1960 |
| Morkit | | |
| chemical bird repellent, longleaf pine seed | 20(3) | June 1955 |
| repellent | | 6 |
| longleaf seed | 28(8) | Apr 1957 |
| seed pelleting process | 32(7) | Apr 1958 |
| mortality | internal and | 10.000 |
| caused by green manure crop (Illinois) | 12(9) | Nov 1952 |
| copper carbamate-boon or bane | 40(5) | Feb 1960 |
| loblolly pines planted under small hardwoods | 48(1) | Oct 1961 |
| newly germinated southern pine seedlings following flooding white pine seedlings, high soil surface temperature | 43(23) | Oct 1960 |
| mound planting | 41(20) 46(5) | Apr 1960 June 1961 |
| mulch | 40(2) | June 1901 |
| outplanting, black plastic (polyethylene) | 45(1) | Mar 1961 |
| pine needles for seedbed covering | 29(10) | June 1957 |
| polyethylene film sheets (Oklahoma) | 21(26) | Sept 1955 |
| sawdust on coniferous transplant beds (New York) | 25(4) | May 1956 |
| sawdust seedbed cover | 31(10) | Feb 1958 |
| sawdust vs. straw (Michigan) | 21(24) | Sept 1955 |
| wood fiber pads not suitable | 41(5) | Apr 1960 |
| muslin, seedbed cover on frame | 29(14) | June 1957 |
| mycorrhiza, relation to seedling growth | 43(13) | Oct 1960 |
| Mylone, soil treatment to increase stand of locust seedlings | 31(21) | Feb 1958 |
| | | |
| Neburon, weed control limited test | 41(21) | Apr 1960 |
| needles, pine, for seedbed covering | 29(10) | June 1957 |
| Nemagon (1, 2-dibro-3-chloropropane) | | 1.000 |
| soil fumigant | 37(13) | Aug 1959 |
| soil furnigation, effect on loblolly seedling growth and weed | 101000 | |
| control | 42(23) | June 1960 |
| nematode control, methyl bromide gas in seedbeds | 21(11) | Sept 1955 |

| | Number (page) | Date |
|--|---------------|--------------|
| nematodes | | |
| effect of soil fumigation on growth and yield of loblolly pine | | |
| seedlings | 37(13) | Aug 1959 |
| survey in white pine seedbeds | 41(21) | Apr 1960 |
| net, collecting winged hardwood fruits | 22(4) | Dec 1955 |
| New Jersey, planting machines furnished | 14(2) | Apr 1953 |
| New York State tree seed law | 8(6) | Nov 1951 |
| nicotine sulfate, as rabbit repellent | 45(19) | Mar 1961 |
| nitrate fertilizer, can explode | 41(3) | Apr 1960 |
| nitrogen | (-) | 1191 1/00 |
| addition, fertility problems | 43(19) | Oct 1960 |
| effect on field survival by application in nursery seedbed | 36(22) | June 1959 |
| fall applications to nursery stock require caution | 38(25) | Oct 1959 |
| North Dakota, tree planting instructions | 10 | |
| nurseries in the United States, forest tree (fiscal year) | 10 | Apr 1952 |
| | 1 | |
| 1949 | 1 | Nov 1950 |
| 1950 | 5 | May 1951 |
| 1951 | 9 | Jan 1952 |
| 1952 | | Jan 1953 |
| 1953 | 15 | Jan 1954 |
| 1954 | 19 | Feb 1955 |
| 1955 | 23 | Jan 1956 |
| 1956 | 27 | Jan 1957 |
| 1957 | 30 | Jan 1958 |
| 1958 | 34 | Jan 1959 |
| 1959 | 39 | Dec 1959 |
| 1960 | 44 | Dec 1960 |
| 1961 | 49 | Dec 1961 |
| nursery | | and a second |
| thylene dibromide controls root rot | 7(2) | Sept 1951 |
| weed control chemicals | 7(14) | Sept 1951 |
| weed control with allyl alcohol | 7(10) | Sept 1951 |
| weed control with allyl alcohol through overhead sprinkler | (1-0) | 00pt 1/51 |
| system | 7(12) | Sept 1951 |
| weed control with methyl bromide | 7(17) | Sept 1951 |
| nursery bed markers, venetian blind slats | 48(23) | Oct 1961 |
| nursery inventory, simplified counting frame | 38(9) | Oct 1959 |
| nursery machinery | 16 | Mar 1954 |
| hursery machinery | 18 | |
| | 10 | Dec 1954 |
| nursery management fertility problems | 12/101 | 0.1 10/0 |
| | 43(19) | Oct 1960 |
| soil analysis values | 37(1) | Aug 1959 |
| nursery practice | | |
| growing sycamore seedlings | 41(15) | Apr 1960 |
| in Scotland, notes | 38(13) | Oct 1959 |
| nursery production, aspen seedlings | 35(22) | Apr 1959 |
| nursery stock, improvements in bundling and packing | 29(16) | June 1957 |
| nutgrass, control by Eptam and mineral spirits | 48(29) | Oct 1961 |
| Nuway tree planter, brief description | 2(6) | Jan 1951 |
| | | |
| oak, cylindrical seed spot screen | 20(7) | June 1955 |
| Ohio, tree planting instructions | 10 | Apr 1952 |
| oil, weeding | | and a second |
| New York | 4(4) | Apr 1951 |
| Pennsylvania | 4(6) | Apr 1951 |
| Forest Service, USDA, Southern Region | 4(3) | Apr 1951 |
| organic matter, maintenance in nursery | 43(19) | Oct 1960 |
| ornamentals, cold storage of bare root cuttings in polyethylene bags | 42(33) | June 1960 |
| orthocide, fungicide, seed pelleting process | 32(7) | |
| orthocide 50, See captan. | 50(1) | Apr 1958 |
| Ottawa debris plow and scalper | 28/11 | Ann 1057 |
| ortana acorra prow and acarper | 28(1) | Apr 1957 |

| 1 | Number (page) | Date |
|--|---------------------------------------|-----------|
| packing | | |
| Georgia's wraparound seedling crate | 45(7) | Mar 1961 |
| increased production of nursery stock | 29(16) | June 1957 |
| polyethylene bags, ponderosa pine and Douglas-fir seedlings | 42(29) | June 1960 |
| packing table | | |
| for bundling seedlings | 38(3) | Oct 1959 |
| steel strapping tree baler | 38(5) | Oct 1959 |
| paper pots | 50(5) | 000 1757 |
| hand machine, | 20(11) | June 1955 |
| improved machine | 24(3) | Feb 1956 |
| Parzate. See zineb. | 1.1(2) | 160 1950 |
| pelleting | | |
| control damping-off of conifers, Illinois | 21(3) | Cast 10FF |
| polyethylene tarp used for coniferous tree seed | | Sept 1955 |
| seed, for bird and disease control | 47(5) | Aug 1961 |
| pentachlorophenol, treated wood can damage nursery seedlings | 32(7) | Apr 1958 |
| pH, acid injection system for nursery irrigation water | | Oct 1959 |
| his and his the system for his set in the set of the se | 46(11) | June 1961 |
| piecework system, grading and tying seedlings | 47(21) | Aug 1961 |
| | Jaran | |
| Jeffrey, cold treatment and seed moisture absorption | 48(21) | Oct 1961 |
| loblolly | No. of Concession, Name | |
| better growth from larger graded stock | 42(13) | June 1960 |
| deer and rabbit repellents, Maryland | 48(17) | Oct 1961 |
| direct seeding | 25(17) | May 1956 |
| effect of cold storage on survival of planted seedlings | 45(15) | Mar 1961 |
| effect of seedbed density on seedling production | 25(1) | May 1956 |
| effect of soil furnigation on growth and yield of seedlings | 37(13) | Aug 1959 |
| effect of soil fumigation on seedling growth and weed control . | 42(23) | June 1960 |
| flooding damage to seedlings | 36(13) | June 1959 |
| influence of seedbed density on production and survival | 42(19) | June 1960 |
| interplanted legumes fail to benefit | 43(11) | Oct 1960 |
| lethal root temperatures of seedlings in bales | 47(25) | Aug 1961 |
| pit storage of baled seedlings | 45(13) | Mar 1961 |
| rapid growth on cultivated plots | 46(9) | June 1961 |
| ratio of cones to clean seed | 17(6) | Aug 1954 |
| seed source affects growth | 8(2) | Nov 1951 |
| seed storage in polyethylene bags | 48(15) | Oct 1961 |
| stratification harmful to some seed | 32(5) | Apr 1958 |
| stratified seed for direct seeding | 11(3) | Sept 1952 |
| 2-0 seedling survival and growth in the field | 33(26) | June 1958 |
| longleaf | () | |
| better seedlings from low-density beds | 18(29) | Dec 1954 |
| bird repellents | 28(8) | Apr 1957 |
| cone production doubled by ringing | 28(6) | Apr 1957 |
| direct seeding | 25(13) | May 1956 |
| effect of seed storage on germination | 47(15) | Aug 1961 |
| affact of seedbad density of germination | 20(28) | June 1955 |
| effect of seedbed density on survival | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | |
| Morkit bird repellent for seed | 20(3) | June 1955 |
| planting depth affects survival | 17(13) | Aug 1954 |
| regeneration by direct seeding | 32(15) | Apr 1958 |
| | 33(20) | June 1958 |
| reproduction outside its natural range | 35(26) | Apr 1959 |
| root pruning increases survival | 36(15) | June 1959 |
| survival of large seedlings | 14(17) | Apr 1953 |
| survival of machine-vs. bar-planted | 14(16) | Apr 1953 |
| 2-0 seedling survival and growth in the field | 33(26) | June 1958 |
| ponderosa | | |
| cold treatment and seed moisture absorption | 48(21) | Oct 1961 |
| multiple embryo in seed (note) | 17(14) | Aug 1954 |
| packing and storing seedlings in polyethylene bags | 42(29) | June 1960 |
| | | Feb 1958 |
| sawdust as seedbed cover | 31(10) | reo 1950 |

| | Number (page) | Date |
|---|---------------|----------------------|
| pineContinued | | |
| red | | |
| nursery stock fumigation in bundles | 37(17) | Aug 1959 |
| seed source affects nursery behavior | 8(3) | Nov 1951 |
| specific gravity as test for cone ripeness | 17(1) | Aug 1954 |
| Scotch | | |
| root-rolled for planting | ., 20(9) | June 1955 |
| wetting agent noneffective on survival | 21(15) | Sept 1955 |
| shortleaf, ratio of cones to clean seed | 17(6) | Aug 1954 |
| slash | 1/(0) | THUE TING |
| basal branches on seedlings not a symptom of fusiform rust | 24(16) | Feb 1956 |
| better growth from larger graded stock | | June 196 |
| dewinging damage to seed | | June 196 |
| | | |
| direct seeding | | May 1956 |
| effect of seedbed density on seedling production | 25(1) | May 195 |
| fusiform rust cankers develop after outplanting nursery- | 22/221 | 1 |
| infected seedlings | | Aug 1959 |
| influence of seedbed density on production and survival | | June 196 |
| pot planting on barren sand tracts | | Oct 1961 |
| rapid growth on cultivated plots | 46(9) | June 196 |
| rooting in open hotbeds | 35(25) | Apr 1959 |
| stratification harmful to some seed | 32(5) | Apr 1958 |
| tussock seeding (wet sites) | 46(5) | June 196 |
| southern | | |
| freezing of bundled seedlings lowers survival of three speci | es 47(23) | Aug 1961 |
| mortality of newly germinated seedlings following flooding . | 43(23) | Oct 1960 |
| sugar, effect of cold storage on survival of planted seedlings. | | Mar 196 |
| Virginia, ratio of cones to clean seed | | Aug 1954 |
| white, eastern | | 0 |
| control of soil organisms by methyl bromide | 12(9) | Nov 1952 |
| ratio of cones to clean seed | | Aug 1954 |
| seed storage in polyethylene bags | 48(15) | Oct 1961 |
| seedling mortality from high soil surface temperature | | Apr 1960 |
| soil fumigation evaluations of seedbeds | | Apr 1960 |
| white, western, seeding germinated seed | | Nov 1951 |
| pine | | 1101 1751 |
| cone drying rack, Tahoe National Forest, | 32(13) | Apr 1958 |
| furrowing improves first-year survival (Manitoba) | | Oct 1961 |
| nurrowing improves inst-year survival (Manicoba) | 29(10) | June 195 |
| needles, for seedbed covering | 27(10) | |
| planted, cattle repellents | 36(9) | June 195 |
| pine seed | 15/51 | 14 100 |
| cold storage containers, bag in box | | Mar 196 |
| dewinger, Georgia | | June 195 |
| repellent-treated, stratifying | 42(5) | June 196 |
| spot-sowing handtool | 45(3) | Mar 196 |
| stratification in polyethylene bags | | June 196 |
| pine seedlings, damage by Santomerse SX | 45(25) | Mar 196 |
| pine straw, unloaded from truck by rope | 16(7) | Mar 195 |
| Pinus radiata, transpiration inhibitor planting trials in Australia . | | June 195 |
| pit storage, baled loblolly seedlings | | Mar 196 |
| "Plantcote", transpiration inhibitor on lifted seedlings (California) | | Nov 1957 |
| planter | and an and a | an an an |
| hand, for acorns | ,. 28(5) | Apr 1957 |
| Hanson-Lowther | | June 196 |
| planters, commercially available machines | | Jan 1951 |
| planters, commercially available machines | ··· · · · | 5 an 1751 |
| casilla (basin) planting for better survival, Spain | 33(6) | June 195 |
| | | Feb 196 |
| deep, little effect in a wet year | | |
| debrie plant and coolers | 20111 | Apr 1957 |
| debris plow and scalper | | 100 |
| folding spudder for wheeled tractor | | May 195 |
| | 25(20) | May 1956 Aug 1954 |

| | | Number (page) | Date |
|--------------------------------|---|---------------|--|
| plantingContinued | | | |
| three rocks for b | oetter survival (Spain) | 33(3) | June 1958 |
| | ********** | 46(5) | June 1961 |
| planting bar | | 14.17 | |
| extension for set | ting large-rooted seedlings | 36(6) | June 1959 |
| notes | * • • • • • • • • • • • • • • • • • • • | 14(8) | Apr 1953 |
| planting contract forr | n | 36(4) | June 1959 |
| planting depth, effect | on survival of longleaf seedlings | 17(13) | Aug 1954 |
| planting device, traci | tor lug for digging holes | 14(5) | Apr 1953 |
| planting hole, short-n | andled, in Appalachians | 14(6) | Apr 1953 |
| planting instructions | ze, machine for digging | 33(8) | June 1958 |
| Alabama | Ohio | 10 | Apr 1952 |
| Georgia | South Carolina | | |
| Idaho | Virginia | | |
| Michigan | West Virginia | | |
| Missouri | Trees for Tomorrow, Inc. | | |
| North Dakota | record for romorrow, me. | | |
| planting machine | | | |
| | or packing wheels | 33(16) | June 1958 |
| depth regulator b | olt for coulter and trencher | 33(17) | June 1958 |
| H-C furrow seed | er | 43(15) | Oct 1960 |
| Hanson-Lowther | | 46(1) | June 1961 |
| Lowther | | 2.121 | |
| modifications | | . 33(15) | June 1958 |
| modified for si | It and clay soils | . 28(4) | Apr 1957 |
| safety modifica | ation | 14(3) | Apr 1953 |
| plow precedes | | 14(10) | Apr 1953 |
| portable post hole | e digger | 36(8) | June 1959 |
| replacement poin | ts | 40(9) | Feb 1960 |
| scalper plows add | ded | 33(15) | June 1958 |
| | n to improve root position | 38(11) | Oct 1959 |
| planting machines | | | And a state of the |
| | *************************************** | 2 | Jan 1951 |
| conservation pl | | | |
| expert tree pla | | | |
| | R, R, tree planter | | |
| Lonesome Pine Lowther | tree planter | | |
| | | | |
| Nuway tree pla Reforestator | inter | | |
| Rootspred tree | planter | | |
| Tac-lite | pranter | | |
| Timber cat | | | |
| TreeP | | | |
| Webster | | | |
| | d) transplanter | | |
| commercially ava | ailable | 2 | Jan 1951 |
| costs | | | |
| Lowther | | | |
| North Caroli | na | 6(8) | June 1951 |
| | | 6(2) | June 1951 |
| special, in S | outh Dakota | 6(6) | June 1951 |
| TreeP, in New | VYork | 6(2) | June 1951 |
| furnished, in Nev | v Jersey | 14(2) | Apr 1953 |
| performance (Per | nnyrile State Forest, Kentucky) | 14(13) | Apr 1953 |
| Lowther | a second s | a second | 10000 |
| Rootspred | | | |
| Whitfield | | | |

| | Number (page) | Date |
|---|---------------|------------------|
| planting machinesContinued | | |
| Use Chapman, in South Carolina Lowther | . 6(14) | June 1951 |
| Alabama | . 6(10) | June 1951 |
| North Carolina | | June 1951 |
| South Carolina | | June 1951 |
| Tennessee | | June 1951 |
| modification in Mississippi | | June 1951 |
| special, in South Dakota | | June 1951 |
| Purdue - ICRR, modification in Alabama | | June 1951 |
| Webster, in South Carolina | | June 1951 |
| use and modifications in Alabama | . 6(9) | June 1951 |
| planting methods, stock modified to fit | . 0(7) | a survey water a |
| | . 14(4) | Apr 1953 |
| planting statistics (fiscal year) | | T |
| 1951 | | Jan 1952 |
| 1952 | | Jan 1953 |
| 1953 | | Jan 1954 |
| 1954 | | Feb 1955 |
| 1955 | | Jan 1956 |
| 1956 | | Jan 1957 |
| 1957 | | Jan 1958 |
| 1958 | | Jan 1959 |
| 1959 | . 39 | Dec 1959 |
| 1960 | . 44 | Dec 1960 |
| 1961planting stock | . 49 | Dec 1961 |
| baldcypress, no advantage to clipping distribution by States (fiscal year) | | June 1959 |
| 1950 | . 3 | Feb 1951 |
| 1951 | | Jan 1952 |
| 1952 | | Jan 1953 |
| 1953 | | Jan 1954 |
| 1954 | | Feb 1955 |
| 1955 | . 23 | Jan 1956 |
| 1956 | | Jan 1957 |
| 1957 | . 30 | Jan 1958 |
| 1958 | | Jan 1959 |
| 1959 | | Dec 1959 |
| 1960 | C | Dec 1960 |
| 1961 | | Dec 1961 |
| dropped by air | | June 1955 |
| modified to fit planting methods | | Apr 1953 |
| size and survival, seedbed density | | June 1960 |
| planting stock and seed dealers, 1959 | | Apr 1959 |
| planting tool | | |
| CCC and European bars | | Apr 1953 |
| for acorns | . 28(5) | Apr 1957 |
| short-handled hoe in Appalachians | | Apr 1953 |
| plastic, black, mulch for pine planting plow | . 45(1) | Mar 1961 |
| debris, and scalper | . 28(1) | Apr 1957 |
| precedes planting machine | | Apr 1953 |
| scalper, modification of Lowther tree planter | | June 1958 |
| points, replacement, for tree planting machine | | Feb 1960 |
| note | . 17(14) | Aug 1954 |
| further note on | | Dec 1955 |
| polyethylene, mulch for pine planting | | Mar 1961 |
| polyethylene bag storage, white and loblolly pine seed | | Oct 1961 |

| | Number (page) | Date |
|--|---------------------------------------|-----------------|
| polyethylene bags | | |
| cold storage containers for pine seed | . 45(5) | Mar 1961 |
| packing and storing ponderosa pine and Douglas-fir seedlings . | 42(29) | June 1960 |
| shipment and storage of small lots of seed | . 22(6) | Dec 1955 |
| stratification of pine seed | . 42(7) | June 1960 |
| polyethylene film | · · · · · · · · · · · · · · · · · · · | |
| machine application of methyl bromide | . 37(9) | Aug 1959 |
| seedbed mulch (Oklahoma) | . 21(26) | Sept 1955 |
| polyethylene tarp, pelleting coniferous tree seed | . 47(5) | Aug 1961 |
| ponderosa pine | | CODE CARE |
| cold treatment and seed moisture absorption | . 48(21) | Oct 1961 |
| multiple embryo in seed (note) | . 17(14) | Aug 1954 |
| packing and storing seedlings in polyethylene bags | . 42(29) | June 1960 |
| sawdust as seedbed cover | . 31(10) | Feb 1958 |
| viability test for extraction treatments | . 48(26) | Oct 1961 |
| post hole digger, portable, as tree planting machine | 36(8) | June 1959 |
| potato digger, lifting nursery stock | 24(9) | Feb 1956 |
| pots and muck, tree-raising on barren sand tracts | 48(11) | Oct 1961 |
| pots | 0.000000 | |
| paper | | |
| hand machine | . 20(11) | June 1955 |
| improved machine | . 24(3) | Feb 1956 |
| square, for transplants | . 16(10) | Mar 1954 |
| potting transplants | . 16(10) | Mar 1954 |
| pruner | e contrati | |
| lateral root | | |
| knife-type | . 46(17) | June 1961 |
| Michigan | . 24(11) | Feb 1956 |
| staggered coulters | | Oct 1959 |
| with soil injector | . 46(15) | June 1961 |
| root, oblique blade | . 31(6) | Feb 1958 |
| pruning | | |
| root, boosts longleaf survival | . 36(15) | June 1959 |
| stem, no advantage with baldcypress planting stock | . 36(14) | June 1959 |
| publications, annotated | | access of the f |
| Cone and Seed Insects of Western Forest Trees | . 35(2) | Apr 1959 |
| Direct Seeding in the South1959, a Symposium | 40(24) | Feb 1960 |
| Directory of Forest Genetic Activities in the South | . 11(1) | Sept 1952 |
| Fertilization of Young Pine and Spruce Trees | . 20(30) | June 1955 |
| Forest Nursery Practices in the Lake States | . 31(30) | Feb 1958 |
| Forestasan - a Deer Repellent | . 12(2) | Nov 1952 |
| Forestation on Strip-Mined Land in the Central States | 42(34) | June 1960 |
| Hereditary Variation as the Basis for Selecting Superior | | |
| Forest Trees | . 11(1) | Sept 1952 |
| How To Prepare Gulfcoast Sandhills for Planting Pines | + 36(3) | June 1959 |
| Insect Pests of Trees and Shrubs | + 40(24) | Feb 1960 |
| Inventory of Nursery Stock | , 25(25) | May 1956 |
| Job Calendar for TVA Forest Nurseries | . 12(2) | Nov 1952 |
| Job Calendar for TVA Forest Nurseries | . 18(33) | Dec 1954 |
| Moisture Retaining Materials for Nursery Stock Packaging | . 26(iii) | Oct 1956 |
| Nursery Diseases of Southern Pines | . 38(29) | Oct 1959 |
| Operations Manual for TVA Forest Nurseries | . 18(33) | Dec 1954 |
| Planting the Southern Pines | . 18(33) | Dec 1954 |
| Plants and GardensSpring Quarter, 1952 | . 12(2) | Nov 1952 |
| Production of Poplar Timber in Europe, and Its Significance | 25.454 | |
| and Application in the United States | . 36(3) | June 1959 |
| Seed Production Areas in the Lake States | 40(23) | Feb 1960 |
| Site Preparation for Forest Regeneration in California | 40(23) | Feb 1960 |
| Southern Forestry Notes No. 123 (5 articles) | 40(23) | Feb 1960 |
| | . 8(1) | Nov 1951 |
| Storing Southern Pine Seed | | |
| Storing Southern Pine Seed | . 0(1) | |
| Storing Southern Pine Seed Using Commercial FertilizerCommercial Fertilizers and Crop Production | | Nov 1952 |

| | Number (page) | Date |
|---|---|---------|
| publications, annotated Continued | | |
| Weeds of the Northeast: Aids to Their Identification by Basal | | |
| Leaf Characteristics | 38(29) | Oct 195 |
| Windbreaks in Conservation Farming | , 36(3) | June 19 |
| publications, available, U.S. Dept. Agr. list | 41(22) | Apr 196 |
| Puratized agricultural spray, index rating for treatment of | | |
| chokecherry shothole disease | . 37(27) | Aug 195 |
| rabbit repellents | | |
| north Mississippi | 45(19) | Mar 196 |
| on loblolly pine in Maryland | | Oct 196 |
| rack, cone-drying | | Aug 196 |
| Radson electronic moisture meter, rapid moisture determination | | |
| of tree seed | 43(7) | Oct 196 |
| range, reproducing longleaf pine outside its natural range | | Apr 195 |
| records, of seedbed treatments | 18(16) | Dec 195 |
| red pine | | |
| nursery stock fumigation in bundles | 37(17) | Aug 195 |
| seed source affects nursery behavior | 8(3) | Nov 195 |
| specific gravity as test for cone ripeness | | Aug 195 |
| redcedar | | |
| seeding practices | . 47(3) | Aug 196 |
| storage of after ripened seed | 21(28) | Sept 19 |
| Reforestator, brief description | 2(6) | Jan 195 |
| refrigeration. See cold storage. | | |
| regeneration, natural, seedbed preparation with rotary brush cutter. | 40(17) | Feb 196 |
| repellent | | |
| Arasan-Rhoplex-Methocel, loblolly pine in Maryland | 48(17) | Oct 196 |
| bird, Morkit for longleaf pine seed | 20(3) | June 19 |
| copper carbonate, boon or bane | | Feb 196 |
| copper carbonate-asphalt emulsion | 48(17) | Oct 196 |
| effect on germination of stratified pine seed | 42(5) | June 19 |
| Tat-Go, loblolly pine in Maryland | 48(17) | Oct 196 |
| tetramethyl thiuram disulfide | 48(17) | Oct 196 |
| ZAC, loblolly pine in Maryland | 48(17) | Oct 196 |
| zinc dimethyl dithiocarbamate cyclohexylamine complex | | Oct 196 |
| repellents | | |
| bird, for nursery sowing | 32(9) | Apr 195 |
| cattle | 5-(57 | |
| copper carbonate | 36(9) | June 19 |
| for planted pines | 36(9) | June 19 |
| TMTD (thiram) | 36(9) | June 19 |
| ZAC | | June 19 |
| ZIP | | June 19 |
| deer and rabbit, on loblolly pine in Maryland | | Oct 196 |
| for longleaf seed | Carde Galler Annual State | Apr 195 |
| polyethylene tarp used in pelleting coniferous tree seed | | Aug 19 |
| rabbit, north Mississippi | | Mar 19 |
| seed pelleting process | | Apr 19 |
| seed treatment for direct seeding longleaf pine | | Apr 19 |
| and a subset of an and a subset but the second s | 33(23) | June 19 |
| treatment of pine seed | Chief and a second s | Apr 19 |
| reproduction, longleaf pine outside its natural range | | Apr 195 |
| rhizoctonia damping-off, fungicidal control | | Feb 195 |
| Rhoplex-Arasan-Methocel, repellent, loblolly pine in Maryland | | Oct 196 |
| ringing, doubles longleaf cone production | | Apr 195 |
| ripeness, red pine cone, specific gravity test | | Aug 195 |
| rocks, three, for better planting survival (Spain) | | June 19 |
| | | Nov 195 |
| rodent control, necessary for germinated western white pine seed | | June 19 |
| rodent protection, seed spot cylindrical screen | | Oct 195 |
| | | |

| | Number (page) | Date |
|--|---------------|--------------|
| root pruner | | |
| lateral | | |
| knife-type | 46(17) | June 1961 |
| Michigan | 24(11) | Feb 1956 |
| staggered coulters | . 38(23) | Oct 1959 |
| with soil injector | 46(15) | June 1961 |
| oblique blade | 31(6) | Feb 1958 |
| root pruning, boosts longleaf survival | 36(15) | June 1959 |
| root-rolling, for planting Scotch pine seedlings | 20(9) | June 1955 |
| root rot, control | | 1 mile + 200 |
| ethylene dibromide (Mississippi) | 7(2) | Sept 1951 |
| methyl bromide fumigation | 26(1) | Oct 1956 |
| methyl bromide gas in seedbeds | 21(11) | Sept 1955 |
| vapam fumigation in the Southeast | 26(1) | Oct 1956 |
| root weevil, strawberry, control in New York nurseries | 21(17) | Sept 1955 |
| rooting, slash pine in open hotbeds | 35(25) | Apr 1959 |
| Rootspred tree planter | | |
| brief description | 2(7) | Jan 1951 |
| performance on Pennyrile State Forest, Kentucky | 14(13) | Apr 1953 |
| rot, root, control by ethylene dibromide | 7(2) | Sept 1951 |
| roto-tiller cultivator, for drilled seedlings | 18(13) | Dec 1954 |
| rubber bands for bundling seedlings | 18(18) | Dec 1954 |
| rust, fusiform | | Dec 1751 |
| basal branches on slash pine seedlings not a symptom | 24(16) | Feb 1956 |
| nursery control demands careful spraying | 24(13) | Feb 1956 |
| spraying before rains important for control | 43(17) | Oct 1960 |
| rust cankers, fusiform, develop after outplanting nursery-infected | | 001 1/00 |
| seedlings | 37(23) | Aug 1959 |
| | | 5 800 |
| safety and nursery operation, citation | 18(4) | Dec 1954 |
| safety rules, mechanical tree planters | 20(18) | June 1955 |
| sampling, inventory of nursery seedbeds | 46(19) | June 1961 |
| sampling techniques, for satisfactory survival estimates | 40(3) | Feb 1960 |
| sand, machine for applying to seedbeds | 18(20) | Dec 1954 |
| sand tracts, tree-raising, pots and muck | 48(11) | Oct 1961 |
| Santomerse SX, damage to pine seedlings | 45(25) | Mar 1961 |
| sawdust | 101001 | 21. 7647 |
| machine for applying to seedbeds | 18(20) | Dec 1954 |
| mulching coniferous transplant beds (New York) | 25(4) | May 1956 |
| seedbed cover | 31(10) | Feb 1958 |
| seedbed mulch vs. straw (Michigan) | ., 21(24) | Sept 1955 |
| treated with anhydrous ammonia for a soil amendment | 31(15) | Feb 1958 |
| sawdust spreader, agitator type for dump trucks (Georgia) | 25(8) | May 1956 |
| scale, automatic, time-saver for weighing small quantities | 18(22) | Dec 1954 |
| scalper and debris plow | 28(1) | Apr 1957 |
| scalper plow, modification of Lowther tree planter | | June 1958 |
| scalping, made easier by agricultural sweep | 14(11) | Apr 1953 |
| Scotch pine | 20/01 | |
| root-rolled for planting | 20(9) | June 1955 |
| wetting agent noneffective on survival | 21(15) | Sept 1955 |
| Scotland, notes on nursery practice | 38(13) | Oct 1959 |
| screen, self-cleaning, for water supply systems | 24(6) | Feb 1956 |
| screening, seedbed protection against birds | 29(12) | June 1957 |
| clean, ratio to rough cones (Tennessee) | 17(5) | Aug 1954 |
| cold treatment and moisture absorption | 48(21) | Oct 1961 |
| conifer, polyethylene tarp used in pelleting | 47(5) | Aug 1961 |
| cottonwood, viability prolonged by refrigeration | 43(5) | Oct 1960 |
| dusting with fungicide (Pennsylvania) | 21(9) | Sept 1955 |
| empty, elimination by specific gravity separation | | Apr 1959 |
| forest tree, certification standards | . 35(3) | Apr 1959 |
| germinated western white pine, seeding | 8(10) | Nov 1951 |
| moisture determination with electronic meter | | |

| 1 | Number (page) | Date |
|---|---------------|-----------|
| seedContinued | | |
| stratified loblolly pine for direct seeding (Louisiana) | 11(3) | Sept 1952 |
| treating with bird repellents | 32(9) | Apr 1958 |
| treating with fungicides (Pennsylvania) | | Aug 1954 |
| seed and planting stock dealers, 1959 | 35 | Apr 1959 |
| seed and seedlings, forest tree, commercial dealers | | Nov 1951 |
| seed certification | | |
| Georgia | 8(5) | Nov 1951 |
| New York State | 8(6) | Nov 1951 |
| U.S. Department of Agriculture | 8(7) | Nov 1951 |
| seed cleaner | 18(8) | Dec 1954 |
| seed cleaning and dewinging machine | 18(8) | Dec 1954 |
| seed collecting equipment | | |
| brief description | 5(3) | May 1951 |
| ladders, brief description | 5(3) | May 1951 |
| need better | 5(2) | May 1951 |
| seed collection, tractor-mounted aerial ladder | 43(9) | Oct 1960 |
| seed dealers, 1952 | 11 | Sept 1957 |
| seed dealers' list, 1955 | 22 | Dec 1955 |
| seed extraction, aspen and cottonwood | 28(10) | Apr 1957 |
| seed germination, effect of air drying of cones | 43(3) | Oct 1960 |
| seed handling, in New York | 32(21) | Apr 1958 |
| seed hopper, force feed | 26(7) | Oct 1956 |
| seed labeling. See seed certification. | | |
| Seed Laboratory, Eastern | 47(1) | Aug 1961 |
| seed law | | |
| Georgia | 8(5) | Nov 1951 |
| New York State | 8(6) | Nov 1951 |
| seed lot record form, New York | 32(24) | Apr 1958 |
| seed orchard, Connecticut | 8(8) | Nov 1951 |
| seed pelleting process, for bird and disease control | 32(7) | Apr 1958 |
| seed protection, treatment with bird repellents | 32(11) | Apr 1958 |
| seed shipment, polyethylene bags for small lots | 22(6) | Dec 1955 |
| affects growth of loblolly pine | 8(2) | Nov 1951 |
| affects nursery behavior of red pine | 8(3) | Nov 1951 |
| importance of careful selection | 11(5) | Sept 1952 |
| yellow-poplar height growth | 22(3) | Dec 1955 |
| seed sowing machine | 18(6) | Dec 1954 |
| seed spot screen and setter | 20(7) | June 195 |
| seed storage | | 5 and 175 |
| longleaf pine, effect on germination | 47(15) | Aug 1961 |
| polyethylene bags for small lots | 22(6) | Dec 1955 |
| white and loblolly pine, in polyethylene bags | 48(15) | Oct 1961 |
| seed stratification cages | 17(12) | Aug 1954 |
| seed treatment, for direct seeding longleaf pine | 32(18) | Apr 1958 |
| | 33(23) | June 195 |
| seedbed cover | | |
| pine needles | 29(10) | June 195 |
| sawdust | 31(10) | Feb 1958 |
| temporary cloth shading cover | 29(14) | June 195 |
| seedbed density | | |
| effect on longleaf survival and growth | 20(28) | June 195 |
| effect on seedling production of slash and loblolly pine | 25(1) | May 1956 |
| influence on production and survival of loblolly and slash pine | 42(19) | June 196 |
| seedbed lifter, Towner Nursery, North Dakota | 29(3) | June 195 |
| seedbed mulch, wood fiber pads not suitable | 41(5) | Apr 1960 |
| seedbed preparation | | |
| H-C furrow seeder | 43(15) | Oct 1960 |
| natural regeneration, by rotary brush cutter | 40(17) | Feb 1960 |
| seedbed protection, against birds, screening | 29(12) | June 195 |
| seedbed soils, micro-organisms | 21(21) | Sept 1955 |
| seedbed smoother | 38(1) | Oct 1959 |

| | Number (page) | Date |
|---|--|---|
| seedbed treatments, recording | 18(16) | Dec 1954 |
| forest litter used | 11(3) | Sept 1952 |
| loblolly, late winter prelifting fertilization | 26(11) | Oct 1956 |
| low-density, better longloof goodling | | |
| low-density, better longleaf seedlings | 18(29) | Dec 1954 |
| machine for applying sand or sawdust | 18(20) | Dec 1954 |
| sheltering with snow fence | 25(11) | May 1956 |
| treating with methyl bromide gas | 21(11) | Sept 1955 |
| seeder H. C. furrow | 49/15 | |
| H-C furrow | 43(15) | Oct 1960 |
| nursery machine with roller | 31(3) | Feb 1958 |
| airplane | | |
| regeneration of longleaf pine | 22/101 | 1050 |
| regeneration of longlear pine | 32(19) | Apr 1958 |
| regeneration of longleaf pine | 33(24) | June 1958 |
| direct | | |
| Morkit bird repellent for longleaf seed | 20(3) | June 1955 |
| reliable method of regenerating longleaf pine | 32(15) | Apr 1958 |
| reliable method of regenerating longleaf pine | 33(20) | June 1958 |
| southern pines | 25(12) | May 1956 |
| stratified loblolly pine seed (Louisiana) | 11(3) | Sept 1952 |
| tussock | 46(5) | June 1961 |
| seeding cottonwood at an Illinois nursery | 41(13) | Apr 1960 |
| seeding germinated western white pine seed | 8(10) | Nov 1951 |
| seeding machine, rolling broadcast sown seed | 31(3) | Feb 1958 |
| seeding practices, redcedar | 47(3) | Aug 1961 |
| seedling damage | ±1(5) | Aug 1901 |
| from wood treated with pentachlorophenol | 38(21) | Oct 1959 |
| stem girdling by ice | 35(28) | the second se |
| sedding baruartar | and the second | Apr 1959 |
| seedling harvester | 16(5) | Mar 1954 |
| improved by mist sprayer | 38(19) | Oct 1959 |
| seedling inventory counting frame | 38(9) | Oct 1959 |
| seedling mortality, from green manure crop (Illinois) | 12(9) | Nov 1952 |
| effect of seedbed density on slash and loblolly pine | 25(1) | May 1956 |
| influence of seedbed density, loblolly and slash pine | 42(19) | June 1960 |
| seedling storage bins | 33(35) | June 1958 |
| seedling survival | | |
| effect of treating seeds with fungicides (Pennsylvania) | 17(7) | Aug 1954 |
| save feeder roots in lifting | 18(23) | Dec 1954 |
| seedlings | | |
| aspen, nursery production | 35(22) | Apr 1959 |
| packing table | 38(3) | Oct 1959 |
| steel strapping tree baler | 38(5) | Oct 1959 |
| bundles, rubber bands | 18(18) | Dec 1954 |
| conifer, transpiration retardant planting trials | 20(19) | June 1955 |
| instructions to accompany tree shipments | 29(27) | June 1957 |
| large-rooted, planting bar extension | 36(6) | June 1959 |
| nursery-infected, develop fusiform rust cankers after out- | | |
| planting | 37(23) | Aug 1959 |
| pit storage of baled loblolly | 45(13) | Mar 1961 |
| root-rolled for planting | 20(9) | June 1955 |
| storage in bales | 45(11) | Mar 1961 |
| 2-0 longleaf and loblolly, survival and growth in the field | 33(26) | June 1958 |
| shading, cloth seedbed cover on frame | 29(14) | June 1957 |
| shelter, seedbed, snow fencing | 25(11) | May 1956 |
| shelterbelt planting statistics (fiscal year) | | |
| 1951 | 9 | Jan 1952 |
| 1952, | 13 | Jan 1953 |
| 1953 | 15 | Jan 1954 |
| 1954 | 19 | Feb 1955 |
| 1955 | 23 | Jan 1956 |
| | | |

| | Number (page) | Date |
|--|----------------|------------|
| shelterbelt planting statistics (fiscal year) Continued | | |
| 1956 | 27 | Jan 1957 |
| 1957 | 30 | Jan 1958 |
| 1958, | 34 | Jan 1959 |
| 1959 | 39 | Dec 1959 |
| 1960 | 44 | Dec 1960 |
| 1961, | 49 | Dec 1961 |
| shipments, instruction sheet to accompany nursery stock | 29(27) | June 1957 |
| shortleaf pine, ratio of cones to clean seed | 17(6) | Aug 1954 |
| shothole disease, chokecherry, cyprex for superior control | 37(27) | Aug 1959 |
| simazin, chemical weed control in windbarriers | 40(13) | Feb 1960 |
| site preparation | 22/121 | 1 1070 |
| for direct seeding longleaf pine | 32(17) | Apr 1958 |
| | 33(21) | June 1958 |
| furrowing for planting spruce and pine first-year survival | 10/121 | 0 . 10/1 |
| (Manitoba) | 48(13) | Oct 1961 |
| rotary brush cutter, natural regeneration | 40(17) | Feb 1960 |
| site treatment, not significant in wet season in Texas | 36(20) | June 1959 |
| sites, wet, planting | 46(5) | June 1961 |
| slash pine | 24(16) | Feb 1956 |
| basal branches on seedlings not a symptom of fusiform rust | 42(13) | June 1960 |
| better growth from larger graded stock | 42(3) | June 1960 |
| direct seeding | 25(18) | May 1956 |
| effect of seedbed density on seedling production | 25(1) | May 1956 |
| fusiform rust cankers develop after outplanting nursery- | 23(1) | titay 1950 |
| infected seedlings | 37(23) | Aug 1959 |
| influence of seedbed density on production and survival | 42(19) | June 1960 |
| pot planting on barren sand tracts | 48(11) | Oct 1961 |
| rapid growth on cultivated plots | | June 1961 |
| rooting in open hotbeds | 35(25) | Apr 1959 |
| seed, stratification sometimes harmful | 32(5) | Apr 1958 |
| tussock seeding (wet sites) | 46(5) | June 1961 |
| smoother, seedbed | 38(1) | Oct 1959 |
| snow fencing, as seedbed shelter | 25(11) | May 1956 |
| sodium, TCA (trichloroacetate), weeding | 4(11) | Apr 1951 |
| sodium-alkyl-aryl-sulfonate, wetting agent noneffective on Scotch | | |
| pine survival | 21(15) | Sept 1955 |
| soil amendment, sawdust treated with anhydrous ammonia | 31(15) | Feb 1958 |
| soil analysis | | |
| fertility problems | 43(19) | Oct 1960 |
| service in nursery practice | 37(1) | Aug 1959 |
| soil fertility | and the second | |
| liquid fertilizer treatments in nurseries | 42(11) | June 1960 |
| soil analysis in nursery practice | 37(1) | Aug 1959 |
| soil fumigant | | |
| D-D | 37(13) | Aug 1959 |
| Dowfume MC-2. | 37(13) | Aug 1959 |
| Dowfume W-85 | 37(13) | Aug 1959 |
| machine application of methyl bromide under polyethylene film . | 37(9) | Aug 1959 |
| methyl bromide, manual application | 37(7) | Aug 1959 |
| methyl bromide dispenser | 31(28) | Feb 1958 |
| N | 37(11) | Aug 1959 |
| Nemagon | 37(13) | Aug 1959 |
| soil furnigants | 27/12) | Aux 1050 |
| effects on growth and yield of loblolly pine seedlings | 37(13) | Aug 1959 |
| evaluations in white pine seedbeds | 41(17) | Apr 1960 |
| growing green manure crops | 24(19) | Feb 1956 |
| sawdust treated with anhydrous ammonia | 31(15) | Feb 1958 |
| subsoiling in nursery | 31(19) | Feb 1958 |
| soil moisture, conditions after chemically killing manzanita brush | 33(12) | June 1958 |
| soil organisms, control by methyl bromide (Illinois) | 12(9) | Nov 1952 |
| and a Parrianal counter of membra promine furnional statistication | | |

| | Number (page) | Date |
|---|---------------|-----------------------------------|
| soil texture, influence on seedling survival (Oregon) | . 11(2) | Sept 1952 |
| soil treatments, may increase stand of locust seedlings | . 31(21) | Feb 1958 |
| soils, seedbed, micro-organisms | . 21(21) | Sept 1955 |
| South Carolina, tree planting instructions | 10 | Apr 1952 |
| Sovasol #5, weeding | . 4(6) | |
| sowing | . 4(0) | Apr 1951 |
| broadcast | | |
| by Gandy fertilizer spreader | . 26(5) | Oct 1956 |
| vs. drill | . 26(5) | Oct 1956 |
| broadcast seeder | . 31(3) | Feb 1958 |
| direct vs. stratification for yellow-poplar seed | . 32(3) | Apr 1958 |
| force feed seed hopper | . 26(7) | Oct 1956 |
| immediate for increased germination of basswood seed | . 46(27) | June 1961 |
| spot-sowing pine seeds, handtool | . 45(3) | Mar 1961 |
| sowing machine, California | . 18(6) | Dec 1954 |
| spacing aid for machine planting | . 33(18) | June 1958 |
| Spainthree rocks for better planting survival | . 33(3) | |
| specific gravity, test of red pine cone ripeness | | June 1958 |
| specific gravity separation, to eliminate empty coniferous seed | . 17(1) | Aug 1954 |
| Spectrum dusting seed for functional empty conferrous seed | . 35(15) | Apr 1959 |
| Spergon, dusting seed for fungi control | . 21(9) | Sept 1955 |
| spoil banks, planting, Alabama | . 17(15) | Aug 1954 |
| sporotrichosis, an infectious disease of nurserymen | . 41(1) | Apr 1960 |
| spot-sowing, handtool for pine seeds | . 45(3) | Mar 1961 |
| sprayer, mist, improves seedling harvester | . 38(19) | Oct 1959 |
| spraying | | |
| insecticide for white grubs when machine planting | . 20(14) | June 1955 |
| nursery control of fusiform rust | . 24(13) | Feb 1956 |
| spreader, sawdust, agitator type for dump trucks (Georgia) | . 25(8) | May 1956 |
| spruce, furrowing improves first-year survival (Manitoba) | . 48(13) | Oct 1961 |
| spudder, folding, tree planting with wheeled tractor | 25(20) | May 1956 |
| stand improvement, planting hardwoods in north Mississippi | 14(18) | Apr 1953 |
| statistics, planting (fiscal year) | | ubr 1355 |
| 1951 | . 9 | Jan 1952 |
| 1952 | 13 | Jan 1953 |
| 1953 | 15 | |
| 1054 | . 15 | Jan 1954 |
| 1954 | . 19 | Feb 1955 |
| 1955 | . 23 | Jan 1956 |
| 1956, | . 27 | Jan 1957 |
| 1957 | . 30 | Jan 1958 |
| 1958 | . 34 | Jan 1959 |
| 1959 | . 39 | Dec 1959 |
| 1960 | . 44 | Dec 1960 |
| 1961 | . 49 | Dec 1961 |
| steel strapping tree baler | . 38(5) | Oct 1959 |
| stem girdling by ice | . 35(28) | Apr 1959 |
| sterilizer, seedbed soil, methyl bromide | 45(23) | Mar 1961 |
| stock | | |
| increased production through better bundling and packing | 29(16) | June 1957 |
| planting | 100 C 100 C | |
| distribution by States (fiscal year) | | |
| 1950 | . 3 | Feb 1951 |
| 1951 | | Jan 1952 |
| 1952, | 13 | Jan 1953 |
| 1953 | 15 | Jan 1954 |
| 1954 | 19 | Feb 1955 |
| 1955 | 17 | |
| 1054 | 23 | Jan 1956 |
| 1956, | 27 | Jan 1957 |
| 1957 | 30 | Jan 1958 |
| 1958 | . 34 | Jan 1959 |
| 1959 | 39 | Dec 1959 |
| 1960 | | |
| | . 44 | Dec 1960 |
| 1961dropped by air | 49 | Dec 1960 Dec 1961 June 1955 |

| | Number (page) | Date |
|---|---------------|------------|
| stockContinued | | |
| potato digger for lifting | . 24(9) | Feb 1956 |
| red pine, fumigation of bundles | . 37(17) | Aug 1959 |
| stock production costs, mineral spirits for weed control | | Dec 1954 |
| mineral spirits for weed control | 48(29) | Oct 1961 |
| | | Apr 1951 |
| weeding | . 4(2) | Apr 1951 |
| storage bare root cuttings of selected ornamentals in polyethylene bags. | 17(33) | Tune 1960 |
| | | June 1960 |
| bins for seedlings | . 33(35) | June 1958 |
| | AFIES | 14- 1041 |
| containers for pine seed, bag in box | 45(5) | Mar 1961 |
| cottonwood seed viability prolonged | | Oct 1960 |
| tion | | Sept 1955 |
| effect on survival of planted sugar pine seedlings | | Mar 1961 |
| effect on survival of planted loblolly seedlings | | Mar 1961 |
| nursery stock | 42(31) | June 1960 |
| effect on germination of longleaf pine seed | 47(15) | Aug 1961 |
| pit, baled loblolly seedlings | | Mar 1961 |
| polyethylene bags | | |
| ponderosa pine and Douglas-fir seedlings | 42(29) | June 1960 |
| small lots of seed | 22(6) | Dec 1955 |
| seed, white and loblolly pine, in polyethylene bags | 48(15) | Oct 1961 |
| seedlings in bales | | Mar 1961 |
| storage humidity, effect on viability of cottonwood seed | | Aug 1954 |
| storage rack, cone, portable | | Oct 1960 |
| storage temperature, effect on viability of cottonwood seed | | Aug 1954 |
| storage temperature, enect on viability of continuoud seed | 11(3) | Aug 1754 |
| The second se | 32(5) | Apr 1958 |
| harmful to some loblolly and slash pine seed | | June 1960 |
| redcedar, effect on germination | | |
| | | Sept 1955 |
| repellent-treated pine seed | 42(5) | June 1960 |
| vs. sowing directly for yellow-poplar seed | | Apr 1958 |
| stratification cages | . 17(12) | Aug 1954 |
| straw, pine, unloaded from truck by rope | 16(7) | Mar 1954 |
| straw, seedbed mulch vs. sawdust | | Sept 1955 |
| strawberry root weevil, control in New York nurseries | | Sept 1955 |
| subsoiler, improves survival in hardpan areas | 40(21) | Feb 1960 |
| subsoiling, counteract compaction in nursery | 31(19) | Feb 1958 |
| sugar pine seedlings, planted, effect of cold storage on survival | | Mar 1961 |
| sulfuric acid, weed control | 7(15) | Sept 1951 |
| surfactant | | |
| no effect on survival of Scotch pine seedlings | | Sept 1955 |
| Santomerse SX, damage to pine seedlings | 45(25) | Mar 1961 |
| survival | 2/12.42 | Toro there |
| baldcypress planting stock, no advantage to clipping | | June 1959 |
| better with oversize hole digging, Spain | | June 1958 |
| caution needed in fall applications of nitrogen to nursery stock . | | Oct 1959 |
| deep planting has little effect in a wet year | | Feb 1960 |
| eastern cottonwood, Georgia Piedmont plantation | | Apr 1957 |
| effect of seedbed density on longleaf pine | 20(28) | June 1955 |
| cold stored loblolly seedlings | 45(15) | Mar 1961 |
| cold stored sugar pine seedlings | 45(17) | Mar 1961 |
| effect of nitrogen fertilization applied in nursery seedbed | | June 1959 |
| improved in hardpan areas by subsoiler | | Feb 1960 |
| influence of seedbed density on loblolly and slash pine | | June 1960 |
| influence of soil texture, Oregon | 11(2) | Sept 1952 |
| large longleaf seedlings | 14(17) | Apr 1953 |
| longleaf pine, increased by root pruning | 36(15) | June 1959 |
| longleaf seedlings, effect of planting depth | 17(13) | Aug 1954 |
| lowered by freezing in bundles, three southern pines | | Aug 1961 |
| towered by meesing in pundles, three southern pines | 1(125) | Aug 1901 |

| | Number (page) | Date |
|---|--|---------------------|
| survivalContinued | | |
| machine-planted vs. bar-planted longleaf seedlings | 14(16) | Apr 1953 |
| planted spruce and pine, furrowing (Manitoba) | 48(13) | Oct 1961 |
| sampling techniques for satisfactory estimates | 40(3) | Feb 1960 |
| seedling | 40(5) | 160 1900 |
| effect of treating seeds with fungicides (Pennsylvania) | 17(7) | Aug 1954 |
| save feeder roots in lifting | 18(23) | Dec 1954 |
| site treatments not significant in wet season in Texas | 36(20) | June 1959 |
| three rocks increase it, Spain | 33(3) | June 1958 |
| 2-0 longleaf and loblolly seedlings in the field | 33(26) | June 1958 |
| wetting agent noneffective on Scotch pine seedlings | 21(15) | Sept 1955 |
| white pine seedlings in fumigated and unfumigated beds | 41(17) | Apr 1960 |
| sweep, agricultural, for easier scalping | 14(11) | Apr 1953 |
| sycamore, American | 14(11) | Apr 1755 |
| simplified germination test | 35(21) | Ann 1050 |
| nursery practice for growing seedlings | 33(41) | Apr 1959 |
| seedlings make excellent growth in plantations | 41(15) | Apr 1960 |
| seedings make excertent growth in plantations | 41(16) | Apr 1960 |
| Tac-lite tree planter, brief description | 2(8) | Jan 1951 |
| tape, tying seedling bundles | 29(24) | June 1951 |
| Tat-Go, repellent, loblolly pine in Maryland | 49(17) | |
| temperature | 48(17) | Oct 1961 |
| | 11/201 | |
| high soil surface, white pine seedling mortality | 41(20) | Apr 1960 |
| lethal, roots of loblolly pine seedlings in bales | 47(25) | Aug 1961 |
| storage, effect on viability of cottonwood seed | 17(9) | Aug 1954 |
| tersan, fungicidal control of rhizoctonia damping-off | 24(17) | Feb 1956 |
| tetrachoro-para-benzoquinone, dusting seed for fungi control | 21(9) | Sept 1955 |
| tetramethylthiuram disulfide | | |
| dusting seed for fungi control | 21(9) | Sept 1955 |
| fungicide pelleted to control damping-off | | and back |
| Illinois | 21(3) | Sept 1955 |
| Wisconsin | 21(7) | Sept 1955 |
| repellent | | Oct 1961 |
| repellent for longleaf seed | 28(8) | Apr 1957 |
| See also Arasan. | | |
| thiram (TMTD) | a start | |
| cattle repellent for planted pines | | June 1959 |
| fungicide pelleted to control damping-off | 21(3) | Sept 1955 |
| Timber cat tree planter, brief description | 2(9) | Jan 1951 |
| TMTD (thiram), cattle repellent for planted pines | 36(9) | June 1959 |
| See also tetramethylthiuram disulfide. | | |
| tool, weeding, simple hand | 38(17) | Oct 1959 |
| tractor lug, for tree planting holes | 14(5) | Apr 1953 |
| transpiration inhibitor | | and a second second |
| on lifted seedlings, California | 12(15) | Nov 1952 |
| planting trials in Australia | 20(23) | June 1955 |
| transpiration retardants, planting trials in California | 20(19) | June 1955 |
| transplant beds, coniferous, mulching with sawdust | 25(4) | May 1956 |
| transplanter | | COMPLEX ST |
| Holland | | |
| modifications | 16(9) | Mar 1954 |
| shoe modification to improve root position | 38(11) | Oct 1959 |
| six-row, Ohio | 16(8) | Mar 1954 |
| transplanting, in Germany | 41(9) | Apr 1960 |
| transplants, use of square pots | 16(10) | Mar 1954 |
| treated wood, pentachlorophenol, can damage pine nursery seedlings. | 38(21) | Oct 1959 |
| tree lifter | A DECEMBER OF THE OWNER OWNE | and and a |
| agitator type | 18(10) | Dec 1954 |
| Dunbar Forest Experiment Station, Michigan | 29(8) | June 1957 |
| for hardwoods, single-row, tractor-mounted | 29(6) | June 1957 |
| Towner Nursery, North Dakota | 29(3) | 2. miles # 1. mil |

| | Number (page) | Date |
|--|---------------|-----------|
| tree nurseries in the United States (fiscal year) | | |
| 1949 | . 1 | Nov 1950 |
| 1950 | | May 1951 |
| 1951 | . 9 | Jan 1952 |
| 1952 | 13 | Jan 1953 |
| 1953 | 15 | Jan 1954 |
| 1954 | . 19 | Feb 1955 |
| 1955 | 23 | Jan 1956 |
| 1956 | . 27 | Jan 1957 |
| 1957 | | Jan 1958 |
| 1958 | . 34 | Jan 1959 |
| 1959 | . 39 | Dec 1959 |
| 1960 | | Dec 1960 |
| 1961 | . 49 | Dec 1961 |
| tree planter | CANADO - | |
| Hanson-Lowther | . 46(1) | June 1961 |
| modifications | 33(15) | June 1958 |
| modified for silt and clay soils | 28(4) | Apr 1957 |
| tree planters, mechanical, safety rules | | June 1955 |
| tree planting, folding spudder for wheeled tractor | 25(20) | May 1956 |
| tree planting contract form | 36(4) | June 1959 |
| tree planting instructions. See planting instructions. | | |
| tree planting machines, commercially available | 2 | Jan 1951 |
| tree seed, certification standards | | Apr 1959 |
| Tree Seed Laboratory, Eastern | . 47(1) | Aug 1961 |
| TreeP, tree planter, brief description | 2(9) | Jan 1951 |
| Trees for Tomorrow, Inc., tree planting instructions | . 10 | Apr 1952 |
| Trizone, soil fumigant, evaluation in white pine seedbeds | | Apr 1960 |
| Tuex, fungicide pelleted to control damping-off | 21(3) | Sept 1955 |
| tussock seeding | 46(5) | June 1961 |
| 2, 4-D, weed control | 12(6) | Nov 1952 |
| piecework system of grading and tying seedlings | 47(21) | Aug 1961 |
| tape for seedling bundles | . 29(24) | June 1957 |
| U.S. Department of Agriculture seed policy | . 8(7) | Nov 1951 |
| Vallonia rotary tooth cultivator | . 16(17) | Mar 1954 |
| fumigation for control of weeds and root rot soil fumigation, effect on loblolly seedling growth and weed | . 26(1) | Oct 1956 |
| control | 42(23) | June 1960 |
| soil treatment to increase stand of locust seedlings | 31(21) | Feb 1958 |
| water sealing for nursery fumigation | 31(26) | Feb 1958 |
| weed control tests in Louisiana | | Oct 1956 |
| vapam 4-S, soil furnigant, evaluation in white pire seedbeds | | Apr 1960 |
| Varsol, weeding black locust seedbeds (Tennessee) | 4(7) | Apr 1951 |
| vegetation analysis, fertility problems | 43(19) | Oct 1960 |
| venetian blind slats, nursery bed markers | 48(23) | Oct 1961 |
| vermiculite, medium for germination testing | 11(4) | Sept 1952 |
| viability cottonwood seed | | |
| in relation to storage temperature and humidity | 17(9) | Aug 1954 |
| prolonged by refrigeration | | Oct 1960 |
| ponderosa pine, from extraction treatments | 48(26) | Oct 1961 |
| vinyl latex, transpiration retardant, planting trials | 20(19) | June 1955 |
| Virginia, tree planting instructions | 10 | Apr 1952 |
| Virginia pine, ratio of cones to clean seed | 17(6) | Aug 1954 |
| Ward weeder, handtool | 38(17) | Oct 1959 |
| water, nursery irrigation, acid injection system | | June 1961 |
| water sealing, of vapam for nursery fumigation | | Feb 1958 |

| | Number (page) | Date |
|--|--|---|
| water system, self-cleaning screen +++++++++++++++++++++++++++++++++++ | 24(6) | Feb 1956 |
| wax, emulsified, transpiration retardant planting trials | 20(19) | June 1955 |
| Webster tree planter, brief description | 2(10) | Jan 1951 |
| weed control | 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1 | 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| allyl alcohol | | |
| California | 7(12) | Sept 1951 |
| Lake States | 7(10) - | Sept 1951 |
| Lake States | 7(14) | Sept 1951 |
| Missouri | 12(7) | Nov 1952 |
| chemical, in windbarriers | 40(13) | Feb 1960 |
| diuron as herbicide in new windbreak plantings | 33(30) | June 1958 |
| effect of soil fumigation | 42(23) | June 1950 |
| Eptam and mineral spirits in southern nurseries | 48(29) | |
| ferbam | | Oct 1961 |
| naana | 12(8) | Nov 1952 |
| geese | 12(3) | Nov 1952 |
| methyl bromide | | |
| Lake States | 7(14) | Sept 1951 |
| Michigan | 7(17) | Sept 1951 |
| fumigation in the Southeast | 26(1) | Oct 1956 |
| methyl bromide gas in seedbeds | 21(11) | Sept 1955 |
| mineral spirits | | |
| Lake States | 7(15) | Sept 1951 |
| nursery costs reduced | 18(25) | Dec 1954 |
| Neburon, limited test | 41(21) | Apr 1960 |
| soil moisture conditions after chemically killing manzanita | 204224 | ashe even |
| brush | 33(12) | June 1958 |
| sulfuric acid | 7(15) | Sept 1951 |
| 2, 4-D | 12(6) | Nov 1952 |
| Vallonia rotary tooth cultivator | 16(17) | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| vapam | 10(1() | Mar 1954 |
| | 2012 | |
| fumigation in the Southeast | 26(1) | Oct 1956 |
| tests in Louisiana | 26(3) | Oct 1956 |
| weed killer, allyl alcohol | 3.72.62 | |
| Lake States | 7(10) | Sept 1951 |
| through overhead sprinkling system, California | 7(12) | Sept 1951 |
| weed killing, chemical | 4 | Apr 1951 |
| weedicides, applying by overhead irrigation lines | 16(2) | Mar 1954 |
| weeding | | |
| chemical | 4 | Apr 1951 |
| Dowfume MC-2 (methyl bromide) | | |
| Maine | 4(12) | Apr 1951 |
| New Mexico | 4(9) | Apr 1951 |
| methyl bromide, West Virginia | 4(8) | Apr 1951 |
| mineral spirits | | and along |
| New York | 4(4) | Apr 1951 |
| Pennsylvania | 4(6) | Apr 1951 |
| U.S.F.S. Southern Region | 4(3) | Apr 1951 |
| sodium TCA, Montana | | |
| soil treatments to increase stand of locust seedlings | 4(11) | Apr 1951 |
| Staddard Schent U.S. C. Carther Bardings | 31(21) | Feb 1958 |
| Stoddard Solvent, U.S.F.S. Southern Region | 4(3) | Apr 1951 |
| Varsol on black locust seedbeds, Tennessee | 4(7) | Apr 1951 |
| water sealing of vapam for nursery fumigation | 31(26) | Feb 1958 |
| weeding tool, simple hand | 38(17) | Oct 1959 |
| weevil, strawberry root, control in New York nurseries | 21(17) | Sept 1955 |
| weighing, automatic scale a time-saver for small quantities | 18(22) | Dec 1954 |
| West Virginia, tree planting instructions | 10 | Apr 1952 |
| wet sites, planting | 46(5) | June 1961 |
| wetting agent | | |
| no effect on survival of Scotch pine seedlings | 21(15) | Sept 1955 |
| Santomerse SX, damage to pine seedlings | 45(25) | Mar 1961 |
| wheel, auxilliary, for packing wheels of Lowther tree planter | 33(16) | June 1958 |
| wheel, signaling device as spacing aid for machine planting | 33(18) | June 1958 |
| white grubs, control in forest tree nurseries | | |
| Brand Constant in forest free inflateries | 7(5) | Sept 1951 |

| | Number (page) | Date |
|---|---------------|---------------|
| white pine | | |
| ratio of cones to clean seed | 17(6) | Aug 1954 |
| seed storage in polyethylene bags | 48(15) | Oct 1961 |
| seedling mortality, high soil surface temperature | 41(20) | Apr 1960 |
| soil fumigation evaluations of seedbeds | 41(17) | Apr 1960 |
| Whitfield transplanter | | |
| brief description | 2(10) | Jan 1951 |
| performance on Pennyrile State Forest, Kentucky | 14(13) | Apr 1953 |
| windbarrier planting report. See shelterbelt planting statistics. | e coloci | and the state |
| windbarriers | | |
| chemical weed control | 40(13) | Feb 1960 |
| newly established, cultivation tools | 40(11) | Feb 1960 |
| windbreak plantings | | |
| diuron for weed control | 33(30) | June 195 |
| effect of diuron (herbicide) on tree survival and growth | 33(30) | June 195 |
| windbreaks, newly established, cultivation tools | 40(11) | Feb 1960 |
| Windy transplanter, brief description | 2(10) | Jan 1951 |
| wood fiber pads, not suitable as seedbed mulch | 41(5) | Apr 1960 |
| yellow-poplar | | |
| collecting hook for fruit | 25(22) | May 195 |
| height growth affected by seed source | 22(3) | Dec 1955 |
| seed, stratify or sow directly | 32(3) | Apr 1958 |
| ZAC | | |
| cattle repellent for planted pines | 36(9) | June 195 |
| repellent, loblolly pine in Maryland | 48(17) | Oct 1961 |
| zinc dimethyl dithiocarbamate cyclohexylamine complex, repellent | | Oct 1961 |
| zinc dithiocarbamate, rabbit repellent | 45(19) | Mar 196 |
| zinc ethylenebis-dithiocarbamate. See zineb. | 13(11) | 14141 1/0 |
| zineb (Parzate), fungicide | | |
| index rating for treatment of chokecherry shothole disease | 37(27) | Aug 1959 |
| nursery control of fusiform rust | 24(13) | Feb 1956 |
| ZIP, cattle repellent for planted pines | 36(9) | June 195 |
| ziram, nursery control of fusiform rust | 24(13) | Feb 195 |