Forest Tree Seedling Production in the Southern United States: The 2005–2006 Planting Season

Ken McNabb and Scott Enebak

Director, Office of International Education, and Professor and Director, School of Forestry and Wildlife Sciences, Auburn University, Auburn AL

Abstract

This report summarizes nursery forest seedling production in the Southern United States for the 2005-2006 planting season. Seedling production is presented by nursery ownership class, seedling type (container or bareroot), and species grown. Survey data report 964,532,000 bareroot and 36,268,000 container-grown conifer seedlings for a total conifer production of 1,000,800,000. Total hardwood seedling production for the 12 States surveyed was 44,866,000, of which 38,816,000 were bareroot and 6,050,000, container grown. Total conifer and hardwood seedling production for the Southern United States in 2005–2006 was 1,045,666,000 seedlings. Seedling production and acres planted in 2004-2006 are compared with figures for the 1997–1998 planting seasons reported by the Forest Service for the region. Seedling production across the Southern United States is down 19 percent (254 million seedlings) from the 1997 planting season. It could be inferred from these figures that reforestation in the region has decreased correspondingly.

Introduction

In the past, the Forest Service has collected seedling production and planting information and made this information public through publishing in *Tree Planters' Notes*. Unfortunately, the Forest Service has not been able to publish this information for several years. In order to obtain an idea of current seedling production in the South, the Auburn University Southern Forest Management Nursery Cooperative began surveying nursery managers in the region to determine production numbers for the previous planting seasons. What follows is the information on seedling production returned for the December 2005 to March 2006 planting season.

Methods

Data were obtained through a questionnaire mailed in June 2006 to 99 nurseries in 12 Southern States: Alabama, Arkansas, Florida, Georgia, Louisiana, Mississippi, North Carolina, Oklahoma, South Carolina, Tennessee, Texas, and Virginia. The two-page questionnaire asked for production (not sales) for the 2005–2006 nursery season for the conifer and hardwood tree species produced by each organization. Only nurseries with an estimated production above 500,000 bareroot or container seedlings were surveyed. We attempted to contact all such nurseries, regardless of affiliation or ownership, including those not associated with the Nursery Cooperative. The mail survey was followed up by phone contact until all nurseries were accounted for. Responses were received from 57 nurseries. This was a decline from the 66 nurseries reporting in a similar survey in 2005, but similar to the 56 nurseries reporting in 2004.

Results

Conifer Seedling Production. Data compiled from the returned surveys indicated that 964,532,000 bareroot and 36,268,000 container-grown conifer seedlings were produced during the 2005-2006 season, for a total conifer production of 1.0008 billion (tables 1-3). Compared with the previous year, the 2005–2006 production decreased 10.9 percent in bareroot and increased 2.2 percent in container-grown seedling production, with an overall regional decrease from 1.1096 billion to 1.0008 billion conifer seedlings. Loblolly pine (Pinus taeda) was by far the most commonly grown tree species in the region, accounting for 82 percent of all conifer seedlings produced, followed by slash pine (P. elliottii), at 13 percent, and longleaf pine (*P. palustris*), at 3 percent. These three conifer species accounted for 98 percent of all conifer production in the region. Bald cypress (Taxodium distichum) was the fourth most important species in terms of production (0.38 percent), followed by white pine (Pinus strobus), sand

pine (*P. clausa*), shortleaf pine, (*P. echinata*), Fraser fir (*Abies fraseri*), and Virginia pine (*Pinus virginiana*) (table 3). Interestingly, bald cypress was the only conifer grown in all 12 States surveyed. Only 3.6 percent of all conifer production was grown in containers, 64 percent of which was longleaf pine. Seventy percent of all longleaf pine production was container-grown, an increase of 7 percent from last year (63 percent).

All surveyed States produced conifer nursery stock, ranging from 185 million in Georgia to about 0.5 million in Oklahoma. Georgia produced 37 percent of all containergrown conifer planting stock in the region. In terms of total conifer, the order was (1) Georgia, (2) South Carolina, (3) Alabama, (4) Texas, (5) Arkansas, (6) Mississippi, (7) North Carolina, (8) Florida, (9) Virginia, (10) Louisiana, (11) Tennessee, and (12) Oklahoma (table 3).

Hardwood Seedling Production. Total hardwood seedling production (tables 4-6) for the 12 States surveyed was 44,864,000. This was a decrease of 12 million trees (21 percent) from the 2004–2005 seedling production survey. This reduction is most likely due to a decrease in regionwide production, as well as a lack of survey participation by hardwood nurseries. Quercus spp. was by far the most important genus, comprising 56 percent of all hardwood production reported. This is followed by the "others" category (26 percent), green ash (Fraxinus americana) (5 percent), sweetgum (Liquidambar styraciflua) (2 percent), flowering dogwood (Cornus florida) (1.6 percent), pecan (Carya illinoensis) (1 percent), yellow-poplar (Liriodendron tulipifera) (1 percent), sycamore (Platanus occidentalis) (2 percent), black walnut (Juglans nigra) (0.7 percent), and cottonwood (Populus deltoides) (0.4 percent). Hardwoods were grown in all States surveyed, ranging from 10.6 million in Arkansas to 1.1 million in Alabama. The top five hardwood-producing States in the region, in descending order, were Arkansas, Virginia, South Carolina, Louisiana, and Georgia.

Production by Ownership Category. The majority of regional seedling production occurred in industrial nurseries (68 percent), with State nurseries providing 18 percent of seedling supplies and private nurseries growing 14 percent (tables 7–10). A "private" nursery is privately owned but not part of an organization or company that operates a wood-processing facility—i.e., "nonindustrial." There was little change from the 2004–2005 survey in terms of the proportion of total seedling production by owner category.

Private nurseries produced 50 percent of container-grown conifer planting stock in the region, followed by industrial (30 percent), and state-owned (20 percent). Industry increased its proportion of conifer container production from 20 percent to 30 percent from the 2004–2005 season to the 2005–2006 season, while private nurseries decreased their proportion from 62 percent to 50 percent.

State Ranking and Changes from 2004–2005 Survey. A

State-by-State ranking is provided in table 11. The decline in seedling production is distributed across the growing region. Only Virginia and Arkansas increased seedling production in the region. Caution should be used when interpreting these data, as a large percentage change in an individual State does not necessarily indicate a large change in regional production. The most significant reduction occurred in Georgia, where the nurseries produced 83 million fewer seedlings than in the previous year.

Nursery Cooperative Member Seedling Production.

Members of the Nursery Cooperative continue to lead the region in bareroot seedling production, with 86 percent of all bareroot production in the Southern United States associated with the Nursery Cooperative (table 12). This amount is about 8 percent higher than reported for the 2004–2005 production season (McNabb 2005). Nursery Cooperative members accounted for 30 percent of container production, up slightly from the 27 percent reported last year. Members of the Nursery Cooperative produce 83 percent of all seedlings in the region.

	TABLE IS PARTICIPATION SCAME BUCAGEMENT (1000) BY SALE IN 2000 2000 PROVIDE SCAPAL RELATION SCAPALINE SCAPALINE	5	inno progen		the land		1000- 000-	2												
01010	Bald cypress	ress	Fraser fir	ir	Loblolly pine	oine	Longleaf pine	pine	Sand pine	е	Shortleaf pine	pine	Slash pine	ne	Virginia pine	oine	White pine	эс	Total	
Slale	Seedlings	‰a	Seedlings	%a	Seedlinas	‰a	Seedlings	%a	Seedlings	‰a	Seedlings	%a	Seedlings	%a	Seedlings	%a	Seedlings	%a	Seedlings	۹%
AL	83	0	7		133,307	93	778	-	300	0	0		9,405	7	27	0	ל		143,900	15
AR	066	-			100,593	98					582	-							102,165	Ħ
Ŀ	840	2			5,400	11	5,675	11	790	2			38,070	75	65	0			50,840	ъ
GA	102	0			112,934	66	1,350	-	957	-	172	0	55,625	32	215	0			171,355	18
LA	255	-			20,645	70	300	-					8,313	28	50	0			29,563	3
MS	311	0			94,701	66							665	-					95,677	10
NC	103	0	1,500	3	55,400	94	176	0			580	-			80	0	1,000	2	58,839	6
Х	80	19			ъ						200	47			140	33			425	0
SC	63	0			151,731	96	1,688	-			15	0	4,022	3	89	0	171	0	157,779	16
TN	127	2			4,439	82					160	3			62		655	12	5,443	-
Ϋ́	190	0			106,029	92					80	0	8,344	7	263	0			114,906	12
A	52	0			30,857	92					366	-			423		1,942	9	33,640	с
Region	3,196	0	1,500	0	816,041	85	9,967	-	2,047	0	2,155	0	124,444	13	1,414	0	3,768	0	964,532	
^a Percei	^a Percent of State production.	uction.	-]	-								-]

^b Percent of regional production.

	Fraser fir	r fir	Loblolly pine	ine	Longleaf pine	ine	Sand pine	Je	Shortleaf pine	oine	Slash pine	Je	Virginia pine	vine	Total	
‰а	Seedlings	%а	Seedlings	%a	Seedlings	%a	Seedlings	%a	Seedlings	%а	Seedlings	%a	Seedlings	%a	Seedlings	ч%
0			3,101	43	3,856	53			170	2	40	-	110	2	7,279	20
			75	100											75	0
					3,349	98	13	0			60	2			3,422	6
-			2,750	20	8,226	61	1,050	8			1,340	10			13,466	37
					400	100									400	-
					494	100									494	-
	220	с	3,466	42	4,640	56									8,326	23
			24	89									3	7	27	0
31			-	0	1,140	69									1,660	2
															0	0
				0	1,012	66									1,019	ς
					100	100									100	0
2	220	-	9,418	26	23,217	64	1,063	3	170	0	1,440	4	113	0	36,268	

Table 1. Bareroot conifer seedling production (x1000) by State for the 2005–2006 planting season across the South.

Table 5	. Containe	-grown ł	nardwood see	edling pi	roduction (×1	(d (000	/ State for th	e 2005-	-2006 plantir	ng seas	on acro	oss the Sour	th. Ther	Table 5. Container-grown hardwood seedling production (×1000) by State for the 2005–2006 planting season across the South. There was no container-grown walnut production during this period.	ainer-ç	rown walnut	produc	ction during th	is perio	d.	
Ctoto		Cottonwood	Dogwood	poo	Green ash	ı ash	0	Oak	Pe	Pecan		Sweetgum		Sycamore		Yellow-poplar	plar	Others	(Total	
oldie	Seedlings	s %a	Seedlings	%a	Seedlings	s %a	Seedlings	IS %a	^a Seedlings	ds %ª		Seedlings	%a	Seedlings	%а	Seedlings	‰a	Seedlings	% ^a	Seedlings	%ە
AL) –	2	2	6	° ∞	36		,		, ,		>		, –	5	10	45	22	-
AR																					
Ŀ																		1,036	100	1,036	17
GA			10	1			350	52		5 1		100	15	10	1			200	30	675	11
ΓA																					
MS																					
NC					2	17												10	83	12	-
ОК																					
SC																		30	100	30	-
TN																					
TX	1	0					50	20	2	- 1	1	1	0	1	0			200	78	255	4
VA			1,310		440		1,220					640		410						4,020	66
Region	-	0	1,321	21	444	7	1,628	27		-	0	741	12	421	7	~	0	1,486	25	6,050	
^a Percen	Percent of State production	oduction.																			

^b Percent of regional production.

ble 6	. Hardwood	seedlin	ig production	n (×10.	00) by State	for th	Table 6. Hardwood seedling production (x1000) by State for the 2005-2006 planti	plantir	ing season across the South.	cross t	he South.											
1010	Cottonwood	/ood	Dogwood	po	Green ash	ash	Oak		Pecan	_	Sweetgum	Ę	Sycamore	re	Walnut	- I	Yellow-poplar	plar	Others		Total	
State	Seedlings	%a	Seedlings	‰а	Seedlings	%a	Seedlings	%a	Seedlings	%а	Seedlings	%a	Seedlings	%а	Seedlings	‰а	Seedlings	е%	Seedlings	‰а	Seedlings	%b
AL			6	-	7	-	883	74			13	-					17	-	253	21	1,186	2
AR	58	-	2	0	541	5	8,001	75	147	-	125	-			50	0	37	0	1,675	16	10,636	24
Ŀ			50	~	50	m	400	21			100	2	50	с					1,287	99	1,937	4
GA			87	2	47	-	2,780	69	5	0	200	2	20	0			28	-	838	21	4,005	6
Γ	66	2			367	6	3,229	78	185	4	4	0	72	2	16	0			193	5	4,165	6
MS					195	6	2,013	89											65	3	2,273	പ
NC			70	4	34	2	976	62					21	-	40	3	48	3	386	25	1,575	°.
Хo			30	2	67	2	190	15	75	9			25	2	75	9			780	63	1,242	3
SC			85	2	103	2	1,780	32	19	0	107	2	148	3	2	0	128	2	3,138	57	5,510	12
TN			15	-	143	6	861	56	47	3	26	2	10	-	61	4	116	8	258	17	1,537	3
X	-	0	27	-	160	7	1,351	61	61	4	57	3	-	0	35	2	20	-	473	21	2,216	2
Ν			1,594	19	706	8	2,629	31			705	8	522	5	26		132	1	2,270	26	8,584	19
Region	158	. 	1,969	4	2,424	2	25,093	56	569	-	1,337	2	869	2	305	. 	526	-	11,616	26	44,866	
^a Percen	^a Percent of State production.	duction.																				

^b Percent of regional production.

Tree Planter's Notes, Vol. 53, No. 1 (2008)

Table 7. Species production (×1000) and percent of species production by each ownership class for the 2005–2006 planting season across the South by ownership category.

Туре	Species	Sta	te	Priv	ate ^a	Indus	try⁵	Total
турс	Species	Seedlings	%	Seedlings	%	Seedlings	%	Seedlings
Conifer								
Bareroot	Bald cypress	2,065	65	626	20	505	16	3,196
	Fraser fir	1,500	100					1,500
	Loblolly pine	116,877	14	67,954	8	631,210	77	816,041
	Longleaf pine	6,826	68	2,243	23	898	9	9,967
	Sand pine	290	14	500	24	1,257	61	2,047
	Shortleaf pine	2,051	95			104	5	2,155
	Slash pine	25,035	20	48,169	39	51,240	41	124,444
	Virginia pine	1,099	78	107	8	208	15	1,414
	White pine	3,768	100					3,768
	TOTAL	159,511	17	119,599	12	685,422	71	964,532
Container	Bald cypress	3	0	105	17	519	83	627
	Fraser fir	220	100					220
	Loblolly pine	491	5	3,852	41	5,075	54	9,418
	Longleaf pine	6,473	28	11,406	49	5,338	23	23,217
	Sand pine	13	1	1,050	99			1,063
	Shortleaf pine			170	100			170
	Slash pine	60	4	1,290	90	90	6	1,440
	Virginia pine	3	3	110	97			113
	White pine							
	TOTAL	7,263	20	17,983	50	11,022	30	36,268
Hardwood	i							
Bareroot	Cottonwood	99	63			58	37	157
	Dogwood	495	76	97	15	56	9	648
	Green ash	1,443	73	188	9	349	18	1,980
	Oak	13,500	58	2,202	9	7,763	33	23,465
	Pecan	391	70	74	13	97	17	562
	Sweetgum	130	22	115	19	351	59	596
	Sycamore	239	53	60	13	149	33	448
	Walnut	295	97	10	3			305
	Yellow-poplar	328	62	31	6	166	32	525
	Others	5,787	58	751	7	3,592	35	10,130
	TOTAL	22,707	59	3,528	9	12,581	32	38,816
Container	Cottonwood			1	100			1
	Dogwood			1,321	100			1,321
	Green ash			442	100			442
	Oak	1	1	1,627	99			1,628
	Pecan			2	100			2
	Sweetgum	1		745	100			745
	Sycamore			422	100			422
	Yellow-poplar			1	100			1
	Others	1,076	72	410	27			1,486
	TOTAL	1,077	18	4,977	82			6,050

^a Nurseries owned by companies or individuals that do not own wood-processing facilities.

^b Nurseries owned by companies that have wood-processing facilities.

Table 3	. Conifer see	sdling pr	oduction (×10	00) by	State for the	2005-2	006 planting s	eason	Table 3. Conifer seedling production (×1000) by State for the 2005–2006 planting season across the South.	uth.										
1010	Bald cypress	ress	Fraser fir	fir	Loblolly pine	pine	Longleaf pine	oine	Sand pine	e e	Shortleaf pine	pine	Slash pine	ne	Virginia pine	oine	White pine	ine	Total	
Slale	Seedlings	%а	Seedlings	‰а	Seedlings	‰a	Seedlings	‰a	Seedlings	‰a	Seedlings	‰a	Seedlings	‰а	Seedlings	‰a	Seedlings	‰а	Seedlings	d‰
AL	85	0			136,408	06	4,634	3	300	0	170	0	9,445	9	137	0			151,179	15
AR	066	-			100,668	98					582	-							102,240	10
	840	2			5,400	10	9,024	17	803	-			38,130	70	65	0			54,262	5
GA	202	0			115,684	63	9,576	5	2,007	-	172	0	56,965	31	215	0			184,821	18
ΓA	255	-			20,645	69	700	2					8,313	28	50	0			29,963	3
MS	311	0			94,701	98	494	-					665						96,171	10
NC	103	0	1,720	3	58,866	88	4,816	7			580	1			80	0	1,000	l	67,165	7
ОК	80	18			29	9	0	0			200	44			143	32			452	0
SC	582	0			151,732	95	2,828	2			15	0	4,022	3	89	0	1/1	0	159,439	16
TN	127	2			4,439	82	0	0			160	3			62	1	929	12	5,443	-
ΤX	196	0			106,030	16	1,012	1			80	0	8,344	7	263	0			115,925	12
VA	52	0			30,857	91	100	0			366	1			423	1	1,942	9	33,740	3
Region	3,823	0	1,720	0	825,459	82	33,184	3	3,110	0	2,325	0	125,884	13	1,527	0	3,768	0	1,000,800	
^a Percer	^a Percent of State production.	uction.																		

^b Percent of regional production.

	Cottonwood	vood	Dogwood	poc	Green ash	ash	Oak		Pecan	Ц	Sweetgum	E	Sycamore		Walnut	÷	Yellow-poplar	plar	Others	(0)	Total	_
State	Seedlings	%a	Seedlings	е%	Seedlings	е%	Seedlings	%а	Seedlings	%а	Seedlings	%а	Seedlings ^c	%a %	Seedlings	%a	Seedlings	%а	Seedlings	%a	Seedlings	۹%
AL			ω	-	6	-	875	75			13	-	>				16	-	243	21	1,164	3
AR	58	-	2	0	541	5	8,001	75	147	-	125	-			50	0	37	0	1,675	16	10,636	27
Ę			50	9	50	9	400	44			100	=	50 (9					251	28	901	7
GA			17	2	47	-	2,430	73			100	3	10 (0			28	-	638	19	3,330	6
ΓA	66	2			367	6	3,229	78	185	4	4	0	72 2	5	16	0			193	5	4,165	⊨
MS					195	6	2,013	89											65	3	2,273	9
NC			70	4	32	2	976	62					21	-	40	3	48	с	376	24	1,563	4
Я			30	2	67	2	190	15	75	9			25	2	75	6			780	63	1,242	с
sc			85	2	103	2	1,780	32	19	0	107	2	148		2	0	128	2	3,108	57	5,480	14
TN			15	-	143	6	861	56	47	с	26	2	10	-	61	4	116	∞	258	17	1,537	4
ΤX			27		160	8	1,301	99	89	2	56	с			35	2	20	-	273	14	1,961	2
Å			284	9	266	9	1,409	31			65	-	112	2	26	-	132	33	2,270	50	4,564	12
Region	157	0	648	2	1,980	5	23,465	90	562	-	596	2	448	1	305	1	525	-	10,130	26	38,816	

Tree Planter's Notes, Vol. 53, No. 1 (2008)

				+00	-	, ,				s	,				Totol secol.				
Ctato			Barerool	100					CONTAINE	ler					Iotal production				
Oldie	State	%	Private ^a	%	Industry ^b	%	State	%	Private ^a	%	Industry ^b	%	State	%	Private ^a	%	Industry ^b	%	Total
AL			35,574	24	108,326	72			4,179	3	3,100	2			39,753	26	111,426	74	151,179
AR	7,250	~			94,915	93					75	0	7,250	7			94,990	93	102,240
FL	11,200	21	39,640	73			3,422	9					14,622	27	39,640	73			54,262
GA	19,625	=	39,165	21	112,565	61			12,650	7	816	0	19,625	7	51,815	28	113,381	61	184,821
LA	29,563	66							400				29,563	66	400	-			29,963
MS	16,650	17			79,027	82	494	-					17,144	18			79,027	82	96,171
NC	13,839	21			45,000	67	2,326	3			9,000	6	16,165	24			51,000	76	67,165
Хо	425	94					27	9					452	100					452
SC	5,661	4			152,118	95	391	0	750	0	519	0	6,052	4	750	0	152,637	96	159,439
TN	5,423	100	20	0									5,423	100	20	0			5,443
TX	16,235	14	5,200	4	93,471	81	503	0	4	0	512	0	16,738	14	5,204	4	93,983	81	115,925
VA	33,640	100					100	0					33,740	100					33,740
Region	159,511	16	119,599	12	685,422	68	7,263		17,983	2	11,022	-	166,774	17	137,582	14	696,444	70	1,000,800
^a Nurseries owned by companies or individuals that do not own wood	d by companie	es or indiv	viduals that do	not own	Nurseries owned by companies or individuals that do not own wood-processing facilities.	ig facilitie	S.												

^b Nurseries owned by companies that have wood-processing facilities.

Table 9. Hardwood seedling production (x1000) for the 2005–2006 planting season across the South by ownership category. Percents are calculated for each stock type within a State. No container seedlings were produced in industrial nurseries

a % State 2 5,850 1 5,850 17 716 17 716 17 716 17 716 17 716 17 1,037 17 1,657 1 1,841 1 1,575 1 1,242 1 1,285 12 1,067	% Private ^a % 5 883 74 55 883 74 55 900 46 54 900 46 10 18 25 81 985 25 100 81 985 81 985 25 100 985 26 100 100 10 100 100 10	Industryb % Total 303 26 1,186 4,786 45 10,636 4,786 45 10,636 2,304 58 4,005 2,304 58 4,055 432 19 2,273 432 19 2,273
	55 883 74 55 883 74 54 900 46 18 985 25 100 985 25 81 985 25 100 100 100 100 100 100	26 45 58 58 19
	55 900 46 54 900 46 18 985 25 100 100 10 81 100 10 100 100 100 100 100 100	45 58 19
	54 900 46 18 985 25 100 100 100 81 100 100 100 100 100	
	18 985 25 100 100 100 100 100 100 100 100 100 100 100 100	
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		
12 12 1 1,575 1 1,575 1 1,575 1 1,242 1 1,242 1 4,225 77 30 1 1,245 31 4,225 77 30 1 1,285 31 1 0 255 12 445 44 530 24 1 0 255 12 445		
1 4 530 1 1,242 1 31 4,225 77 30 1 1,285 31 31 30 1 1,285 44 530 24 1 0 255 12 445		
4,225 77 30 1 7 30 1 1,285 1,285 1,285 1,285 1,285 1,285 1,285 1,285 1,285 1,285 1,067 <		
31 31 1,067 44 530 24 1 0 255 12 445	23	4,225 77
44 530 24 1 0 255 12 445 6 7 7 7 7 7 7		
		530 24
	4,564 53 4,021 47	
3,527 7 12,580 28 1,080 2 4,972 11 23,787 53	53 8,549 19	12,580 28 44,866

Table 8. Conifer seedling production (x1000) for the 2005–2006 planting season across the South by ownership category. Percents are calculated for each stock type within a State.

Volume 53, No. 1

Tree Planter's Notes, Vol. 53, No. 1 (2008)

Table 10. Seedling production (×1000) for the 2005–2006 planting season across the South by ownership category.

Ctata				Total seedl	ing production			
State	State	% ^a	Private ^b	%a	Industry ^c	%ª	Total	% ^d
AL			40,636	27	111,729	73	152,365	15
AR	13,100	12			99,776	88	112,876	11
FL	15,659	28	40,540	72			56,199	5
GA	20,341	11	52,800	28	115,685	61	188,826	18
LA	33,728	99	400	1			34,128	3
MS	18,985	19			79,459	81	98,444	9
NC	17,740	26			51,000	74	68,740	7
ОК	1,694	100					1,694	0
SC	7,337	4	750	0	156,862	95	164,949	16
TN	6,490	93	490	7			6,980	1
ТΧ	17,183	15	6,445	5	94,513	80	118,141	11
VA	38,304	90	4,021	10			42,325	4

^a Percent of State production.

^b Nurseries owned by companies or individuals that do not own wood-processing facilities.

 $^{\rm c}$ Nurseries owned by companies that have wood-processing facilities.

^d Percent of regional production.

State	2004–2005 production (millions)	Rank	Change	2005–2006 production (millions)	Rank
AL	175	2	- 13	152	3
AR	103	6	+ 10	113	5
FL	58	8	- 3	56	8
GA	272	1	- 30	189	1
LA	38	9	- 10	34	10
MS	112	5	- 13	98	6
NC	70	7	– 1	69	7
OK	3	12	- 33	2	12
SC	168	3	- 2	165	2
TN	13	11	- 46	7	11
TX	120	4	- 2	118	4
VA	34	10	+ 19	42	9

Table 12. Auburn University Southern Forest Nursery Management Cooperative representation in regional seedling production (×1000).

	Tatal una duration	Proportion			
Type and source of production	Total production	of source	of total		
Bareroot		· · ·			
Nursery Cooperative members	860,170	85.7	82.2		
Nonmembers	143,175	14.3	13.8		
Total Bareroot	1,003,346		95.9		
Container					
Nursery Cooperative members	12,801	30.2	1.2		
Nonmembers	29,519	69.8	2.4		
Total Container	42,320		4.1		
All					
Nursery Cooperative members	872,972		83.4		
Nonmembers	172,695		16.6		
Total	1,045,664				

Discussion

Seedling production across the South for the 2005–2006 planting season was 1.045 billion seedlings, a decrease of 121 million (10.4 percent) from the 2004–2005 planting season (McNabb 2005). The vast majority (90 percent) of reduction in seedling production from 2004 were bareroot loblolly and slash pine. Hardwoods were 3.7 percent of regional seedling production, a decrease of 1.2 percent from the 2004 planting season. A total of 3.7 percent of all seedlings were container-grown, with longleaf pine being a majority of this production.

One of the shortcomings of this particular survey tool is that the numbers reported do not necessarily translate into acres planted within each state surveyed or by landownership category. Data are collected as production, so information on actual seedling sales or seedlings planted by State or landownership category is not available. What these numbers do provide is a pretty good estimate of seedlings (species, planting stock, etc.) that probably were planted by nonindustrial landowners, forest industry, Real Estate Investment Trusts, or Timber Investment Management Organizations during the 2005–2006 planting season. A simple estimate of the acres planted across the region could be made by dividing the number of seedlings produced by 600 seedlings per acre for a total of 1,742,778 acres planted. While this figure is close to the acres reported in the *Tree Planters' Notes* annual report (table 13), it is about 15 percent less than what was reported for the 1997 season. With about 254 million fewer seedlings produced in 2005 than 1997, one could infer a corresponding decrease in acres planted across the region over the past 10 yr (figure 1). At 600 seedlings ac⁻¹, it could be inferred that approximately 424,000 fewer acres were replanted across the region in 2006 than were planted in 1997.

Address correspondence to: Dr. Scott A. Enebak, Professor and Director, School of Forestry and Wildlife Sciences, 602 Duncan Drive, Auburn University, AL 36849; e-mail: enebasa@auburn.edu; phone: 334-844-1028; fax: 334-844-4873.

Table 13. Seedling production (×1000) and acres planted as reported to the Forest Service (1996–1998) and Nursery Cooperative Seedling Production Survey (2004–2006) for the Southern United States.

	Season									
State	1996–1997ª			1997–1998ª			2004-2005	2005–2006		
	Production (x1000)	Acres planted	Seedlings ac ⁻¹	Production (x1000)	Acres planted	Seedlings ac ^{.1}	Production (x1000)	Production (x1000)		
AL	236,625	437,512	541	127,500	309,770	412	174,726	152,365		
AR	120,000	109,599	1,095⁵	125,000	113,738	1,100 ^b	102,991	112,876		
FL	160,000	192,840	830 ^b	154,821	188,897	820 ^b	58,471	56,199		
GA	251,362	396,726	634 ^b	357,854	416,280	860 ^b	271,519	188,826		
LA	67,078	144,083	466	66,282	155,508	426	39,730	34,128		
MS	6,220	281,829	22	101,498	371,432	273	111,981	98,144		
NC	104,000	113,978	912 ^b	85,252	105,827	806 ^b	70,166	68,740		
OK	41,524	13,870	2,994 ^b	7,686	21,142	364	2,513	1,694		
SC	99,438	165,761	600	97,962	99,202	988 ^b	168,120	164,949		
TN	8,079	7,205	1,121 ^b	13,000	11,420	1,138 ^b	13,091	6,980		
ТΧ	125,900	107,813	1,168 ^b	106,000	162,617	652 ^b	119,772	118,141		
VA	48,420	90,961	_ 532	57,137	101,374	_ 564	33,588	42,325		
Total	1,268,646	2,062,177	x =615 ^c	1,299,992	2,057,207	x =632°	1,166,668	1,045,664		

^a Data from Moulton (1999) and Moulton and Hernandez (1999).

^b States with a large number of seedlings ac⁻¹ would appear to be net seedling exporters, based on the average seedling density of 500 seedlings planted ac⁻¹. States with a small number of seedlings ac⁻¹ would appear to be net seedling importers for reforestation needs.

^c Average number of seedlings planted ac⁻¹ across the region = annual production/ac planted.

^d Acres planted across the region = annual production/600 seedlings ac⁻¹. We believe that 600 seedlings ac⁻¹ is high, but we used this figure to be consistent with Forest Service data for 1997 and 1998.



Figure 1. Total hardwood and conifer seedling production and acres planted for the U.S. southern region 1997–2006. Data for 1997 and 1998 are from Moulton (1999) and Moulton and Hernandez (1999). Data for 2002–2006 are from Auburn University Southern Forest Nursery Management Cooperative's regional survey (McNabb and VanderSchaaf 2003; McNabb and Santos 2004; McNabb 2005, 2006). Seedling production information was not collected for 1999–2001. Acres planted for 2002–2006 = (annual production/600 seedlings ac-1). We believe that 600 seedlings ac-1 is high, but this figure is consistent with Forest Service data for 1997 and 1998.

REFERENCES

McNabb, K.; VanderSchaaf, C. 2003. A survey of forest tree seedling production in the south for the 2002-2003 planting season. Technical Note 2003-02. Auburn AL: Auburn University Southern Forest Nursery Management Cooperative. 10 p.

McNabb, K; Zeraib dos Santos, H. 2004. A survey of forest tree seedling production in the south for the 2003-2004 planting season. Technical Note 2004-02. Auburn AL: Auburn University Southern Forest Nursery Management Cooperative. 10 p.

McNabb, K. 2005. Forest tree seedling production in the south for the 2004–2005 planting season. Technical Note 2005-02. Auburn, AL: Auburn University Southern Forest Nursery Management Cooperative. 10 p.

McNabb, K. 2006. Forest tree seedling production in the south for the 2005-2006 planting season. Technical Note 2006-02. Auburn AL. Auburn University Southern Forest Nursery Management Cooperative. 9 p.

Moulton, R.J. 1999. Tree planting in the United States–1997. Tree Planters' Notes. 49(1): 1–15.

Moulton, R.J.; Hernandez, G. 1999. Tree planting in the United States–1998. Tree Planters' Notes. 49(2): 23–33.