

SPECIES INDEX

Names of native and naturalized trees of the United States after E. L. Little (Check list of native and naturalized trees of the United States - including Alaska, USDA, Forest Service, Agri. Handbook N o. 41,1953). All other species names after A. Rehder Manual of cultivated trees and shrubs hardy in North America, MacMillan Co., N.Y., 1954).

Abies Mill. - Fir 14-20, 19-18, 19-27

A. amabilis (Dougl.)Forb. - White fir 5-21

A. balsamea (L.)Mill. - Balsam fir 2-32, 3-65, 3-76, 5-11, 7-54, 10-56, 14-20, 19-18, 19-27, 20-79, 20-107

A. balsamea X *A. alba* Mill. - Silver fir 14-21

A. balsamea X *A. cephalonica* Loud. - Greek fir 14-21

A. balsamea X *A. cilicica* (Ant. & Kotschy)Carr. - Cilician fir 14-21

A. balsamea X *A. concolor* (Gord. & Glend.)Lindl. - White fir 14-21

A. balsamea X *A. Ernesti* Rehd. - Ernest fir 14-21

A. balsamea X *A. Fraseri* (Pursh)Poir. - Fraser fir 14-21

A. balsamea X *A. homolepis* Sieb. & Zucc. - Nikko fir 14-21

A. balsamea X *A. homolepsi* var. *umbellata* (Mayr)Wils. 14-21

A. balsamea X *A. koreana* Wils. - Korean fir 14-21

A. balsamea X *A. lasiocarpa* (Hook.)Nutt. - Rocky Mtn. fir 14-21

A. balsamea X *A. Mariesii* Mast. - Maries fir 14-21

A. balsamea X *A. nephrolepis* Maxim. - Siberian fir 14-21

A. balsamea X *A. nobilis* Lindl. - Noble fir 14-21

A. balsamea X *A. Nordmanniana* (Steven)Spach. - Nordmann fir 14-21

A. balsamea X *A. sachalinensis* Mast. - Saghalin fir 14-21

A. balsamea X *A. sibirica* Ledeb. - Siberian fir 14-21

A. balsamea X *A. Veitchii* Lindl. - Veitch fir 14-21

- A. Borisii-regis* Mattf. - King Boris fir 10-69, 17-34
A. cephalonica Loud. - Greek fir 7-54, 17-34
A. concolor (cord. & Glend.)Lindl. - White fir 1-29, 1-43, 7-54
A. Ernesti Rehd. - Ernest fir 10-69, 17-34
A. firma Sieb. & Zucc. - Momi fir 10-69
A. Fraseri (Pursh)Poir. - Fraser fir 3-75, 10-69
A. grandis (Dougl.)Lindl. - Grand fir 10-69
A. homolepis Sieb. & Zucc. - Nikko fir 7-54, 10-69
A. lasiocarpa (Hook.)Nutt. - Subalpine fir 7-54, 10-69, 13-48
A. magnifica A. Murr. - California red fir 10-69
A. Mariesii Mast. - Manes fir 10-69
A. Nordmanniana (Steven)Spach. - Nordmann fir 7-54, 10-69
A. procera Rehd. - Noble fir 10-69
A. recurvata Mast. - 7-54
A. sachalinensis Mast. - Saghalin fir 7-54, 10-69
A. Veitchii Lindl. - Veitch fir 7-54, 10-69
- Acer* L. - Maple 9-8, 11-8, 11-12, 15-72, 15-75, 16-25, 16-27, 17-41, 17-65, 19-12, 20-39, 20-131
- A. campestre* L. - Hedge maple 7-54, 9-9, 14-86
A. cappadocicum Gleditsch. 7-54, 14-85
A. cissifolium (Sieb. & Zucc.)K. Koch. 7-54
A. floridanum (Chapm.)Pax. - Florida maple 20-39
A. grandidentatum Nutt. - Bigtooth maple 7-54, 20-39
A. griseum (Franch)Pax. - Paperbark maple 7-54
A. Henryi Pax. 14-85
A. leucoderme Small. - Chalk maple 7-54, 20-39
A. macrophyllum Pursh. - Bigleaf maple 7-54
A. Miyabei Maxim. 7-54
A. Mono Maxim. 7-54

- A. monspessulanum L. 7-54
- A. Negundo L. - Box-elder 14-85
- A. Negundo X A. Henryi 1-80
- A. nigrum Michx.f. - Black maple 7-54, 1-84, 20-39
- A. nigrum X A. saccharum Marsh. 17-65
- A. nikoense Maxim. - Nikko maple 7-54
- A. palmatum Thunb. - Japanese maple
- A. platanoides L. - Norway maple 2-27, 5-74, 9-9, 14-85
- A. p. columnare Carr. 7-54
- A. platanoides X A. cappadocicum 1-80
- A. pseudoplatanus L. - Sycamore maple 5-74, 9-9, 14-86, 15-5
- A. rubrum L. - Red maple 1-43, 1-68, 1-89, 2-25, 6-7, 6-33, 6-35
, 7-54, 9-9, 14-85, 20-108
- A. rubrum X A. saccharinum - Silver maple 20-102
- A. rubrum X A. saccharum 2-25
- A. saccharinum L. - Silver maple 1-22, 6-7, 6-33, 14-77, 14-85,
15-75, 17-65
- A. saccharinum X A. rubrum 17-66, 17-72, 20-102, 20-108
- A. saccharum Marsh. - Sugar maple 1-21, 1-44, 1-48, 1-51, 1-52,
1-57, 1-60, 1-81, 2-5, 5-5, 5-12, 6-7, 7-53, 8-3, 9-8, 10-56,
11-8, 11-12, 14-77, 14-80, 14-82, 14-84, 15-72, 16-25, 16-27,
17-41, 19-12, 20-39, 20-108
- A. s. monumentale (Temple)Rehd. - Sentinel maple 1-45, 7-54
- A. s. Schneckii Rehd. var. 20-39
- A. saccharin X A. nigrum 20-41
- A. spicatum Lam. - Mountain maple 7-54
-
- Alunus B. Ehrh. - Alder 1-64, 5-75
- A. glutinosa (L.)Gaertn. - European alder 14-76

Betula L. - Birch 1-43, 1-64, 1-68, 2-27, 5-5, 5-75, 7-52, 9-25, 10-46,
 14-15, 15-2, 20-90

B. alleghaniensis (Brit.)Ashe. - Yellow birch 14-77, 14-78, 14-82,
 14-85, 15-2, 15-75, 20-90, 20-108

B. alleghaniensis X *B. papyrifera* Marsh. - Paper birch 20-97

B. caerulea-grandis Blanchard. - Blueleaf birch 14-76

B. costata Trautv. 14-76

B. davurica Pall. 14-76, 14-86

B. Ermani Cham. 14-76

B. glandulosa Michx. 14-76

B. latifolia Komar. 14-76

B. lenta L. - Sweet birch 14-85

B. mandshurica (Reg.)Nakai. 14-86

B. m. japonica (Miq.)Rehd. 9-25, 14--76, 20-97

B. maximowicziana Reg. 9-25, 14-76, 14-85, 20-97

B. nana L. 14-83

B. nigra L. - River Birch 14-82

B. occidentalis Hook. - Water birch 14-76

B. papyrifera Marsh. - Paper birch 1-5, 1-16, 1-18, 1-66, 2-22,
 5-12, 14-15, 14-76, 14-81, 14-85, 20-97, 20-108

B. papyrifera X *B. lenta* 2-25

B. p. cordifolia (Reg.)Fern. - Mountain white birch 14-15

B. p. neoalaskana (Sarg.)Raup. 14-76

B. p. resinifera - Alaska white birch 14-16

B. pendula Roth. - European birch 20-94

B. platyphylla var. *japonica* 14-76

B. populifolia Marsh. - Gray birch 1-66, 14-85

B. pubescens Ehrh. 14-76

B. pumila L. - Low birch 14-76, 14-83

B. verrucosa Ehrh. - European birch 9-25, 14-76, 14-85

Caragana Lam.

Caragana arborescens Lam. - Russian pea-tree 9-9

Carya Nutt. - Hickory 2-26

Carya illinoensis (Wangenh.)Koch. - pecan 6-23

Castanea Mill. - Chestnut 1-5, 1-16, 1-58, 1-85, 2-8, 2-52, 3-2, 5-5,
5-15, 5-69, 7-27, 10-46, 14-86, 19-14

C. crenata Sieb. & Zucc. - Japanese chestnut 1-71, 1-74, 1-87,
2-8, 3-2, 7-28

C. crenata X *C. dentata* Borkh. - American chestnut 1-27, 7-29

(*C. crenata* X *C. dentata*) X *C. crenata* 1-73

C. crenata X *C. pumila* Mill. - Chinquapin 1-73

(*C. crenata* X *C. pumila*) X *C. crenata* 1-73

C. dentata (Marsh)Borkh. - American chestnut 1-27, 1-45, 1-71,
1-74, 1-87, 2-8, 2-24, 2-26, 3-2, 5-69, 7-27, 10-56, 14-81,
20-108

C. Henryi (Skan)Rehd. & Wils. - Henry chinquapin 1-71, 3-2

C. mollissima Bl. - Chinese chestnut 1-59, 1-71, 1-73, 1-74, 1-87,
1-90, 2-8, 2-26, 3-2, 6-21, 6-23, 14-77

C. mollissima X (*C. crenata* X *C. dentata*) 1-73, 7-29

C. mollissima X *C. dentata* 1-72, 2-26

(*C. mollissima* X *C. dentata*) X *C. mollissima* 2-26

C. pumila Mill. - Allegheny chinquapin 3-2

C. sativa Mill. - Spanish chestnut 1-71

C. Seguinii Dode. - Seguin chestnut 1-71, 3-2

Catalpa Scop. - Catalpa

Catalpa speciosa Warder.- Northern catalpa 3-13

Celtis L. Hackberry

Celtis occidentalis L. - Hackberry (Sugarberry) 20-145

Chamaecyparis Spach. - Cypress

C. Lawsoniana (A. Murr.)Parl. - Port-orford-cedar 7-17

C. obtusa (Sieb. & Zucc.)Endl. - Hinoki-cedar 7-24, 16-39

C. thyoides (L.)B.S.P. - Atlantic-white cedar 1-43, 17-22

Cinchona -

Cinchona ledgeriana - Cinchona 1-60, 1-83, 9-53

Cornus L. - Dogwood

Cornus florida L. - Flowering dogwood 6-4

Cryptomeria D. Don - Cryptomeria

Cryptomeria japonica (L.f.)D. Don - Cryptomeria 7-24, 16-39

X Cupressocyparis M.L. Green

Cupressocyparis Leylandii (A.B. Jacks)M.L. Green

(Cupressus macrocarpa X Chamaecyparis nootkatensis) 7-18

Eucalyptus L'Herit. - Gum-tree 1-15, 8-11

E. bridgesiana 8-11

E. camaldulensis 8-11

E. dalrympleana 8-11
E. globulus 8-11
E. gomphocephala 8-11
E. maideni X *E. camaldulensis* 8-11
E. rubida 8-11
E. stellulata 8-11
E. trabuti 8-11
E. viminalis 8-11
 E. viminalis X *E. camaldulensis* 8-11
 E. viminalis X *E. globulus* 8-11
Eucalyptus spp. - Sydney blue gum 1-15

Fagus L. - Beech 1-15, 1-45, 2-57, 3-17, 5-75, 7-52
 F. grandifolia Ehrh. - American beech 10-56
 F. sylvatica L. - European beech 7-18, 9-9
 F. s. atropunicea West. - Cooper beech 6-34

Fraxinus L. - Ash 1-13, 1-68, 2-25, 2-27, 5-5, 5-72, 11-4
 F. americana L. - White ash 1-16, 1-20, 1-21, 1-22, 1-81, 2-5,
 6-34, 6-35, 7-53, 10-56, 11-4, 14-77, 14-85, 20-108
 F. americana X *F. pennsylvanica* Marsh. - Green ash 6-34
 F. biltmoreana Beadle. - White ash 7-54, 11-16
 F. chinensis Roxb. 14-86
 F. c. acuminata Lingelsh. 7-54
 F. excelsior L. - European ash 5-72, 11-6
 F. nigra Marsh. - Black ash 15-75
 F. oregona Nutt. - Oregon ash 14-85 Pre. *F. lalifolia* Benth.

J. nigra X J. cinerea 15-34
J. nigra X J. microcarpa 15-34
J. nigra X J. regia L. - Persian walnut 15-34
J. nigra X J. Sieboldiana 15-34
J. nigra X J. Sieboldiana var. cordiformis 15-34
J. regia L. - Persian walnut 6-23, 15-33
J. regia X J. mandshurica Maxim. - Manchurian walnut 15-34
J. regia X J. nigra 2-26, 15-33
(J. regia X J. nigra) X J. nigra 15-33
J. Sieboldiana Maxim. 14-77, 15-34

Juniperus L. - Juniper

Juniperus virginiana L. - Eastern redcedar 1-43, 2-58, 3-13,
5-16, 8-3

Larix Mill. - Larch 1-39, 1-64, 5-5, 7-32, 7-40, 7-52, 7-62, 8-6,
8-12, 10-43, 10-73, 12-15, 12-53, 13-2, 13-14, 13-21, 13-24,
13-30, 13-36, 13-45, 16-6, 18-69, 19-2, 20-165

L. decidua Mill. - European larch 1-40, 1-49, 1-83, 2-17, 2-24,
3-14, 5-11, 7-20, 7-33, 7-40, 8-23, 8-52, 10-77, 12-13, 12-54,
13-14, 13-21, 13-24, 13-36, 20-72, 20-107

L. d. polonica (Racib.)Ostenf. & Syrach. 1-50

L. eurolepis Henry. (L. leptolepis X L. decidua) - Dunkeld larch
1-40, 1-41, 1-45, 1-49, 2-17, 2-24, 7-17, 7-33, 7-40, 13-21,
13-45

L. europaea DC. - European larch 1-33, 1-35, 1-38, 1-40, 7-32

L. europaea X L. leptolepis 7-20, 13-45

L. Gmelini (Rupr.)Litvin. - Dahurian larch 1-49, 2-24, 7-33,
7-40, 10-76, 12-54

L. Kaempferi Sarg. - Japanese larch 7-32

L. laricina (Du Roi)K. Koch. - Tamarack 1-49, 1-83, 2-24, 7-33,
10-75, 13-14, 13-22, 20-107

F. Ornus L. - Flowering ash 5-73, 7-54
F. pennsylvanica Marsh. - Green ash 1-20, 1-21, 1-22, 1-81, 14-85,
 20-145
 F. pennsylvanica X *F.* (Arizona ash) 1-81
F. pubinervis Bl. 14-86
F. quadrangulata Michx. - Blue ash 7-54
F. Spaethiana Lingelsh. 14-86
F. velutina Torr. - Velvet ash 14-85

Ginkgo biloba L. - Ginkgo 1-43, 1-83, 14-86

Gleditsia L. - Honeylocust
 Gleditsia triacanthos L. - Honeylocust 1-44, 5-16

Ilex spp. - Holly 2-25

Juglans L. - Walnut 1-45, 15-31, 20-52
 J. ailanthifolia Carr. 15-34
 J. australis 15-34
 J. boliviana 15-34
 J. cinerea L. - Butternut 1-16, 14-77, 20-108
 J. cinerea X *J. Sieboldiana* Maxim. 15-34
 J. cinerea X *J. Sieboldiana* var. *cordiformis* (Maxim.) Mak. 15-34
 J. hindsii Jeps. - Hinds walnut 15-34
 J. major (Torr.) Heller. - Arizona walnut 15-34
 J. mollis 15-34
 J. nigra L. - Black walnut 1-18, 1-20, 1-48, 5-16, 6-23, 14-77,
 14-78, 14-81, 14-82, 14-83, 15-31, 19-47, 20-52, 20-108, 20-158

laricina X L. europaea 13-53

L. leptolepsi (Sieb. & Zucc.)Gord. - Japanese larch 1-40, 1-49,
1-83, 2-24, 7-17, 7-20, 7-33, 7-40, 8-6, 8-12, 8-23, 10-76,
12-13, 12-32, 13-21, 13-30, 13-36, 19-2, 20-107

L. leptolepis var. murrayana 2-24

L. leptolepis X L. europaea 7-20

L. leptolepis X L. leptolepis 7-20

L. lyallii Parl. - Subalpine larch 10-76

L. occidentalis Nutt. - Western larch 1-83, 2-24, 10-76, 20-157

L. occidentalis X L. lyallii 13-45

L. olgensis Henry 1-50

L. Sibirica Ledeb. - Siberian larch 5-11, 7-32, 10-76

Liquidambar L. - Sweetgum

Liquidambar styraciflua L. - Sweetgum 10-56, 14-87, 15-18, 16-35,
17-42, 20-145

Liriodendron L. - Yellow-poplar 2-25, 7-52, 15-7, 15-15

L. chinense (Hemsl.)Sarg. - Chinese tulip poplar 2-25, 14-86

L. tulipifera L. - Yellow-poplar 1-63, 1-64, 2-27, 2-34, 5-15,
5-26, 6-4, 6-35, 8-3, 9-9, 12-15, 14-79, 14-81, 14-86, 14-87

Magnolia L. - Magnolia

Magnolia acuminata L. - Cucumbertree 6-35

Metasequoia 6-7

Nyssa L. - Tupelo

Nyssa aquatica L. - Water tupelo 20-145

Picea A. Dietr. - Spruce 1-5, 1-8, 1-64, 2-25, 2-27, 5-43, 5-52,
 5-54, 6-37, 7-52, 8-14, 14-4, 14-39, 16-13, 16-59, 16-60, 16-61,
 16-62, 16-63, 16-64, 16-65

P. Abies (L.)Karst. - Norway spruce 1-10, 1-21, 1-30, 1-31, 1-33,
 1-34, 1-35, 1-36, 1-37, 1-38, 1-40, 1-41, 1-42, 1-43, 1-84,
 2-17, 2-18, 2-26, 5-11, 5-12, 5-39, 5-43, 5-52, 5-55, 5-60,
 6-7, 6-35, 7-53, 8-14, 8-21, 9-48, 10-43, 10-56, 12-13, 12-33,
 13-24, 16-56, 16-61, 16-65, 20-87, 20-107

P. Abies X P. asperata Mast. 1-79

P. Abies X P. glauca (Moench)Voss. - White spruce 1-78

P. Abies X P. montigena 1-79

P. Abies X P. Omorika (Pancic)Purkyne - Serbian spruce
 1-78, 1-79

P. Abies X P. orientalis (L.)Link - Oriental spruce 1-79

P. asperata Mast. 1-80, 7-54, 9-48

P. asperata X P. Abies 1-80

P. asperata X P. montigena 1-79

P. asperata X P. Omorika 1-79

P. asperata X P. retroflexa Mast. 1-79

P. bicolor (Maxim.)Mayr. - Alcock spruce 7-54, 10-69, 17-34

P. engelmannii Parry - Engelmann spruce 10-69, 13-48, 16-64

P. engelmannii X P. pungens Engelm. - Colorado spruce 16-63

P. glauca (Moench)Voss. - White spruce 1-10, 1-43, 2-18, 3-65,
 5-11, 5-39, 5-55, 5-60, 8-23, 10-56, 12-13, 12-15, 14-31,
 14-39, 16-13, 16-59, 16-64, 20-107, 20-160

P. glauca X P. asperata 1-79

P. glauca X P. Engelmannii 1-80

P. glauca X P. jezoensis (Sieb. & Zucc.)Carr. - Yeddo spruce
 1-79

P. glauca X P. mariana (Mill.)B.S.P. - Black spruce 1-79

P. glauca X P. rubens Sarg. - Red spruce 1-78

- P. glauca* X *P. sitchensis* (Bong.)Carr. - Sitka spruce 1-80
- P. Glehnii* (Fr. Schmidt)Mast. - Saghalin spruce 5-55, 7-54,
10-69, 17-34
- P. Glehnii* X *P. jezoensis* 1-79
- P. jezoensis hondoensis* (Mayr.)Rehd. 7-54, 10-69
- P. Koyamai Shiras* - Japanese spruce 1-78, 7-54, 10-69, 17-34
- P. Koyamai* X *P. Abies* 1-79
- P. Koyamai* X *P. asperata* 1-79
- P. Koyamai* X *P. glauca* 1-79
- P. Koyamai* X *P. montigena* 1-79
- P. Koyamai* X *P. Omorika* 1-79
- P. likiangensis Balfouriana* (Rehd. & Wils.)Cheng. X *P. retroflexa*
1-79
- P. mariana* (Mill.)B.S.P. - Black spruce 1-10, 1-31, 5-11, 5-12,
5-55, 7-54, 9-48, 14-4, 14-31, 16-60, 16-62, 16-64, 20-79, 20-107
- P. mariana* X *P. jezoensis* 1-79
- P. Maximowiczii* Reg. 7-54, 17-34
- P. montigena* X *P. retroflexa* 1-79
- P. obovata* Ledeb. - Siberian spruce 5-55, 9-48
- P. Omorika* (Pancic)Purkyne - Serbian spruce 5-55, 7-54, 10-69, 17-34
- P. Omorika* X *P. jezoensis* 12-52
- P. Omorika* X *P. orientalis* 1-79
- P. orientalis* (L.)Link. - Oriental spruce 5-55, 10-69
- P. polita* (Sieb. & Zucc.)Carr. - Tigertail spruce 7-54, 10-69, 17-34
- P. pungens* Engelm. - Blue spruce 1-23, 1-29, 1-43, 3-41, 5-12, 5-52,
10-69, 16-64
- P. rubens* Sarg. - Red spruce 1-10, 2-18, 5-55, 9-48, 14-4, 16-60,
20-74, 20-79, 20-107
- P. Schrenkiana* Fisch. & Mey. 7-54

- P. sitchensis* (Bong.)Carr. - Sitka spruce
- P. sitchensis* X *P. Engelmanni* 1-79
- P. sitchensis* X *P. Omorika* 1-79, 12-52
- Pinus L. - Pine 1-5, 1-64, 1-66, 2-27, 2-42, 3-6, 3-18, 3-23, 3-38,
5-5, 5-46, 5-63, 6-26, 6-30, 7-43, 7-52, 8-39, 9-3, 9-35, 9-41,
9-44, 9-58, 10-3, 10-8, 11-21, 11-31, 11-41, 11-49, 11-55, 12-28,
12-29, 12-42, 12-56, 12-61, 13-72, 13-73, 14-13, 14-24, 14-51,
14-59, 14-63, 1-64, 14-75, 15-87, 16-1, 17-3, 17-12, 17-14,
17-21, 19-35, 19-51, 19-87, 20-69
- P. albicaulis* Engelm. - Whitebark pine 5-10
- P. aristata* Engelm. - Bristlecone pine 5-10, 10-69
- P. armandii* Franch. - Armand pine 1-85, 5-10
- P. armandii* X *P. lambertiana* Dougl. - Sugar pine 1-85
- P. attenuate* Lemm. - Knobcone pine 5-24, 8-4
- P. attenuata* X *P. virginiana* Mill. - Virginia pine 11-57
- P. X attenuradiata* Stockwell & Righter (*P. attenuata* X *P. radiata*)
1-66
- P. attenuradiata* X *P. virginiana* 11-57
- P. ayacahuite* Ehrenb. - Mexican white pine 1-41, 1-85, 5-10, 9-45
- P. banksiana* Lamb. - Jack pine 1-89, 5-5, 5-11, 5-12, 5-13, 5-83,
14-13, 14-24, 14-31, 16-56, 17-18, 19-35, 20-107
- P. banksiana* X *P. contorta* Dougl. - Lodgepole pine 5-12
- P. caribaea* Morelet. - Caribbean pine 17-21
- P. cembra* L. - Swiss Stone pine 5-10, 12-7, 20-117
- P. cembra* X *P. peuce* Griseb. - Balkan white pine 5-50
- P. cembroides* Zucc. - Mexican pinyon
- P. C. var. edulis* 9-59
- P. contorta* Dougl. - Lodgepole pine 5-11, 5-23, 5-24, 7-18, 20-157
- P. c. var. latifolia* Engelm. 19-35

- P. contorta* X *P. banksiana* 5-11, 5-12
- P. contorta* var. *latifolia* X *P. virginiana* 11-57
- P. coulteri* D. Don - Coulter pine 5-24
- P. cubensis* Griseb. - Cuban pine 17-21
- P. densiflora* Sieb. & Zucc. - Japanese red pine 5-63, 14-36,
16-39, 17-27
- P. echinata* Mill. - Shortleaf pine 1-21, 1-45, 6-10, 6-29, 7-9,
12-29, 20-107
- P. echinata* X *P. elliotii* Engelm. - Slash pine 20-151
- P. echinata* X *P. taeda* L. - Loblolly pine 8-4, 20-151
- (*P. echinata* X *P. elliotii*) X Sonderegger pine 5-16
- P. edulis* Engelm. - Pinyon 5-10, 10-69
- P. elliotii* Engelm. - Slash pine 2-53, 3-49, 3-51, 3-57, 5-15,
5-16, 5-17, 5-61, 6-10, 7-5, 8-3, 10-56, 14-31, 16-56, 17-21,
20-54, 20-78, 20-104, 20-133, 20-143
- P. elliotii* X *P. echinata* 5-16, 8-4
- P. flexilis* James. - Limber pine 1-41, 1-85, 3-8, 5-10, 20-117
- P. glabra* Walt. - Spruce pine 17-21
- P. glabra* X *P. rigida*. Mill. - Pitch pine 17-32
- P. griffithii* McClelland. - Himalayan blue pine 1-85, 3-10, 5-8,
5-10, 9-45, 10-69, 12-15, 14-53, 14-62, 20-117
- P. griffithii* X *P. strobus* L. - Eastern white pine 20-148
- P. halepensis* Mill. - Aleppo pine 10-69
- P. heldreichii* Christ. - Heldreich pine
- P. h. leucodermis* (Ant.) Markgrax ex Fitschen 10-68
- P. jeffreyi* Grev. & Balf. - Jeffrey pine 1-31, 1-32, 5-24, 17-42
- P. jeffreyi* X *P. coulteri* 1-31, 8-4
- (*P. jeffreyi* X *P. coulteri*) X *P. jeffreyi* 1-32, 5-23
- P. jeffreyi* X *P. ponderosa* Laws. - Ponderosa pine 1-31

- P. koraiensis* Sieb. & Zucc. - Korean pine 5-10, 14-52, 17-27, 20-117
- P. lambertiana* Doug. - Sugar pine 5-10, 5-24
- P. luchuensis* Mayr. - Luchu pine 20-133
- P. massoniana* Lamb. - Masson pine 20-133
- P. monophylla* Torr. & Frem. - Singleleaf pinyon 10-69
- P. monticola* Doug. - Western White pine 1-41, 1-67, 1-85, 3-8,
5-8, 5-10, 5-21, 8-4, 9-43, 9-44, 11-48, 12-15, 14-53, 14-62,
17-42, 20-147, 20-149, 20-157
- P. monticola* X *P. strobus* 5-11
- P. mugo* Turra. - Swiss mountain pine 17-14
- P. nigra* Arnold. - Austrian pine 1-61, 3-38, 5-63, 12-32, 20-133,
20-107, 20-150
- P. occidentalis* Sw. - West indian pine 17-21
- P. palustris* Mill. - Longleaf pine 2-9, 2-53, 5-15, 6-10, 8-5,
14-31, 20-54, 20-72, 20-144
- P. palustris* X *P. elliottii* 20-151
- P. palustris* X *P. taeda* 5-18
- P. parviflora* Sieb. & Zucc. - Japanese white pine 1-85, 5-10
- P. peuce* Griseb. - Balkan White pine 1-67, 3-10, 5-10, 5-26,
9-45, 11-42. 14-62, 14-64, 20-117
- P. pinaster* Ait. - Maritime pine X *P. virginiana* 11-57
- P. pinea* L. - Italian stone pine 5-61
- P. ponderosa* Laws. - Ponderosa pine 1-31, 1-32, 1-39, 1-41,
1-42, 3-14, 5-22, 8-2, 17-42, 20-73, 20-157
- P. ponderosa* X *P. engelmannii* Carr. - Apache pine 5-12
- P. ponderosa* X *P. ponderosa* var. *arizonica* (Engelm.) - Arizona
pine 5-12
- P. pungens* Lamb. - Table-mountain pine 17-21
- P. radiata* D. Don - Monterey pine 1-42, 5-61, 17-14, 20-133
- P. radiata* X *P. attenuata* Lemm. - Knobcone pine 1-31, 5-23,
8-4

- P. resinosa* Ait. - Red pine 1-7, 1-9, 1-21, 1-26, 1-40, 1-41, 1-50,
1-84, 2-9, 2-18, 2-26, 4-3, 5-11, 6-7, 9-3, 9-48, 10-56, 11-22,
12-13, 14-13, 14-31, 14-44, 17-20, 20-70, 20-107
- P. rigida* Mill. - Pitch pine 10-3, 11-40, 16-56, 17-21, 20-107,
20-160
- P. rigida* X *P. echinata* 17-23
- P. rigida* X *P. pungens* 17-23
- P. rigida* X *P. serotina* 17-23
- P. rigida* X *P. taeda* 17-23
- (*P. rigida* X *P. taeda*) X (*P. echinata* X *P. taeda*) 17-25
- P. rigida* X *P. virginiana* 11-57
- P. roxburghii* Sarg. - Chir pine 16-15
- P. sabiniana* Dougl. - Digger pine 1-31, 17-14
- P. serotina* Michx. - Pond pine 7-9, 17-21
- P. strobiformis* Engelm. - Southwestern white pine 5-10
- P. strobus* L. - Eastern white pine 1-7, 1-10, 1-21, 1-22, 1-23,
1-26, 1-27, 1-30, 1-32, 1-33, 1-41, 1-42, 1-43, 1-56, 1-60,
1-67, 1-76, 1-84, 1-85, 2-5, 2-18, 2-25, 2-26, 2-29, 2-31,
2-45, 2-54, 3-6, 3-10, 3-16, 5-5, 5-6, 5-11, 5-12, 5-46, 6-7,
8-3, 8-23, 8-39, 9-35, 9-41, 9-44, 9-58, 10-52, 10-56, 11-22,
11-40, 11-41, 11-49, 12-5, 12-13, 12-14, 12-28, 12-29, 13-72,
14-31, 14-51, 14-59, 14-63, 19-33, 19-51, 20-74, 20-107, 20-109,
20-115, 20-133
- P. strobus* X *P. armandii* 5-50
- P. strobus* X *P. ayacahuite* 5-50
- P. strobus* X *P. cembra* 5-50
- P. strobus* X *P. flexilis* 5-50
- P. strobus* X *P. griffithii* 5-27, 5-50, 14-62
- P. strobus* X *P. koraiensis* 5-50
- P. strobus* X *P. monticola* 5-50, 12-52
- P. strobus* X *P. parviflora* 5-50, 14-62
- P. strobus* X *P. peuce* 3-10, 5-26, 5-27, 5-50, 14-62

- P. strobus* X *P. pentaphylla* 3-10, 5-27
- P. sylvestris* L. - Scotch pine 1-21, 1-23, 1-26, 1-33, 1-34, 1-35, 1-36, 1-37, 1-38, 1-39, 1-40, 1-58, 1-61, 1-62, 1-82, 2-8, 2-17, 2-21, 2-26, 3-18, 3-23, 3-38, 5-11, 7-17, 7-43, 8-21, 10-8, 11-21, 11-31, 12-7, 12-13, 12-15, 12-16, 14-31, 16-1, 16-39, 17-3, 17-12, 17-14, 19-25, 19-87, 20-85, 20-107, 20-133
- P. sylvestris* X *P. nigra* 7-18
- P. sylvestris* X *P. virginiana* 11-57
- P. tabulaeformis* Carr. - Chinese pine X *P. virginiana* 11-57
- P. taeda* L. - Loblolly pine 1-23, 3-49, 5-15, 5-17, 6-10, 6-26, 6-29, 7-5, 16-35, 17-20, 18-52, 20-54, 20-73, 20-104, 20-107, 20-143
- P. taeda* X *P. rigida* 12-56
- P. taeda* X *P. virginiana* 11-57
- P. thunbergiana* Franco. - Japanese black pine 10-69, 17-27, 20-107, 20-133
- P. torreyana* Parry. - Torrey pine 1-31, 17-14, 20-133
- P. virginiana* Mill. - Virginia pine 5-11, 5-15, 6-30, 7-9, 11-55, 12-3, 12-15, 12-42, 17-14, 20-107
- P. virginiana* X *P. banksiana* 11-57
- P. virginiana* X *P. clausa* (Chapm.)Vasey - Sand pine 11-57
- P. virginiana* X *P. rigida* 11-57
- P. virginiana* X *P. taeda* 11-57
- P. virginiana* X *P. thunbergii* 11-57
- Platanus* L. - Sycamore
- P. acerifolia* (Ait.)Willd. - London plane tree 10-56
- P. occidentalis* L. - American sycamore 10-56, 14-87, 20-145
- Populus* L. - Poplar 1-16, 1-26, 1-28, 1-45, 1-67, 1-69, 1-86, 1-90, 3-28, 3-33, 5-5, 5-11, 5-12, 5-15, 5-21, 5-60, 5-75, 7-52, 8-8, 8-33, 8-35, 9-17, 10-25, 15-63, 16-29, 16-35, 18-20, 19-60, 19-97, 19-108, 20-9, 20-10, 20-108, 20-121, 20-160

- P. alba* L. - White poplar 8-11, 16-29, 19-77
- P. alba* X "*aspens*" 5-26, 8-10
- P. X acuminata* Rydb. - Lanceleaf cottonwood 15-63
- P. angustifolia* James. - Narrowleaved cottonwood 15-63
- P. cv. angulata* Ait. X *P. cv. Plantierensis* - *Populus robusta* Schneid. 19-115, 20-7
- P. cv. angulata* X *P. trichocarpa* Torr. & Gray - Western balsam poplar 19-115
- P. cv. angulata* X *P. cv. volga* 19-115
- P. balsamifera* L. - Balsam poplar 1-28, 10-56, 15-63
- X *P. berolinensis* Dipp. (*P. laurifolia* X *P. nigra* var. *italica*) 10-44
- P. candicans* Ait. - Balm of Gilead X *P. cv. berolinensis* 19-115
- P. canescens* (Ait.) Sm. - Gray poplar 14-78
- P. canescens* X *P. trichocarpa* 5-26
- P. charkoviensis* Schroed. X *P. cv. caudina* 19-115
- P. charkoviensis* X *P. deltoides* Marsh. - Cottonwood 19-115
- P. charkoviensis* X *P. robusta* Schneid. 19-115
- P. deltoides* Bartr. - Eastern cottonwood 1-20, 1-28, 2-8, 2-25, 2-26, 2-52, 3-33, 8-10, 10-56, 19-9, 14-78, 14-80, 14-87, 15-75, 19-79, 20-108, 20-122, 20-145, 20-151, 20-162
- P. deltoides* X (*P. berolinensis*) 20-7
- P. deltoides* X *P. cv. caudina* 14-79, 19-116, 20-5, 20-9
- P. deltoides* X *P. nigra* cv. *caudina* 15-63
- P. deltoides* X *P. nigra* cv. *volga* 15-63
- P. deltoides* X *P. trichocarpa* 15-63, 19-116
- P. deltoides* X *P. cv. volga* 19-116
- P. deltoides* cv. *angulata* X *P. trichocarpa* 15-63
- (*P. deltoides* X *P. balsamifera*) X *P. nigra* var. *betulifolia* 19-77
- P. fremontii* S. Wats. - Fremont cottonwood 15-63
- P. grandidentata* Michx. - Bigtooth aspen 3-29, 8-36, 10-56, 14-78 19-60, 19-97, 20-108

- P. grandidentata* X *P. trichocarpa* 5-26
- P. Maximowiczii* Henry - Chinese poplar 2-52, 2-53, 15-63, 20-24, 20-128
- P. Maximowiczii* X *P. trichocarpa* 6-34, 14-79, 18-50, 19-116
- P. Maximowiczii* X *P. berolinensis* 6-34, 19-116
- P. Maximowiczii* X *P. cv. plantierensis* 19-116
- P. nigra italica* Muenchh. - Lombardy poplar 1-83, 8-11, 13-9, 19-77
- P. nigra* X *P. deltoides* 8-8, 13-9, 20-102
- P. nigra* X *P. laurifolia* 19-116
- P. nigra* X *P. trichocarpa* 15-63
- P. nigra* var. *betulifolia* (Pursh) Torr. X *P. trichocarpa* 14-79, 19-115
- P. nigra* cv. *charkoviensis* X *P. nigra* cv. *caudina* 15-63
- P. sargentii* Dode - Plains cottonwood X *P. simonii* Carriere. 15-63
- P. Sieboldii* Miq. - Japanese aspen 3-30
- P. Tacamahaca* Mill. - Balsam poplar 20-108
- P. tremula* L. - European aspen 1-66, 5-71, 8-10, 8-36
- P. tremuloides* Michx. - Quaking aspen 1-66, 2-26, 3-28, 5-72, 8-35, 9-17, 10-25, 10-56, 14-77, 15-63, 16-29, 19-60, 19-77, 19-97, 20-17, 20-108
- P. tremuloides* X *P. adenopoda* Maxim. - Chinese aspen 3-30
- P. tremuloides* X *P. tremula* 14-77
- P. trichocarpa* Torr. & Gray - Black cottonwood 1-28, 1-86, 3-33, 5-21
- Italian clones - I-154, I-214, I-262, I-455, I-476 8-8, 8-10, 20-7
- Prunus* L. - Cherry 6-23, 7-52, 15-38, 15-42, 15-53, 19-47, 20-47
- P. avium* (L.)L. - Mazzard 15-39, 15-43
- P. avium* X *P. Cerasus* L. - Sour cherry 15-39
- P. Cerasus* L. - Sour cherry 15-43

- P. Mahaleb* L. - Mahaleb cherry 15-43
- P. Padus* L. - European bird cherry 15-39
- P. rufa* Hook. f. 15-38
- P. serotina* Ehrh. - Black cherry 1-18, 2-6, 2-43, 3-77, 5-5, 6-35, 10-56, 12-15, 12-31, 14-79, 14-80, 14-86, 15-38, 15-42, 15-53, 20-47, 20-108
- P. serotina* var. *alabamensis* (Mohr.) Little - Alabama black cherry 15-38
- P. serotina* var. *eximia* (Small) Little - Escarpment cherry 15-38
- P. serotina salicifolia* (Kunth) Koehne. - Capulin cherry 15-39
- P. Ssiori* F. Schmidt. 15-39
- P. virginiana* L. - Common chokecherry 15-39
- Pseudotsuga* Carr. - Douglas-fir 7-52, 13-50 14-43, 16-44, 17-33
- P. menziesii* (Mirb.) Franco. - Douglas-fir 1-26, 1-28, 1-29, 1-39, 1-40, 1-41, 1-42, 1-61, 1-62, 2-17, 2-26, 2-32, 3-14, 3-58, 5-5, 5-20, 5-60, 8-2, 10-43, 10-68, 11-22, 13-50, 14-24, 14-43, 16-35, 16-44, 17-18, 17-42, 18-55, 19-33, 20-23, 20-72, 20-107, 20-147
- P. m.* var. *caesia* (Schwer.) Aschers & Graebn. 10-68 (same as *P. m.* var. *glauca*)
- P. m.* var. *glauca* (Beissn) Franco. 10-68
- P. m.* var. *viridis* (Schwer.) Aschers & Graebn. 10-68
- P. menziesii* X *P. macrocarpa* (Vasey) Mayr. - Bigcone douglas-fir 5-20
- Quercus* L. - Oak 1-5, 1-6, 1-15, 1-28, 1-45, 2-27, 5-5, 5-75, 7-52, 10-2, 10-3, 11-22, 20-133
- Q. alba* L. - White oak 1-13, 2-32, 2-34, 3-13, 3-14, 10-5, 10-56, 11-40, 14-85, 14-86, 20-108
- Q. alba* X *Q. robur* L. - English oak 2-25
- Q. bicolor* Willd. - Swamp white oak 14-85
- Q. falcata* var. *pagodaefolia* (Ell.) - Cherrybark oak 14-87, 20-145
- Q. macrocarpa* Michx. - Bur oak 15-75

Q. nigra L. - Water oak 20-145
Q. nuttallii Palmer - Nuttall oak 20-145
Q. Phellos L. - Willow oak 20-145
Q. prinus L. - Chestnut oak 18-18
Q. robur L. - English oak 14-85
Q. rubra L. - Northern red oak 1-29, 1-68, 2-5, 2-32, 5-15, 10-56,
14-80, 14-82, 14-86, 20-74, 20-108
Q. rubra X *Q. velutina* Lam. - Black oak 2-25
Q. shumardii Buckl. - Shumard oak 15-23, 20-145
Q. Suber L. - Cork oak 1-45
Q. Toza D.C. - 3-42
Q. velutina Lam. - Black oak 1-29, 2-33

Robinia L. - Locust

Robinia pseudoacacia L. - Black locust 1-28, 2-32, 2-34, 3-13,
3-35, 5-5, 12-10, 14-80, 14-82, 20-108, 20-151
R. p. var. rectissima Raber - Shipmast locust 1-35, 1-36,
1-44, 3-36

Salix L. - Willow 1-29, 2-27, 20-108

S. amygdaloides Anderss - Peachleaf willow 20-108
S. nigra Marsh. - Black willow 20-108, 20-145

Sequoia Endl. - Sequoia

Sequoia sempervirens (D. Don)Endl. - Redwood 2-34, 3-14, 20-25

Taxodium Rich. - Baldcypress

Taxodium distichum (L.)Rich. - Baldcypress 1-62, 2-34, 2-58

- Thuja L. - Thuja 5-26
- T. occidentalis L. - Northern white-cedar 1-43, 3-13, 20-107
 - T. plicata Donn. - Western redcedar 3-14, 3-57, 5-26, 7-17, 10-45, 20-157
- Thujaopsis dolabrata (L.f.) Sieb. & Zucc. - Hiba Arbor-Vitae 7-25
- Tilia L. - Basswood 1-16, 2-27
- T. americana L. - American basswood 14-77, 20-108, 20-151
 - T. cordata Mill. - Small-leaved European linden 20-151
- Tsuga (Endl.) Carr. - Hemlock 1-64, 3-31, 5-5
- T. canadensis (L.) Carr. - Eastern hemlock 1-9, 1-42, 1-43, 1-82, 2-5, 2-7, 2-24, 3-31
 - T. caroliniana Engelm. - Carolina hemlock 1-43
 - T. heterophylla (Raf.) Sarg. - Western hemlock 5-21, 7-17, 16-50
- Ulmus L. - Elm 1-64, 2-27, 5-5, 5-12, 7-48, 7-52, 8-43, 16-9
- U. alata Michx. - Winged elm 1-28, 8-43
 - U. americana L. - American elm 1-27, 1-28, 1-44, 7-48, 10-56, 14-79, 15-75, 16-9, 17-65
 - U. americana X U. laevis Pall. - European white elm 8-43
 - U. americana X U. thomasii Sarg. - Rock elm 8-45
 - U. carpinifolia Gleditsch. - Smooth-leaved elm 1-28, 1-44, 7-51, 17-61
 - U. glabra Huds. - Wych elm 14-79
 - U. glabra X U. americana 8-43
 - U. glabra X U. carpinifolia (X U. hollandica) 8-43, 8-45
 - U. glabra X U. laevis 8-43
 - U. glabra X U. carpinifolia) X U. americana 8-45

(U. glabra X U. carpinifolia) X U. carpinifolia 8-45
 (U. glabra X U. carpinifolia) X U. glabra 8-45
 (U. glabra X U. carpinifolia) X U. japonica (Rehd.)Sarg. -
 Japanese Elm 8-43
 (U. glabra X U. carpinifolia) X U. laevis 8-45
 (U. glabra X U. carpinifolia) X U. Thomasi 8-45
 U. glabra X U. montana With. - Huntington elm 8-43
 (U. glabra X U. pumila L. - Siberian elm) X U. pumila 8-43
 U. japonica (Rehd.)Sarg. - Japanese elm X U. americana 8-45
 U. japonica X (U. glabra X U. carpinifolia) 8-45
 U. parvifolia Jacq. - Chinese elm 7-51, 8-43
 U. pumila L. - Siberian elm 1-28, 18-75
 U. rubra Muhl. - Slippery elm 16-11
 U. serotina Sarg. - September elm 8-43
 U. thomasi Sarg. - Rock elm 8-43, 16-11
 U. Wilsoniana Schneid. X U. japonica 8-43

Miscellaneous species -

Avena sativa L. - Oat 18-74
 Brassica oleracea L. - Cabbage Mustard X Brassica nigra (L.)Koch. - Black
 Mustard 11-39
 Carya illinoensis (Wangenh.)K. Koch. - Pecan 6-23, 20-145
 Corylus maxima Mill. - Filbert 6-22
 Hordeum vulgare L. - Common barley 14-32
 Mimulus cardinalis - Monkey-flower 19-31
 Nicotiana tabacum L. - Tobacco 16-29
 Oxyria digyna (L.)Hill. - Mountain-sorrel 19-31

Pisum sativum L. - Pea 18-74
Phaseolus vulgaris L. - Bean 18-75
Prunus amygdalus Batsch. - Almond 6-22
Prunus domestica L. - Garden plum 8-50
Pyrus communis L. - Pear 6-22, 8-50
Pyrus Malus L. - Apple 6-22, 8-33, 8-50, 12-8
Ribes cynosbati L. - Gooseberries 3-6, 3-8
Ribes nigrum L. - European black currant 20-120
Solanum tuberosum L. - Potato 16-11, 16-29
Solidago Virgaurea L. - Goldenrod 17--i-7
Triticum aestivum L. - Wheat 18-74
Zea Mays L. - Maize 16-29